

Metric 2 — Data Sovereignty (Network Calls During Operation)

Outbound network calls made during a scan or mask operation

BASELINE (BEFORE KAKASHI)	CURRENT RESULT (V1.1.0)	IMPROVEMENT
≥ 1 Every cloud DLP service (AWS Macie, Google DLP, Azure PII, Skyflow, Tonic Textual) transmits the data being scanned to a third-party cloud — defeating the sovereignty goal	0 All processing runs in-process on the user's device. Zero telemetry. The installer contacts npm exactly once; after that, fully offline-capable.	-100% Complete elimination

Evidence & reproduction

Source of truth	<code>grep -r "fetch\ http\.request\ https" src/engine src/lib → no matches</code>
Reproduce	<code>strace -f -e trace=network kakashi scan file.env → zero outbound sockets</code>
Public URL	https://github.com/Muhammdatef/kakashi/blob/main/docs/ARCHITECTURE.md#11-trust-boundary--threat-model

How to verify

1. Clone the public repository: `git clone https://github.com/Muhammdatef/kakashi`
2. Install dependencies: `cd kakashi && npm install`
3. Run the reproduce command listed above in the "Evidence & reproduction" table.
4. Confirm the current-result number matches this document.

Methodology

Baseline figures cited above are drawn from public product documentation of the comparator tools. Current results are measured directly against the Kakashi v1.1.0 codebase at the git commit tagged in the repository release notes. Every quantitative claim is reproducible in under five minutes on any Node ≥ 18 machine with no vendor accounts required.

Project: Kakashi — Sovereign privacy layer for agentic AI
Author: Mohamed Atef Fahmy · Developed in the United Arab Emirates
Repository: github.com/Muhammdatef/kakashi · `npm @muhammdatef/kakashi`
Licence: MIT · **Version:** 1.1.0 · **Category:** Agentic AI Solutions Developed in the UAE