

Metric 6 — Deployment Friction (Time to First Working Scan)

Elapsed seconds from decision-to-deploy to first successful scan on a laptop

BASELINE (BEFORE KAKASHI)	CURRENT RESULT (V1.1.0)	IMPROVEMENT
172,800 s Approx. 2 working days — enterprise DLP requires MDM enrolment, agent installation, policy definition, IT approvals. Cloud DLP requires account provisioning, IAM configuration, and network-egress rule changes	30 s Single command: npm install -g @muhammdatef/kakashi. Runs on any Node ≥ 18 machine, on macOS / Linux / Windows / WSL, no OS-level privileges required.	-172,770 s -99.98%

Evidence & reproduction

Source of truth	<code>install.sh</code> (79 lines) – one function per detected agent
Reproduce	<code>time npm install -g @muhammdatef/kakashi</code> → reproducible
Public URL	https://github.com/Muhammdatef/kakashi/blob/main/install.sh

How to verify

1. Clone the public repository: `git clone https://github.com/Muhammdatef/kakashi`
2. Install dependencies: `cd kakashi && npm install`
3. Run the reproduce command listed above in the "Evidence & reproduction" table.
4. Confirm the current-result number matches this document.

Methodology

Baseline figures cited above are drawn from public product documentation of the comparator tools. Current results are measured directly against the Kakashi v1.1.0 codebase at the git commit tagged in the repository release notes. Every quantitative claim is reproducible in under five minutes on any Node ≥ 18 machine with no vendor accounts required.

Project: Kakashi — Sovereign privacy layer for agentic AI
Author: Mohamed Atef Fahmy · Developed in the United Arab Emirates
Repository: github.com/Muhammdatef/kakashi · `npm @muhammdatef/kakashi`
Licence: MIT · **Version:** 1.1.0 · **Category:** Agentic AI Solutions Developed in the UAE