


Nama : Muhammad Arif Wirayudha

Kelas : Si-21-A

Npm : 21311019


DOKUMENTASI

1. TAMPILAN DARI JS



The screenshot shows the Visual Studio Code editor with a project named "WEBSITE SMP N 2 SUMBEREJO". The Explorer panel on the left shows the file structure, including a "js" folder containing "bootstrap.js", "custom.js", and "jquery-3.4.1.min.js". The main editor area displays the content of "custom.js". The code includes a function to get the current year and initialize an Owl Carousel slider.


```
1 // to get current year
2 function getYear() {
3     var currentDate = new Date();
4     var currentYear = currentDate.getFullYear();
5     document.querySelector("#displayYear").innerHTML = currentYear;
6 }
7
8 getYear();
9
10
11
12 // owl carousel slider js
13 var owl = $('.project_carousel').owlCarousel({
14     loop: false,
15     margin: 15,
16     center: true,
17     startPosition: 2,
18     autoplay: true,
19     navText: [
20         '<i class="fa fa-angle-left" aria-hidden="true"></i>',
21         '<i class="fa fa-angle-right" aria-hidden="true"></i>'
22     ],
23     autoplayHoverPause: true,
24     responsive: [
25         0: {
26             center: false,
27             items: 1,
28             margin: 0
29         },
30         769: {
31             items: 2,
32         },
33         992: {
34             center: true,
35             items: 3
36         }
37     ]
38 })
```



This screenshot continues the JavaScript code from the previous one. It shows the Owl Carousel filter functionality and a Google Map initialization.

```
27         items: 1,
28         margin: 0
29     },
30     769: {
31         items: 2,
32     },
33     992: {
34         center: true,
35         items: 3
36     }
37 }
38 })
39
40 // owl carousel2 filter
41
42
43 $('.owl-filter-bar').on('click', '.item', function (e) {
44     var $items = $('.owl-filter-bar a')
45     var $item = $(this);
46     var filter = $item.data('owl-filter')
47     $items.removeClass("active");
48     $item.addClass("active");
49     owl.owlcarousel2_filter(filter);
50
51     e.preventDefault();
52 })
53
54 /** google_map js **/
55 function myMap() {
56     var mapProp = {
57         center: new google.maps.LatLng(40.712775, -74.005973),
58         zoom: 18,
59     };
60     var map = new google.maps.Map(document.getElementById("googleMap"), mapProp);
61 }
```

2. TAMPILAN DARI CSS STLYE



The screenshot shows a Visual Studio Code editor window with a project named "WEBSITE SMP N 2 SUMBEREJO". The Explorer sidebar on the left displays the file structure, including a "css" folder with files like "bootstrap.css", "font-awesome.min.css", "responsive.css", and "style.css". The "style.css" file is selected and its content is visible in the main editor area. The code defines styles for the body, layout padding, and a heading container.

```
1 body {  
2     font-family: 'Roboto', sans-serif;  
3     color: #000000;  
4     background-color: #ffffff;  
5     overflow-x: hidden;  
6 }  
7  
8 .layout_padding {  
9     padding: 90px 0;  
10 }  
11  
12 .layout_padding2 {  
13     padding: 75px 0;  
14 }  
15  
16 .layout_padding2-top {  
17     padding-top: 75px;  
18 }  
19  
20 .layout_padding2-bottom {  
21     padding-bottom: 75px;  
22 }  
23  
24 .layout_padding-top {  
25     padding-top: 90px;  
26 }  
27  
28 .layout_padding-bottom {  
29     padding-bottom: 90px;  
30 }  
31  
32 .heading_container {  
33     display: -webkit-box;  
34     display: -ms-flexbox;  
35     display: flex;  
36     -webkit-box-orient: vertical;  
37     -webkit-box-direction: normal;
```

```
41 padding-bottom: 20px;
22 }
23
24 .layout_padding-top {
25 padding-top: 90px;
26 }
27
28 .layout_padding-bottom {
29 padding-bottom: 90px;
30 }
31
32 .heading_container {
33 display: -webkit-box;
34 display: -ms-flexbox;
35 display: flex;
36 -webkit-box-orient: vertical;
37 -webkit-box-direction: normal;
38 -ms-flex-direction: column;
39 flex-direction: column;
40 -webkit-box-align: start;
41 -ms-flex-align: start;
42 align-items: flex-start;
43 }
44
45 .heading_container h2 {
46 position: relative;
47 font-weight: bold;
48 }
49
50 .heading_container h2 span {
51 color: #07b266;
52 }
53
54 .heading_container-heading_center {
55 -webkit-box-align: center;
56 -ms-flex-align: center;
57 align-items: center;
```

```
71
72 .btn,
73 .btn:focus {
74 outline: none !important;
75 -webkit-box-shadow: none;
76 box-shadow: none;
77 }
78
79 /*header section*/
80 .hero_area {
81 position: relative;
82 height: 100vh;
83 display: -webkit-box;
84 display: -ms-flexbox;
85 display: flex;
86 -webkit-box-orient: vertical;
87 -webkit-box-direction: normal;
88 -ms-flex-direction: column;
89 flex-direction: column;
90 }
91
92 .sub_page .hero_area {
93 height: auto;
94 }
95
96 .sub_page .header_section {
97 margin-top: 0;
98 -webkit-box-shadow: 0 0 10px 0 rgba(0, 0, 0, 0.25);
99 box-shadow: 0 0 10px 0 rgba(0, 0, 0, 0.25);
100 }
101
102 .header_section .header_top {
103 padding: 15px 0;
104 background-color: #252525;
105 }
106
```

