REPORT TITLE IN BLOCK LETTERS

By

Abdulrahman Badawy Mohammed Taher
Student #2 Full Name
Student #3 Full Name
Student #4 Full Name
Student #5 Full Name

A Graduation Project Report Submitted to
the Faculty of Engineering at Alexandria University
in Partial Fulfillment of the Requirements for the
Degree of Bachelor of Science
in
Electronics and Electrical Communications Engineering

Faculty of Engineering, Cairo University
Cairo, Egypt
July 2026

Contents

List of Tables

List of Figures

List of Symbols and Abbreviations

SNR	Signal-to-Noise Ratio
Tx	Transmitter
Rx	Receiver

Acknowledgments

Insert the team acknowledgments here.

Abstract

Insert the one-page project abstract summary here[cite: 11].

Chapter 1

Introduction

This is the introductory chapter written by Team Member 1[cite: 12]. We can cite a source local to our folder like this **author2002**.

1.1 System Overview

Here is a demonstration of an integrated figure layout:



System Description	Stage 1	Stage 2	Stage 3	Stage 4	Stage 5
Component Name	LNA	Attenuator	Amplifier	Attenuator	Mixer
Gain (dB)	22	-3	8	-2	-7
NF (dB)	1	3	2	2	7
P1dB (dBm)	15	15	15	15	6
IP3 (dBm)	25	25	25	25	16

System Description	Stage 6	Stage 7
Component Name	Filter	V G A
Gain (dB)	0	39
NF (dB)	12	3
P1dB (dBm)	6	15
IP3 (dBm)	16	25

OUTPUTS

Parameter	Output
Gain (dB)	57.00
NF (dB)	1.87
P1dB (dBm)	14.98
IP3 (dBm)	24.98

Figure 1.1: Proposed system block diagram architecture.

As seen in Figure 1.1, the architecture is completely modular.

Chapter 2

Second Chapter

Empty

Chapter 3

Chapter three

Nothing Here