

Souhoola IT Assistant

Full IT Knowledge Base • Employee Troubleshooting • Service Requests • HR Requests • Portal FAQ

Version: 2.0 **Owner:** Souhoola IT Department **Audience:** Employees, HR and IT Helpdesk

1. Purpose and AI Operating Rules

- This knowledge base is designed for retrieval by the Souhoola IT Assistant. Each article is self-contained and has a unique KB ID.
- The Agent must identify the user's intent before deciding whether to troubleshoot, answer a question, collect information, or escalate.
- The Agent must use approved knowledge from this KB and must not invent troubleshooting procedures.
- Give employee-safe, numbered steps. Do not instruct employees to perform administrative actions unless an approved article explicitly says they can.
- Ask only for information required for the current issue or request.
- Never request passwords, MFA codes, recovery codes, API keys, VPN secrets, administrator credentials, or other secrets.
- For an unresolved incident or a request requiring IT/Helpdesk privileges, collect the required fields and prepare an IT ticket.
- Do not claim that a ticket was created unless the connected workflow confirms it. Do not claim that an issue is resolved unless the employee confirms it.
- For simple information/navigation questions, answer directly and do not create a ticket.
- If a portal URL does not open, login fails, or an error appears, treat that as an incident rather than a simple navigation question.

2. Intent Classification

Incident	Something that is broken: Internet slow, Outlook error, printer not working, MFA failure.
Service Request	Something the employee wants IT to provide or change: shared-folder access, VPN setup.
HR / Joiner	Create/provision a user for a new employee.
HR / Leaver	Disable an employee account because the employee is leaving.
HR / Offboarding	Employee clearance / last working day workflow.
FAQ / Navigation	Where is ISM, how do I access cPanel, what is the portal URL?

3. Standard Ticket Output

Sender / Requester	Employee or HR requester email address.
Subject	[Category] - [Short issue/request]
Category	Network, Outlook, Printer, MFA, Access, HR, VPN, etc.
Request Type	Incident / Service Request / Joiner / Leaver / Offboarding.
Issue / Request	Concise factual description.
Collected Information	Category-specific required fields.
Troubleshooting Performed	Steps already attempted and results.

Error Message	Exact text when applicable.
AI Summary	Short factual summary of the conversation.
Requested Action	What Helpdesk/IT needs to perform.

Initial escalation destination

support@souhoola.com is the initial IT support destination defined for this project. The address can be changed later in the Power Automate configuration without changing the knowledge articles.

4. Network & Connectivity

NET-001 | Internet is slow

Category	Network
Intent	Incident / Performance
Required information	Location, affected device, Wi-Fi/wired, whether other sites work, whether colleagues are affected

Agent conversation / troubleshooting flow

- Ask whether all websites are slow or only one/some websites.
- Ask whether the issue occurs on Wi-Fi, wired network, or both.
- Ask whether other employees in the same location have the same problem.
- Test multiple websites.
- Reconnect to the network and retry.
- Restart the device if appropriate.
- Record the result of each check.

Escalation / ticket rule

- Create an IT ticket if the issue persists.
- Escalate as potentially widespread if multiple employees are affected.

Agent notes

- Do not ask the employee to change advanced network settings unless a separate approved procedure exists.

NET-002 | No Internet connection

Category	Network
Intent	Incident / Connectivity
Required information	Device, connection type, location, network name, exact error if any

Agent conversation / troubleshooting flow

- Check Wi-Fi or wired connection.
- Confirm connection to the expected corporate network.
- Disconnect and reconnect.
- Test another website/service.
- Restart if appropriate.

Escalation / ticket rule

- Create a ticket if connectivity remains unavailable.
- If several users are affected, mention possible outage in the ticket.

NET-003 | A specific website does not open

Category	Network
Intent	Incident / Website access
Required information	Exact URL, error message, whether other websites work, whether it works from another device/network

Agent conversation / troubleshooting flow

- Confirm the exact website URL.
- Ask whether other websites open normally.
- Retry in another browser.
- If allowed, compare from another network/device.
- Capture the exact error message.

Escalation / ticket rule

- Escalate if the specific website remains inaccessible.
- Include exact URL and error message.

NET-004 | Server share / network share is not working

Category	Network / File Share
Intent	Incident / File Share
Required information	Share path/name, employee email/username, exact error, whether colleagues can access it, VPN/corporate network status

Agent conversation / troubleshooting flow

- Ask for the exact share path or folder name.
- Ask whether other users can access the same share.
- Confirm corporate network or VPN if required.
- Retry the share.
- Capture the exact error.

Escalation / ticket rule

- Escalate if access is denied, share is unavailable, or the issue persists.
- Do not instruct the employee to change permissions.

NET-005 | Ticketing system is inaccessible

Category	Network / Business Application
Intent	Incident / Application Access
Required information	Ticketing system URL, employee email/username, exact error, whether other websites work

Agent conversation / troubleshooting flow

- Confirm the correct ticketing-system URL.
- Check whether other websites and Microsoft 365 services work.
- Retry in another browser.
- Capture the exact error.
- Ask whether colleagues can access the system.

Escalation / ticket rule

- Create an IT ticket if access remains unavailable.
- Mention if multiple users are affected.

5. Outlook & Email

OUT-001 | Email cannot be sent

Category	Microsoft 365 / Outlook
Intent	Incident / Sending
Required information	Recipient, subject, attachment, exact error message

Agent conversation / troubleshooting flow

- Confirm recipient address.
- Ask for the exact error message.
- Retry without an attachment if applicable.
- Check whether other emails can be sent.
- Record the failure message.

Escalation / ticket rule

- Escalate if sending still fails.
- Include exact error and whether it affects all recipients or one recipient.

OUT-002 | Email was sent but recipient did not receive it

Category	Microsoft 365 / Outlook
Intent	Incident / Delivery
Required information	Sender, recipient, subject, approximate send time, bounce/NDR if any

Agent conversation / troubleshooting flow

- Confirm recipient address.
- Check Sent Items.
- Ask whether a delivery failure/bounce message was received.
- Ask whether recipient checked Junk/Spam.
- Record approximate send time and subject.

Escalation / ticket rule

- Escalate when delivery cannot be confirmed or mail-flow investigation is required.

OUT-003 | Outlook search does not show recent emails

Category	Microsoft 365 / Outlook
Intent	Incident / Search
Required information	Approximate date, search terms, device, whether Outlook Web shows the email

Agent conversation / troubleshooting flow

- Ask whether the missing email appears in Outlook Web.
- Try a simple sender/subject search.
- Confirm date range.
- Compare desktop with web results.

Escalation / ticket rule

- Escalate if desktop search remains incomplete.

OUT-004 | Archive / archived email issue

Category	Microsoft 365 / Outlook
Intent	Incident / Archive
Required information	Expected archive location, approximate email date, desktop/web, exact symptom

Agent conversation / troubleshooting flow

- Clarify what the employee means by archive.
- Check whether the message exists in Outlook Web.
- Determine whether one or many messages are affected.
- Capture any error.

Escalation / ticket rule

- Escalate when archived content is missing/inaccessible or requires mailbox-level investigation.

OUT-005 | Mailbox storage is full or near limit

Category	Microsoft 365 / Outlook
Intent	Incident / Storage
Required information	Exact storage warning, Outlook/Web, whether send/receive is affected

Agent conversation / troubleshooting flow

- Ask for the exact storage warning.
- Ask whether sending or receiving is affected.
- Do not instruct deletion of business-critical mail without approved guidance.
- Capture the warning.

Escalation / ticket rule

- Escalate when mailbox capacity requires administrative action or retention/archive intervention.

OUT-006 | Email sending error message

Category	Microsoft 365 / Outlook
Intent	Incident / Error
Required information	Exact error text/code, recipient, subject, attachment, screenshot if available

Agent conversation / troubleshooting flow

- Ask for exact error text/code.
- Determine whether all recipients or one recipient are affected.
- If available, compare with Outlook Web.
- Record exact error.

Escalation / ticket rule

- Escalate if error persists.

- The exact error message must be included in the ticket.

OUT-007 | Outlook does not open

Category	Microsoft 365 / Outlook
Intent	Incident / Application
Required information	Device, exact symptom/error, whether Outlook Web works

Agent conversation / troubleshooting flow

- Check whether Outlook Web works.
- Restart Outlook/device if appropriate.
- Capture error.
- Do not instruct registry/profile changes unless a separately approved KB article exists.

Escalation / ticket rule

- Escalate if desktop Outlook remains unavailable.

OUT-008 | Outlook disconnected / not syncing

Category	Microsoft 365 / Outlook
Intent	Incident / Synchronization
Required information	Outlook status, Outlook Web status, affected folders

Agent conversation / troubleshooting flow

- Check Outlook connection/status.
- Compare desktop with Outlook Web.
- Determine whether new mail arrives anywhere.
- Restart Outlook if appropriate.

Escalation / ticket rule

- Escalate if synchronization remains broken or data differs between desktop and web.

OUT-009 | Cannot send email with attachment

Category	Microsoft 365 / Outlook
Intent	Incident / Attachment
Required information	File type, approximate size, recipient, exact error

Agent conversation / troubleshooting flow

- Ask file type and approximate size.
- Try a small test attachment if appropriate.
- Capture exact error.
- Do not bypass security controls or upload sensitive files to unapproved services.

Escalation / ticket rule

- Escalate if persistent or requiring transport/security policy investigation.

OUT-010 | Outlook login / authentication problem

Category	Microsoft 365 / Outlook
Intent	Incident / Authentication
Required information	Employee email, exact error, MFA status, Outlook Web result

Agent conversation / troubleshooting flow

- Confirm email address.
- Ask whether Outlook Web login works.
- Capture exact error.
- If MFA is failing, use MFA-001.

Escalation / ticket rule

- Escalate if authentication or MFA intervention is required.

OUT-011 | Email is not received in Inbox / missing incoming mail

Category	Microsoft 365 / Outlook
Intent	Incident / Receiving
Required information	Sender, recipient, subject, approximate send time, whether message appears in Junk/Other/Archive/Web

Agent conversation / troubleshooting flow

- Confirm sender and recipient addresses.
- Check Outlook Web.
- Check Junk/Other and relevant folders.
- Ask whether the sender received a bounce/failure.
- Record approximate send time.

Escalation / ticket rule

- Escalate if mail delivery/flow investigation is required.

6. Printers

PRN-001 | Printer is not working / cannot print

Category	Printer
Intent	Incident / Printing
Required information	Printer name, location, selected printer, exact error

Agent conversation / troubleshooting flow

- Ask employee to select the correct printer from the printer list.
- Confirm printer matches location/intended device.
- Try a test document.
- Capture error if printing fails.

Escalation / ticket rule

- Create an IT ticket if the correct printer is selected but printing still fails.
- Include printer name/location and error.

PRN-002 | Wrong printer selected / printer not found

Category	Printer
Intent	Service Guidance / Printing
Required information	Employee location, intended printer name

Agent conversation / troubleshooting flow

- Ask employee to select the correct printer from the available printer list.
- Confirm the selected printer is the intended printer.
- Retry printing.

Escalation / ticket rule

- Escalate if correct printer is unavailable or still cannot print.

7. HR Requests: Joiners, Leavers & Clearance

IAM-001 | Create a new employee user

Category	Identity & Access
Intent	HR Service Request / Joiner
Required information	Full name, email/username, department, reporting manager, start date, other approved onboarding fields

Agent conversation / troubleshooting flow

- Tell HR the request will be submitted to IT Support for account creation.
- Ask full name.
- Ask required email/username.
- Ask department.
- Ask reporting manager.
- Ask start date.
- Summarize and ask HR to confirm before submission.

Escalation / ticket rule

- Send structured request to IT Support/ticketing.
- Do not create the account directly in this knowledge-only phase.

Agent notes

- Only collect fields required by the approved onboarding process.

IAM-002 | Disable user / employee leaving

Category	Identity & Access
Intent	HR Service Request / Leaver
Required information	Full name, email/username, department, reporting manager, confirmed last working day

Agent conversation / troubleshooting flow

- Ask full name.
- Ask email/username.
- Ask department.
- Ask reporting manager.
- Ask last working day.
- Summarize and confirm.

Escalation / ticket rule

- Send a structured ticket to IT/Helpdesk for approved disablement.
- Do not disable the account directly in this phase.

Agent notes

- Disablement timing must follow the approved HR/IT process.

IAM-003 | Employee clearance / offboarding

Category	HR / IT
Intent	HR Service Request / Offboarding
Required information	Full name, employee ID if required, email/username, department, reporting manager, last working day

Agent conversation / troubleshooting flow

- Ask full name.
- Ask employee ID only if required.
- Ask email/username.
- Ask department and manager.
- Ask last working day.
- Confirm collected data with HR.

Escalation / ticket rule

- Send structured clearance/offboarding ticket to IT Support.
- Helpdesk performs technical clearance steps.

Agent notes

- Minimize sensitive personal-data collection.

8. Access, Shared Folders & MFA

ACC-001 | Add an employee to a shared folder

Category	Access Request
Intent	Service Request / Permission
Required information	Requester email, target employee name, target employee email/username, shared folder/path, requested access level if applicable

Agent conversation / troubleshooting flow

- Ask who needs access.
- Ask target employee name.
- Ask target employee email address or username.
- Ask shared folder/path.
- Ask access level if the business process requires it.
- Summarize and confirm.

Escalation / ticket rule

- Send request to IT Support/ticketing for Helpdesk processing.
- Do not grant permissions directly from the knowledge-only agent.

Agent notes

- The employee email address can be used as the primary identifier.

MFA-001 | MFA is not working

Category	Microsoft 365 / Identity
Intent	Incident / MFA
Required information	Employee email address, exact MFA symptom/error, authentication method if relevant

Agent conversation / troubleshooting flow

- Ask for employee email address.
- Ask what happens during MFA.
- Ask exact error message.
- Ask whether the registered authentication method is available.
- Summarize issue.

Escalation / ticket rule

- Send MFA support ticket to IT Support/Helpdesk.
- Authorized Helpdesk performs MFA reset according to approved procedure.

Agent notes

- Never request passwords, MFA codes, recovery codes, or secrets.

9. VPN

VPN-001 | Request / setup corporate VPN

Category	VPN
Intent	Service Request / Setup
Required information	Employee email, device/OS if required

Agent conversation / troubleshooting flow

- Tell employee to use the approved VPN portal.
- Open: <https://soolavpn.com:8443>
- Download the approved VPN client and profile.
- Install the client.
- Import the profile into the VPN client.
- Connect using the approved corporate authentication method.
- If connection fails, capture exact error and stop before unsupported configuration changes.

Escalation / ticket rule

- Create IT ticket if portal is inaccessible, profile cannot be imported, authentication fails, or VPN cannot connect after approved steps.

Agent notes

- Never request or expose VPN credentials or configuration secrets.

10. ISM / cPanel Portal FAQ & Navigation Intent

PORTAL-001 | Access, reach, visit, open, or go to ISM / cPanel portal

Category	Internal Portal
Intent	FAQ / Navigation / Information Request
Required information	None for simple URL request

Recognized question / symptom patterns

- What is ISM?
- What is the ISM portal?
- Where is the ISM portal?
- What is the ISM portal website?
- How can I reach the ISM portal?
- How can I access the ISM portal?
- How can I visit the ISM portal?
- How can I go to the ISM portal?
- How do I open ISM?
- Open ISM
- What is cPanel?
- What is the cPanel website?
- Where is cPanel?
- Where do I access cPanel?
- How can I reach cPanel?
- How can I access cPanel?
- How can I visit cPanel?
- How can I go to cPanel?
- How do I open cPanel?
- Open cPanel

Agent conversation / troubleshooting flow

- Recognize that the employee is asking for the approved web address for the ISM/cPanel portal.
- Provide the URL directly.
- Do not create a ticket for a simple navigation question.

Escalation / ticket rule

- If the employee reports that the portal does not open, is unreachable, login fails, or an error appears, switch to an incident flow and collect the exact error before escalation.

Agent notes

- Approved URL: <https://ism-portal.sohoola.com>

Required response

<https://ism-portal.sohoola.com>

Semantic intent definition

All of the phrases above mean: **The employee wants to know the approved web address used to access the Souhoola ISM / cPanel portal.**

11. Recommended Future KB Expansion

- Teams: microphone, camera, meeting problems, sign-in, presence.
- OneDrive: sync stopped, storage, file sync, sign-in.
- SharePoint: access denied, document library, sharing.
- Windows: slow device, update failure, login, disk space.
- Accounts: password expiry, account locked, Microsoft 365 sign-in.
- Hardware: keyboard, mouse, monitor, docking station, webcam, headset.
- Business applications actually used by Souhoola.
- Email signatures, shared mailboxes, distribution lists, mailbox permissions.
- VPN connection troubleshooting after the approved setup procedure.
- Ticketing-system FAQ and common ticketing errors.

12. Future Automation Architecture

- Copilot Studio handles conversation, intent recognition, knowledge retrieval, and data collection.
- Power Automate receives the structured request from the Agent.
- Power Automate generates the ticket subject and body from the conversation.
- Initial phase: send the structured request to support@souhoola.com.
- Later phase: replace email escalation with a direct ticketing-system action/API.
- For HR requests, the Agent collects the required HR fields first, then sends the request for Helpdesk execution.
- For incidents, the Agent includes troubleshooting already performed and exact error messages so Helpdesk does not repeat the same questions.

13. Knowledge Base Maintenance Rules

- Give every new issue a unique KB ID.
- Keep one issue/request per article whenever possible.
- Use clear intent names and synonyms that employees naturally use.
- Always define required information before escalation.
- Always define when to escalate.
- Keep employee-safe steps separate from IT-only administrative procedures.
- Do not put passwords, secrets, keys, privileged credentials, or sensitive infrastructure details into the employee-facing knowledge source.
- For production, move from one large PDF to focused SharePoint knowledge articles or documents while preserving the same KB structure.