Student Number: Name-Surname: Sign: D: 30min

- 1. (18) True (1) Or False (0)
 - **a.** [1] The plus(+) in statement means to create a new id and add to resources.

android:id="@+id/my_id"

- **b.** [0] The AndroidManifest.xml is optional and a default will be supplied if your app doesn't provide one.
- **c.** [1] Android system uses intents to broadcast system intents.
- **d.** [1] Android system uses intents to broadcast custom intents.
- e. [0] Internal Storage in Android Enviorement is equivalent to RAM in PC. (İkinci Öğretim)
- f. [0] The AndroidManifest.xml is optional and a default will be supplied if your app doesn't provide one.
- g. [1] Android system uses intents to invoke other applications from your application.
- h. [1] When the Activity is displayed in the foreground, onResume() will be executed.
- i. [0] BroadcastReceiver displays a user interface.
- **j.** [0] A multi-thread application always run faster than a single threaded one.

2-18 Each Question is 4 points

- 2. Which configuration file holds the permission to use GPS?
 - a. Layout file
 - **b.** Manifest file
 - **c.** Source file
 - d. Property file
- **3.** Which of the following is used to show a string onside the button that is taken from the resources?
 - a. android:name="@string/button send"
 - **b.** android:id="@+id/button_send"
 - c. android:text="@string/button_send"
 - **d.** android:name="+string/button_send"
- **4.** To fire another activity from your activity, you must use ... method with a(n) ... parameter.
 - a. openIntent, Intent
 - **b.** openActivity , Activity
 - c. startIntent, Activity
 - d. startActivity, Intent
- 5. The best way to support different languages in same application is
 - a. Implementing different resources directories with language code suffix.
 - b. Writing another application in different language.
 - **c.** Using switch case structure in your code for each differentiation.
 - d. Enumerate the strings to numbers.

- **6.** "LinearLayout" is a subclass of
 - **a.** View
 - **b.** ViewGroup
 - c. Activity
 - **d.** Intent
- 7. Which of these methods called each time your activity gets visible after going Stopped state?
 - a. onCreate()
 - **b.** onStart()
 - **c.** onResume()
 - d. onStart() & onResume()
- **8.** Which is not included in the Android application framework?
 - a. WindowManager
 - b. NotificationManager
 - c. DialerManager
 - d. PackageManager
- **9.** Which component cannot receive an Intent?
 - **a.** Service
 - **b.** Activity
 - c. ContentProvider
 - d. BroadcastReceiver

İstanbul Üniversitesi Mühendislik Fakültesi Bilgisayar Müh. Bölümü (Mobile Programming) Ara Sınavı (Örgün) 05.11.2015

- **10.** You can ...
 - **a.** directly access entire Internal Storage on the device.
 - **b.** directly access entire External Storage on the device.
 - c. access entire Internal Storage after using necessary permission tag in manifest file.
 - access entire External Storage after using necessary permission tag in manifest file.
- **11.** What will be done after this code executed?

```
Uri number =
Uri.parse("tel:5551234");
Intent callIntent = new
Intent(Intent.ACTION_DIAL, number);
```

- **a.** Your app crashes if there is no intent-filter for ACTION_DIAL.
- **b.** Your app calls the given phone number.
- Your app forward this number to responsible phone App to make the call.
- **d.** Your app starts a new activity named as ACTION DIAL.
- **12.** What is the method name to get the result from a child Activity (opened by an Intent from this Activity)?
 - a. onIntentResponse
 - **b.** onActivityResponse
 - c. onIntentResult
 - d. onActivityResult
- **13.** To attach a xml layout (named as "main") to your java code you use ...
 - a. setLayout(R. main);
 - **b.** setActivity(R.layout. main);
 - c. setContentView(R.layout. main);
 - d. setView(R. main);
- **14.** It is a good practice to put xml interface files in folder.
 - **a.** Interface
 - **b.** Layout
 - c. Values
 - **d.** Drawable

- **15.** The registered-based virtual machine used to run Android applications on mobiles is
 - a. a- Java Virtual Machine
 - **b.** b- Google Virtual Machine
 - c. Dalvik Virtual Machine
 - **d.** Linux
- **16.** Using _____, application components announce that they can respond to action requests from any application installed on the device.
 - a. Content Providers
 - **b.** Intent Filters
 - c. Broadcast receivers
 - d. All of the above.
- **17.** To listen for broadcasts only when the application is running we register it using
 - **a.** Xml in manifest file.
 - **b.** Java code.
 - c. Xml in layout file
 - **d.** a + b
- **18.** In order to share our application data with other application we use ___
 - **a.** Intent
 - **b.** Content Provider
 - **c.** Database
 - d. Manifest file
- **19.** If My Activity is playing a video animation and I don't want the user miss a frame of the animation. Best choice to pause animation play can be in
 - a. onCreate()
 - **b.** onDestroy()
 - c. onPause()
 - **d.** onStop()