

Daffodil International University

Assignment on
Web Engineering

Course code: CSE 417

Course Title : Web Engineering.

Submitted to:

Subroto Nag Pinku.

Department of CSE

Daffodil International University.

Submitted by:

Name: MD. Muhib Sarkar Raad

ID: 172-15-10008

Department of CSE, DIU

Submission Date: 30.08.2020



```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport"  
content="width=device-width, initial-  
scale=1.0">
```

```
  <title>Converter_System</title>
```

```
  <link rel="stylesheet" href="style.css" />
```

```
  <script src="Convert.js"></script>
```

```
</head>
```

```
<body onload="newFortune()">
```

```
  <div id="fortuneShow">
```

```
  </div>
```



</body>

</html>

Quiz part html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport"
content="width=device-width, initial-
scale=1.0">

<title>Quiz</title>

<link rel="stylesheet"



```
href="quizStyle.css">
```

```
</head>
```

```
<body style="text-align: center; margin-left: 400px; margin-top: 200px; background-color: aqua;">
```

```
<div class="flex">
```

```
<div class="field">Score</div>
```

```
<h1 id="score" class="field">0</h1>
```

```
</div>
```

```
<div class="flex">
```

```
<div class="field">Question</div>
```

```
<h3 id="question" class="field"></h3>
```

```
</div>
```

```
<div class="flex">
```



```
<div class="field">Answer A</div>  
<button id="answerA"  
onclick="answerA_clicked()"></button>  
</div>
```

```
<div class="flex">  
  <div class="field">Answer B</div>  
  <button id="answerB"  
onclick="answerB_clicked()"></button>  
</div>
```

```
<div class="flex">  
  <div class="field">Answer C</div>  
  <button id="answerC"  
onclick="answerC_clicked()"></button>  
</div>
```



```
</body>
```

```
<script src="quiz.js"></script>
```

```
</html>
```

Convert part Html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport"  
content="width=device-width, initial-  
scale=1.0">
```

```
  <title>Currencie_Converter</title>
```



```
<script src="convert.js"></script>
</head>

<body onload="findFields()">

    <h3>Currencies Converter System</h3>

    <label for="BDT"> BDT </label>
    <input type="text" id="BDT" size="8"
value="" onchange="convertbdt()" />

    </br>

    <label for="GBP"> GBP </label>
    <input type="text" id="GBP" size="8"
value="" onchange="convertgbp()" />
```



```
</br>
```

```
<label for="USD"> USD </label>
```

```
<input type="text" id="USD" size="8"  
value="" onchange="convertusd()" />
```

```
</br>
```

```
<label for="EUR"> EUR </label>
```

```
<input type="text" id="EUR" size="8"  
value="" onchange="converteur()" />
```

```
</body>
```

```
</html>
```



Style part CSS

```
#fortuneShow {  
    font-size: 35px;  
    font-style: italic bold;  
    color:black;  
    background-color: gray;  
    padding: 50px;  
    width: 700px;  
    height: 15px;  
    border: 2px solid black;  
    text-align: center;  
  
}
```

The end

