



SAKINAH

App / Web Flow Document

AS BUILT

Version 1.0 | 07 September 2026

Verified from the secured repository. Secret values excluded.


Contents

1. Roles and global navigation
2. Screen inventory
3. Authentication flows
4. Core workflows
 - Quran
 - Hadith
 - Prayer/Qibla
 - Tasbeeh
5. Data states by screen type
6. Search/filter/import/export
7. Error, recovery, and destructive paths
8. Responsive/mobile rules
9. Missing or unverified flows

Product: Sakinah | Status: As Built | Version: 1.0 | Date: 2026-09-07

1. Roles and global navigation

Guests and authenticated users share the same content screens. Account-bound save operations require authentication. No administrator/privileged screen exists. Global navigation consists of the sticky header/hamburger, persistent prayer widget, bottom bar (Home, Quran, Hadith, Ibadat, More), and back-to-Home behavior on secondary views.



2. Screen inventory

Screen / view	Purpose	Access	Main data	Key actions	Next destinations
Install gate	PWA installation guidance	Public browser	Platform/install event	Install, iOS instructions, continue web	Standalone app or Home
Onboarding	Feature introduction	First standalone launch	Static slides	Next, All Done	Home
Home (home)	Daily overview	All	Prayer state, rotating Ayat, Flashes	Search handoff, share, quick access	Quran, Duas, Tasbeeh, Ibadat, Flashes
Quran (quran)	Quran hub	All	Remote Quran and local progress	Choose mode/reader, favorite, bookmark, recite	Reader, favorites, lessons, subjects
Al-Quran reader	Surah/Juz reading	All	Arabic/English/Urdu/ audio	Search, select, translate, customize, save	Quran hub
Seerat-un-Nabi	Video series	All	Static season/episode metadata	Select season/episode, play	Quran hub
15/16-Line	Page-oriented reading modes	All	Quran page API	Previous/next page	Quran hub
Recitation	Audio selection	All	Surah API/audio	Select and play	Quran hub
Subjects	Topical Quran index	All	Static 36-topic map	Search, open Ayah reference	Al-Quran
Fahm-ul-Quran	38 lessons	All	Lesson refs + Quran API	Expand, recite, open Ayah	Al-Quran
Hadith (hadith)	Collection selection	All	Eight remote collections	Select book	Topic list
Hadith topic list	Chapters within collection	All	Remote section metadata	Language preference, choose topic	Hadith list
Hadith list	Narrations	All; saving requires account for cloud	Remote editions	Share, favorite	Topic list
Ibadat (ibadat)	Worship guides	All	Static bilingual guidance	Select Salah/Sawm/Hajj/Umrah/Janaza	Detail cards
More (more)	Secondary feature launcher	All	Static menu	Open feature	Feature view
Prayer (prayer)	Daily prayer schedule	All	Geolocation + AIAdhan	Refresh location, toggle prayers, request notifications	Home
Qibla (qibla)	Direction finder	All	Coordinates/sensor	Enable compass	Home
Tasbeeh (tasbeeh)	Dhikr counter	All	Local/cloud records	Count, undo, reset, create/edit	Home/Profile
Books (library)	Islamic book catalog	All	Repository metadata/content	Search/filter/open	Reader entry
Calendar (calendar)	Gregorian/Hijri context	All	Device date/static events	Month navigation	Home
Flashes (flashes)	Shareable cards	All	Static images/text	Share rendered image	Home

Screen / view	Purpose	Access	Main data	Key actions	Next destinations
Duas (duas)	Supplication browser	All	Local JSON/fallback	Search/browse	Home
Shahadat (shahadat)	Declaration and meaning	All	Static content	Read	Home
99 Names (names)	Asma-ul-Husna	All	AIAdhan/local cache	Browse	Home
Waqf (waqf)	Stop-sign guide	All	Static guide	Browse	Home
Profile (profile)	Account and saved summary	Auth-aware	Supabase user/local stats	Sign in/out	Auth/Home
Sidebar	Account/settings/support/FAQ	All	Preferences/log	Toggle, open account/support	Profile/features
Auth modal	Login/signup/reset/OAuth	Public	User input/Supabase	Submit, Google, switch mode	Profile/current view
Offline fallback	Network recovery	Public/offline	Cached shell	Retry	Home

3. Authentication flows

Verified flow diagram



- Login: validated email/password → Supabase → session closes modal.
- Registration: validated name/email/password → Supabase; session or confirmation instruction depending external Auth setting.
- Reset: enumeration-resistant message regardless of account existence.
- Logout: `supabase.auth.signOut()`; UI returns to guest state.
- Expired session: Supabase auto-refreshes when possible; otherwise auth-state listener returns guest state.
- Access denied: RLS rejects non-owner data; UI-specific error quality varies by operation.

4. Core workflows

Quran

Mode → choose Juz/Surah/edition or extra section → loading → content → optional translation/audio → local save; authenticated save additionally writes through Supabase. Subject/lesson references set a target and return to AI-Quran.

Hadith

Collection → provider collection metadata → real section/topic → remote section data → language display where present → share/favorite. A missing edition yields the available language or an error state.

Prayer/Qibla

Screen/app load → permission request → coordinates → validated request/current date → AIAdhan times → countdown and reminder settings. Qibla derives bearing locally and combines it with device orientation when permission/sensor exists.

Tasbeeh

Select preset/custom → tap/undo → save and reset → local rolling history; authenticated sessions also insert a user-owned cloud row. Custom flow validates title, meaning, target, and image before local/cloud persistence.

5. Data states by screen type

Screen type	Loading	Empty	Error	Populated
Quran/Hadith	Loading note/skeleton where implemented	Empty component/list	Provider-specific message	Reader/list/cards
Prayer/Qibla	Location required / countdown placeholder	No coordinates	Permission/service message	Times/bearing
Profile/history	Auth/session readiness	Synced history placeholder	Some queries log rather than show error	User/stats
Duas/Names	Loading message	Empty list	Reconnect note	Searchable cards/grid
Flashes	Animated skeleton	Not expected	Gradient fallback	Decoded background/card content
Books/Ibadat/static	Immediate	Not expected	Limited error surface	Static cards

6. Search/filter/import/export

- Home search routes to Quran but does not preserve/query the term: partial implementation.
- Quran and Subjects search filter local/remote-loaded metadata.
- Books, Duas, and Hadith expose module-specific filtering where coded.
- Share uses Web Share and file sharing when supported; fallback downloads/copies.
- No bulk export/import exists.
- Custom image selection is the only file import; no server file endpoint exists.

7. Error, recovery, and destructive paths

- Root render failures show a retry screen through `AppErrorBoundary`.
- Offline navigation falls back to `public/offline.html`.
- Provider failures show local messages; cached Quran/app resources may remain usable.
- Permission denial retains the app and explains that location/notification is required.
- Unknown view values fall back to Home; no dedicated 404 screen.
- Bookmark removal and sign-out are immediate; no confirmation dialog.
- No account deletion or destructive database administration flow exists.

8. Responsive/mobile rules

The app is capped at 560 px and centered on larger displays. Bottom navigation is fixed with safe-area padding. The sidebar slides from the right. Browser-only view presents the install gate; standalone mode gates first-run onboarding. iOS uses manual Add to Home Screen instructions because `beforeinstallprompt` is unavailable.

9. Missing or unverified flows

- Admin workflows: not implemented.
- Account deletion/data export: not implemented.
- Server-scheduled push: not implemented.

- Reliable auto-Azan in suspended state: not verified.
- Complete offline Quran/Hadith/books: not verified.
- Cross-user RLS behavior must be owner-tested against the remote project.