# Assignment 2

May 8, 2021

You are currently looking at **version 1.0** of this notebook. To download notebooks and datafiles, as well as get help on Jupyter notebooks in the Coursera platform, visit the Jupyter Notebook FAQ course resource.

# 1 Assignment 2 - Introduction to NLTK

In part 1 of this assignment you will use nltk to explore the Herman Melville novel Moby Dick. Then in part 2 you will create a spelling recommender function that uses nltk to find words similar to the misspelling.

# 1.1 Part 1 - Analyzing Moby Dick

```
In []: import nltk
    import pandas as pd
    import numpy as np

# If you would like to work with the raw text you can use 'moby_raw'
    with open('moby.txt', 'r') as f:
        moby_raw = f.read()

# If you would like to work with the novel in nltk.Text format you can use 'text1'
    moby_tokens = nltk.word_tokenize(moby_raw)
    text1 = nltk.Text(moby_tokens)
```

### 1.1.1 Example 1

How many tokens (words and punctuation symbols) are in text1? *This function should return an integer.* 

### 1.1.2 Example 2

How many unique tokens (unique words and punctuation) does text1 have? *This function should return an integer.* 

# 1.1.3 Example 3

After lemmatizing the verbs, how many unique tokens does text1 have? *This function should return an integer.* 

```
In []: from nltk.stem import WordNetLemmatizer

def example_three():
    lemmatizer = WordNetLemmatizer()
    lemmatized = [lemmatizer.lemmatize(w,'v') for w in text1]
    return len(set(lemmatized))

example_three()
```

### **1.1.4** Question 1

What is the lexical diversity of the given text input? (i.e. ratio of unique tokens to the total number of tokens)

This function should return a float.

### 1.1.5 **Question 2**

What percentage of tokens is 'whale' or 'Whale'? *This function should return a float.* 

### **1.1.6** Question 3

What are the 20 most frequently occurring (unique) tokens in the text? What is their frequency?

This function should return a list of 20 tuples where each tuple is of the form (token, frequency).

The list should be sorted in descending order of frequency.

#### 1.1.7 **Question 4**

What tokens have a length of greater than 5 and frequency of more than 150?

This function should return an alphabetically sorted list of the tokens that match the above constraints. To sort your list, use <code>sorted()</code>

# 1.1.8 **Question 5**

Find the longest word in text1 and that word's length.

This function should return a tuple (longest\_word, length).

### 1.1.9 **Question 6**

What unique words have a frequency of more than 2000? What is their frequency?

"Hint: you may want to use isalpha() to check if the token is a word and not punctuation."

This function should return a list of tuples of the form (frequency, word) sorted in descending order of frequency.

### 1.1.10 Question 7

What is the average number of tokens per sentence? *This function should return a float.* 

# 1.1.11 Question 8

What are the 5 most frequent parts of speech in this text? What is their frequency?

This function should return a list of tuples of the form  $(part\_of\_speech, frequency)$  sorted in descending order of frequency.

# 1.2 Part 2 - Spelling Recommender

For this part of the assignment you will create three different spelling recommenders, that each take a list of misspelled words and recommends a correctly spelled word for every word in the list

For every misspelled word, the recommender should find find the word in correct\_spellings that has the shortest distance\*, and starts with the same letter as the misspelled word, and return that word as a recommendation.

\*Each of the three different recommenders will use a different distance measure (outlined below).

Each of the recommenders should provide recommendations for the three default words provided: ['cormulent', 'incendence', 'validrate'].

### **1.2.1** Question 9

For this recommender, your function should provide recommendations for the three default words provided above using the following distance metric:

Jaccard distance on the trigrams of the two words.

```
This function should return a list of length three: ['cormulent_reccomendation', 'incendence_reccomendation', 'validrate_reccomendation'].
```

### 1.2.2 **Question 10**

For this recommender, your function should provide recommendations for the three default words provided above using the following distance metric:

# Jaccard distance on the 4-grams of the two words.

```
This function should return a list of length three: ['cormulent_reccomendation', 'incendence_reccomendation', 'validrate_reccomendation'].
```

# 1.2.3 **Question 11**

For this recommender, your function should provide recommendations for the three default words provided above using the following distance metric:

# Edit distance on the two words with transpositions.

```
This function should return a list of length three: ['cormulent_reccomendation', 'incendence_reccomendation', 'validrate_reccomendation'].
```