PORTFOLIO REPORT

ForeverMart

Software Quality Assurance Report

Defect documentation and corrective actions

SUBMITTED BY

Ghulam Mohiuddin

Seat number **B22110106023**

COURSE

Software Quality Engineering and Testing

PROJECT UNDER TEST

https://forevermart.vercel.app/

AUDIT DATE

9 October 2026

DOCUMENT REVISION

10 October 2026 / Version 3.0

Table of contents

Section	Page
Complete bug register	3-5
Executive summary	6
Scope and test environment	6-7
Test approach and acceptance criteria	7-8
How to read the defect sheets	8
Detailed confirmed defects (70 sheets)	9-78
Requirement and defect traceability	79
Checkout decision table	79-80
Transaction workflow and control boundary	80-81
Defect severity and priority	81-82
Pareto analysis of supported defects	82-83
Defect distribution by application area	83-84
Status and measurement boundaries	84
Cause and effect investigation	85
Defect lifecycle and triage	86
Continuous improvement plan	87
Corrective action and regression matrix	87-88
Screenshot evidence	88-92
API and persistence evidence	92-93
Reference book crosswalk	93-94
Mobile and accessibility evidence	94-95
Handover and supporting references	95
Techniques, tools and reference sources	96

Complete bug register

ID	Confirmed defect	Severity	Details
FM-001	Shop Now does not open the catalogue	Medium	9
FM-002	Best Seller section has no products despite flagged catalogue items	Medium	10
FM-004	Reviews tab does not display reviews	Medium	11
FM-005	Product rating and review count are hard coded	Medium	12
FM-006	Jacket description describes a short sleeved T-shirt	Medium	13
FM-007	Detailed Description panel explains ecommerce instead of the product	Low	14
FM-008	Product image and title describe different garment styles	Medium	15
FM-009	Related Products includes the product already being viewed	Low	16
FM-010	Selected size carries over when navigating to a related product	Medium	17
FM-011	Unknown product leaves an incomplete purchase page	Medium	18
FM-012	Search with no matches displays an unexplained empty grid	Medium	19
FM-013	Leading and trailing spaces prevent otherwise valid search matches	Medium	20
FM-014	Collection filters and sorting are lost after returning from a product	Medium	21
FM-015	Footer navigation labels cannot be opened	Medium	22
FM-016	Forgot your password has no recovery action	Medium	23
FM-017	My Profile menu item has no destination	Medium	24
FM-018	Explore Jobs does not open career information	Low	25
FM-019	Newsletter subscription produces no result	Medium	26
FM-020	Product names are absent from cart and order rows	Medium	27
FM-021	Guest cart is overwritten after account creation	High	28
FM-022	An empty cart can be submitted as an order	High	29
FM-023	Empty-cart total does not agree with displayed shipping	Medium	30

ID	Confirmed defect	Severity	Details
FM-024	Whitespace-only delivery information is accepted	High	31
FM-025	Negative phone number is accepted at checkout	High	32
FM-026	Negative postal code is accepted at checkout	Medium	33
FM-027	Order endpoint accepts a malformed delivery email	Medium	34
FM-028	Order endpoint accepts a negative fractional quantity	High	35
FM-029	Order endpoint accepts a size not sold for the product	High	36
FM-030	Order endpoint accepts a non-existent product ID	High	37
FM-031	Order endpoint trusts an altered client line-item price	High	38
FM-032	Order endpoint trusts the submitted total amount	High	39
FM-033	Cart endpoint stores a negative fractional quantity	High	40
FM-034	Cart endpoint accepts an unsupported size	High	41
FM-035	Cart endpoint accepts a non-existent product	High	42
FM-036	Guest checkout loses the address when authentication is required	Medium	43
FM-037	Postal field strips letters from an alphanumeric code	Medium	44
FM-038	Phone field rejects a normally formatted telephone string	Medium	45
FM-039	Unknown route has no not-found message or recovery	Medium	46
FM-040	Profile response includes password and refresh-token fields	High	47
FM-041	Search opener cannot be activated with the keyboard	Medium	48
FM-042	Search close icon lacks a keyboard action and name	Medium	49
FM-043	Authenticated account menu is not keyboard operable	Medium	50
FM-044	Login and Create Account mode switch is not a keyboard control	Medium	51
FM-045	Product gallery thumbnails are pointer-only controls	Medium	52
FM-046	Remove cart item is an unnamed pointer-only image	Medium	53
FM-047	Cart product navigation is available only through a clickable image	Medium	54
FM-048	Mobile menu opener has no button semantics	Medium	55

ID	Confirmed defect	Severity	Details
FM-049	Mobile menu Back affordance is not keyboard operable	Medium	56
FM-050	Closed mobile menu leaves offscreen links in the accessibility tree	Medium	57
FM-051	Mobile menu does not manage focus or dismiss on Escape	Medium	58
FM-052	Mobile filter disclosure is a paragraph rather than a control	Medium	59
FM-053	Payment methods are not keyboard selectable radio controls	Medium	60
FM-054	Stripe option has no accessible payment-provider name	Medium	61
FM-055	Selected product size is communicated only by colour	Medium	62
FM-056	Collection sort selector has no associated label	Medium	63
FM-057	Delivery fields rely on disappearing placeholders	Medium	64
FM-058	Authentication fields have no persistent associated labels	Medium	65
FM-059	Personal-data inputs do not expose their autocomplete purposes	Medium	66
FM-060	Muted home-page text has insufficient contrast	Medium	67
FM-061	Newsletter input suppresses its visible keyboard focus	Medium	68
FM-062	Meaningful product photographs have empty alternative text	Medium	69
FM-063	Visible page and section titles are not semantic headings	Medium	70
FM-064	Page content lacks main and footer landmarks	Low	71
FM-065	Browser title does not identify the current page	Low	72
FM-066	Layout overflows horizontally at 320 CSS pixels	Medium	73
FM-067	Home-page hero misspells Arrivals	Low	74
FM-068	Template filler text remains in customer-facing sections	Low	75
FM-069	Contact details conflict between the footer and Contact page	Medium	76
FM-070	About page contains an incomplete support sentence	Low	77
FM-079	Newsletter placeholder contains incorrect wording	Low	78

Executive summary

ForeverMart supports basic catalogue browsing, size selection, cart use and cash-on-delivery ordering. The confirmed defects concern server validation and pricing, customer-state loss, incomplete storefront actions, inaccurate product content and accessibility barriers.

Result	Count	Interpretation
Confirmed defects	70	Reproduced behaviour or inspected implementation conflicts with the stated audit criterion.
High / Medium / Low	13 / 48 / 9	Priorities P1 / P2 / P3 are proposed corrective order.
Verified fixed or closed	0	No repaired build or successful closure retest has been supplied.
Original assignment target	100	70 distinct defects are documented; the remaining 30 were not established.

Immediate corrective priorities

Repair authoritative server price/total calculation and reject invalid item lists, product identities, variants, quantities and delivery values. Resolve the profile response exposing authentication-related fields. Preserve customer cart and checkout state through authentication.

Release recommendation

Hold real customer ordering until High-severity defects are corrected and independently retested. Then repair shared storefront actions, accessibility and product copy, running the related regression checks before closure.

Evidence and limits

The audit used screenshots, DOM snapshots, public catalogue data and client JavaScript, plus authorised API requests and read-back for one disposable account. No administrator operations, real card settlement, server source, load tests or other-user records were tested.

Original audit: 9 October 2026. This edition contains confirmed defects only. Summary adapted from Lewis E11 and E29; added explanations and follow-up checks are analysis and proposed work, not new executions.

Scope and test environment

Area	Audit scope
Application	Public ForeverMart storefront and its observed application API
Build identity	Client asset index-r3xEth_L.js; the evidence manifest records its SHA-256. No release number or commit was provided.
Browser	Codex in-app browser; desktop, 390 x 844 and 320 x 740 CSS-pixel viewport checks

Area	Audit scope
Test date	9 October 2026; saved API/header evidence uses UTC timestamps
Account	One disposable demo account; synthetic example.com contact data
Transactions	Eight authorised COD test orders; no real payment
Methods	Exploratory browser testing, boundary/negative API checks, DOM accessibility inspection and public client-code review

Included

Home, Collection, search, filters, sort, product details, gallery and sizes, cart, Signup/Login, checkout, own order history, About, Contact, shared navigation, narrow-screen layout and selected response-hardening settings.

Excluded

Admin operations, payment settlement and Stripe purchase completion, refunds, stock deduction, email delivery, rate-limit/load testing, cross-browser certification, full screen-reader certification, database access and source-level unit coverage.

Authorisation and cleanup

The owner confirmed this is a demo site and permitted disposable accounts and test orders. Tests accessed only the audit account. The two fabricated invalid cart entries were removed. The account and eight demo orders remain as test evidence; no other-user data was changed.

Adapted from Lewis E4 client/server and Internet test plan, pp. 353-354 (PDF pp. 380-381), and E21 test strategy, pp. 374-375 (PDF pp. 401-402).

Test approach and acceptance criteria

The course brief specifies testing, defect documentation and remedies, but supplies no detailed ForeverMart requirements. The audit therefore uses explicit ecommerce correctness rules, the behaviour advertised by the interface, and selected accessibility criteria as its baseline. This edition presents only confirmed failures against those criteria.

Technique	Representative data or check	Purpose
Normal flow	Existing product, size M, quantity 1; browse, sort and cart	Establish usable baseline behaviour
Boundary and negative values	Empty items, three spaces, -1 contact fields, quantity -0.5	Challenge required fields and integer/domain constraints
Identity and variant checks	Unknown product ID; QA-NOT-A-SIZE	Check references against the server catalogue
Price integrity	$200 item with price changed to 1 or total changed to 1	Check server ownership of monetary calculations

Technique	Representative data or check	Purpose
State transitions	Guest to Signup; related product; browser Back	Check selection and draft persistence
Accessibility and responsive checks	Keyboard semantics, labels, contrast, 320 CSS px reflow	Check operability and meaningful presentation

Severity and priority

High: monetary or data-integrity risk, lost purchase state, or unnecessary authentication-data exposure. Medium: important function, content or accessibility failure. Low: limited content, structural or polish impact. P1, P2 and P3 are proposed fix order corresponding to these levels; they are not agreed delivery dates.

Entry and exit conditions

Entry was met when the public deployment and demo test permission were available. Proposed release exit: no unresolved High defects; all remediated journeys pass positive and negative regression; remaining risks are explicitly accepted by the project owner.

Techniques adapt Lewis G4 Boundary Value Testing, p. 453 (PDF p. 480), G13 Equivalence Partitioning, p. 493 (PDF p. 520), and G22 Positive and Negative Testing, p. 501 (PDF p. 528).

How to read the defect sheets

One defect per page

Each of the 70 detailed sheets starts on a new page and stays on that page. It records the affected module, test reference, location, method, preconditions, reproduction procedure, expected/actual result, impact, remedy, retest acceptance and evidence.

Stable identifiers

Original FM and TC identifiers are retained so they still match the captured evidence. Numbering gaps are intentional; this report contains 70 confirmed defects, not a sequence of 79 new findings.

Added explanation and retests

Quality context explains the recorded impact and why the proposed remedy is appropriate. Additional regression checks are explicitly proposed; they have not been executed. The sheets do not claim a server root cause that the available evidence cannot prove.

Status and ownership

Every defect is Open. Owner roles are proposed and not assigned to named people. No corrected build or closure evidence has been provided. Fix implementation and acceptance testing remain the next steps.

FM-001 / CONFIRMED DEFECT

Shop Now does not open the catalogue

Module	Home	Severity / priority	Medium / P2
Test ID	TC-001	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the home page.
2. Click SHOP NOW in the hero.

Expected result	Actual result
The call to action opens the collection or another defined shopping destination.	The URL and page remain unchanged; SHOP NOW is rendered as a paragraph without an action.

Impact and quality context

The primary shopping invitation cannot be used. The hero is the first invitation to start shopping. A control that looks actionable but cannot navigate breaks that journey before a customer reaches the catalogue. Its wording and visual treatment should agree with its behaviour.

Recommended remedy

Render a real link to /collection with a visible focus state.

A real link gives the destination a stable URL and makes the same action available to pointer and keyboard users. Keep the link text connected to the collection it opens.

Retest acceptance

Mouse click and Enter on the focused link both open Collection.

Additional regression checks (proposed): Refresh the destination after activation; check that browser Back returns to Home.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/shop-now-no-action.json; evidence/shop-now-no-action.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-002 / CONFIRMED DEFECT

Best Seller section has no products despite flagged catalogue items

Module	Home	Severity / priority	Medium / P2
Test ID	TC-002	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Browser test and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Allow the catalogue to finish loading.
2. Inspect BEST SELLER and compare the public product flags.

Expected result	Actual result
Products marked bestSeller are displayed in the section.	The section is empty although five catalogue records have bestSeller=true. The public bundle filters the different key bestseller.

Impact and quality context

Merchandising content disappears and an empty section occupies the home page. This is a data-contract mismatch, rather than evidence that the store has no best sellers. Five qualifying records were present, but the component looked for a differently cased key. Fixing display logic should preserve the original catalogue values.

Recommended remedy

Use the product contract key bestSeller and map productName consistently. Add a populated-fixture component check.

Use the same field name throughout the API contract and component. Keep the populated and genuinely empty catalogue states distinct so an implementation failure does not masquerade as an empty selection.

Retest acceptance

The five flagged records render with names and prices; an empty source has a deliberate empty state.

Additional regression checks (proposed): Include both true and false bestSeller fixtures; ensure repeated loading does not duplicate cards.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/home-desktop.jpg; raw/products.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-004 / CONFIRMED DEFECT

Reviews tab does not display reviews

Module	Product	Severity / priority	Medium / P2
Test ID	TC-004	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6
Method: Browser test
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the product and allow its data to load.
2. Click Reviews (122).

Expected result	Actual result
The selected tab displays the reviews or an honest unavailable state.	The displayed content does not change; the tab is a paragraph without a click handler.

Impact and quality context

Customers cannot inspect the reviews advertised by the page. The tab advertises review content but does not expose it when selected. A customer can reasonably use reviews to assess a purchase, so a visible review count should lead to corresponding information or an honest explanation of its availability.

Recommended remedy

Implement accessible tabs backed by review data, or remove the inactive review tab and count.

The selected tab, displayed panel and keyboard interaction should remain synchronized. Removing the offer is preferable until an actual review source is connected.

Retest acceptance

Selecting Reviews changes the panel; keyboard selection works and the empty state is truthful.

Additional regression checks (proposed): Switch repeatedly between panels; check the initial panel and a product with no reviews.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/reviews-no-change.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-005 / CONFIRMED DEFECT

Product rating and review count are hard coded

Module	Product	Severity / priority	Medium / P2
Test ID	TC-005	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6

Method: Browser test and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the cotton T-shirt.
2. Open the Women Zip-Front Jacket and compare the rating area with the public data and bundle.

Expected result	Actual result
Rating and count derive from actual product reviews, or are clearly identified as sample content.	Both display the same stars and (122); these values are fixed in the public component and not derived from review data.

Impact and quality context

The storefront presents unsupported customer-feedback claims. An identical hard-coded score across products is not a reliable summary of customer feedback. The report establishes the display/data disconnect; it does not establish the authenticity of any review source that might later be added.

Recommended remedy

Aggregate approved reviews by product. Hide ratings when no verified review source exists; label demo fixtures explicitly.

Calculate the count and rating from the same approved set of product reviews. Apply a consistent rounding rule and avoid presenting demo fixtures as genuine customer feedback.

Retest acceptance

Products with zero, one and several reviews show the correct counts and calculated ratings.

Additional regression checks (proposed): Verify different products have independent counts; test an unrated product without fabricated stars.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/product-details.json; evidence/second-product-loaded.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-006 / CONFIRMED DEFECT

Jacket description describes a short sleeved T-shirt

Module	Product	Severity / priority	Medium / P2
Test ID	TC-006	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/product/68f38f15f780484273055b41

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open Women Zip-Front Relaxed Fit Jacket priced $399.
2. Read the short product description.

Expected result	Actual result
The description explains the jacket actually offered.	The jacket uses a generic round-neck, short-sleeved pullover shirt description. The same text is reused across different apparel types.

Impact and quality context

Customers receive incorrect information about the item. A jacket and a short-sleeved shirt have different purchase-relevant characteristics. Reusing the description can mislead a customer about the garment, even when the price and checkout calculations work correctly. This is a product-content accuracy issue.

Recommended remedy

Replace copied descriptions with product-specific material, fit, closure and care details; validate catalogue content before publishing.

Populate material, fit, closure and care information for the intended inventory item. A content review should compare the description with the title and photographs before publication.

Retest acceptance

Jackets, trousers and tops each have accurate descriptions matching their records and images.

Additional regression checks (proposed): Review more than one garment category; verify unavailable attributes are omitted rather than copied from another item.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/second-product-loaded.json; evidence/second-product-loaded.jpg; raw/products.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-007 / CONFIRMED DEFECT

Detailed Description panel explains ecommerce instead of the product

Module	Product	Severity / priority	Low / P3
Test ID	TC-007	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the product.
2. Read the Description panel below the purchase controls.

Expected result	Actual result
The panel contains useful details about this product.	The text explains what an ecommerce website is rather than describing the selected apparel.

Impact and quality context

A prominent information panel gives customers no product details. The detailed panel should help a customer understand the selected item. An explanation of ecommerce occupies that space without answering product questions. A working tab or panel alone does not make its contents relevant.

Recommended remedy

Populate the panel from a product detail field; remove template instructional copy.

Bind the panel to the current product's detail record and provide a deliberate fallback when those details are absent. Avoid reintroducing template text during catalogue changes.

Retest acceptance

Changing product changes the details and no ecommerce-definition template text remains.

Additional regression checks (proposed): Navigate between unrelated products; inspect the detail panel for a record with missing optional text.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/product-details.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-008 / CONFIRMED DEFECT

Product image and title describe different garment styles

Module	Product	Severity / priority	Medium / P2
Test ID	TC-008	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open Men Round Neck Pure Cotton T-shirt priced $200.
2. Compare the main photo with the title and description.

Expected result	Actual result
The images depict the named round-neck, short-sleeved T-shirt.	The main photo depicts a pink collared, long-sleeved shirt while the title and description describe a round-neck T-shirt.

Impact and quality context

The shopper cannot reliably determine which garment will be delivered. Product identity depends on agreement between title, description and photography. A mismatched image may lead a customer to select an item on the basis of the wrong appearance. The intended inventory identity must be checked before choosing which field to change.

Recommended remedy

Correct the product-to-image association or the product text after checking the intended inventory item.

Verify the authoritative item record first, then correct its image association or copy. Do not assume the photograph is wrong simply because the title differs.

Retest acceptance

All gallery images match the approved product identity and garment characteristics.

Additional regression checks (proposed): Check every gallery image for that item; confirm related cards and cart thumbnails use the approved identity.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/product-details.jpg; evidence/product-details.json; raw/products.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-009 / CONFIRMED DEFECT

Related Products includes the product already being viewed

Module	Product	Severity / priority	Low / P3
Test ID	TC-009	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6

Method: Browser test and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the $200 T-shirt.
2. Inspect Related Products.

Expected result	Actual result
Recommendations provide other relevant items.	The current product appears in its own related-product list; the filter does not exclude the current ID.

Impact and quality context

A recommendation slot is wasted on an item already open. A related-products list should provide alternatives to the item already open. Including the current item reduces the usefulness of the list and can send a customer back to the same page. The exclusion should be based on identity, not title text.

Recommended remedy

Exclude the current product ID before limiting related results.

Apply the current-ID exclusion before limiting the recommendation list. This avoids using one of the available recommendation positions for the same product.

Retest acceptance

No related result has the current ID, including after navigation between related items.

Additional regression checks (proposed): Test a category containing only the current item; repeat after opening a related product.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/product-details.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-010 / CONFIRMED DEFECT

Selected size carries over when navigating to a related product

Module	Product	Severity / priority	Medium / P2
Test ID	TC-010	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Choose size M on the $200 T-shirt.
2. Open a related product priced $280.
3. Inspect the size selection before choosing a size again.

Expected result	Actual result
The new product starts with no selection, or explicitly asks the customer to confirm its variant.	M remains selected on the new product even though it was selected for the previous item.

Impact and quality context

A shopper can add the next item using an unintended variant. Size selection belongs to a specific product. Carrying it to a different item can make the purchase state appear complete when the shopper has not selected a variant for that item. Availability should be checked against the new record.

Recommended remedy

Reset variant and gallery state whenever productId changes; validate the selected size against the new product.

Reset product-scoped state on identity changes and verify the variant again when adding to the cart. Reusing the page component should not reuse the previous customer's selection.

Retest acceptance

Navigate between products with different size lists; adding requires a valid selection for the new item.

Additional regression checks (proposed): Navigate between disjoint size lists; return with browser Back and confirm the displayed selection is valid.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/related-size-carryover.json; evidence/related-size-carryover.jpg

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-011 / CONFIRMED DEFECT

Unknown product leaves an incomplete purchase page

Module	Product	Severity / priority	Medium / P2
Test ID	TC-011	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/000000000000000000000000

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the stated non-existent product ID.
2. Allow the request to complete.

Expected result	Actual result
A Product not found state replaces purchase controls and offers a route back to the collection.	The page shows an empty title, a currency symbol without a price, hard-coded review content and ADD TO CART.

Impact and quality context

A broken URL looks like a purchasable item rather than a handled missing record. Missing data should not leave a page looking ready for purchase. An empty title and price beside an active cart action make it unclear whether loading is unfinished or the product does not exist. These states need separate handling.

Recommended remedy

Track loading, found, missing and failed states; render purchase controls only for a valid product.

Show purchase controls only after a valid product has loaded. A missing-product state should provide a clear explanation and route back to shopping.

Retest acceptance

Missing and malformed IDs have a clear recovery page; valid products still load normally.

Additional regression checks (proposed): Check a malformed ID and a removed fixture product; verify loading and API-failure states separately.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/missing-product.json; evidence/missing-product.jpg

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-012 / CONFIRMED DEFECT

Search with no matches displays an unexplained empty grid

Module	Collection	Severity / priority	Medium / P2
Test ID	TC-012	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open search on Collection.
2. Enter zzqa-no-such-product.

Expected result	Actual result
A no-results message identifies the search and offers a clear or reset action.	No product cards appear and no no-results explanation is displayed.

Impact and quality context

Users cannot distinguish an empty result from a failed load. An empty result grid is ambiguous: it can mean no matching products, an unfinished request or a loading failure. A no-results explanation should appear only after filtering has finished, with enough context for the customer to recover.

Recommended remedy

Render a no-results state after loading completes, with a clear-search action.

Tie the message to the settled search state and expose a clear-query action. Preserve the difference between no matches and a failed catalogue request.

Retest acceptance

An impossible query shows the message; clearing it restores products.

Additional regression checks (proposed): Search for an impossible term; clear it while filters are active and verify the remaining criteria are explained.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/search-no-results.json; evidence/search-no-results.jpg

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-013 / CONFIRMED DEFECT

Leading and trailing spaces prevent otherwise valid search matches

Module	Collection	Severity / priority	Medium / P2
Test ID	TC-013	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: Browser test and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Search for cotton.
2. Replace it with two leading spaces, cotton, and two trailing spaces.

Expected result	Actual result
Incidental outside whitespace does not change the meaningful query.	cotton finds 22 items, while the padded query finds none. The filter lowercases text but does not trim it.

Impact and quality context

Pasted or casually typed queries produce false empty results. Whitespace padding does not usually change what a shopper means by a search term. The observed difference between cotton and padded cotton shows that input normalization is inconsistent with that expectation. Normalization should preserve intentional internal text.

Recommended remedy

Normalize the search with trim and consistent case handling before filtering.

Trim the query once before matching and apply consistent case handling. Keep the displayed input and filtering behaviour understandable when the query becomes empty after trimming.

Retest acceptance

cotton, Cotton and padded cotton return the same matching IDs.

Additional regression checks (proposed): Test whitespace-only and mixed-case input; check that internal spaces in a multiword query remain meaningful.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/search-spaces.json; evidence/search-spaces.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-014 / CONFIRMED DEFECT

Collection filters and sorting are lost after returning from a product

Module	Collection	Severity / priority	Medium / P2
Test ID	TC-014	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Select Men and Sort by Low to High.
2. Open a product.
3. Use browser Back.

Expected result	Actual result
The previous collection criteria are restored.	Men is unchecked and sorting returns to Relevant; all products are shown.

Impact and quality context

Customers must repeat their selection after every product inspection. Returning from a product should preserve the browsing context that led to it. Losing category and sorting choices forces a customer to reconstruct the search and makes browser Back feel unreliable. Route state should represent the displayed criteria.

Recommended remedy

Store search, category and sort criteria in URL parameters or durable route state.

Persist the criteria in a recoverable route representation and derive the controls and result list from the same state. Default values should apply only when no saved criteria exist.

Retest acceptance

Back restores the same criteria and results, and a shared filtered URL opens the same view.

Additional regression checks (proposed): Check Back and Forward navigation; reopen a copied filtered URL and inspect both controls and results.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/collection-criteria.json; evidence/collection-after-back.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-015 / CONFIRMED DEFECT

Footer navigation labels cannot be opened

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-015	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Go to the footer.
2. Attempt Home, About Us, Delivery and Privacy Policy.

Expected result	Actual result
Each advertised navigation destination is an operable link.	All four labels are static list items with no href or action.

Impact and quality context

Customers cannot reach the pages promised by the footer. Footer labels imply navigation to store information. Static labels do not fulfil that promise and prevent users from reaching the associated pages through this part of the interface. The four symptoms are grouped under one shared footer implementation.

Recommended remedy

Create valid links and publish the intended delivery and privacy content. Grouped here because the same footer implementation affects all four labels.

Publish the intended destinations and render genuine links with meaningful names. Check the destination content as well as the fact that a URL changes.

Retest acceptance

All four destinations work with mouse and keyboard and have meaningful URLs.

Additional regression checks (proposed): Open each link in a new tab; verify deep-link refresh and keyboard activation for all four destinations.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/home-mobile.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-016 / CONFIRMED DEFECT

Forgot your password has no recovery action

Module	Account	Severity / priority	Medium / P2
Test ID	TC-016	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/login

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the account form.
2. Click Forgot your password?

Expected result	Actual result
A recovery flow or a clearly explained support alternative opens.	The page stays unchanged; the text has a pointer cursor but no handler.

Impact and quality context

A user who has forgotten a password has no advertised recovery path. A password-recovery affordance is most relevant when a customer cannot sign in. A pointer cursor without an action offers no recovery path. The desired process must include a truthful user response without exposing whether another person's account exists.

Recommended remedy

Implement a verified recovery process, or replace the inactive control with an accurate support instruction.

Use a working recovery destination and a verified recovery process, or provide an accurate support instruction. The interface should not promise email delivery before a service is connected.

Retest acceptance

The control opens recovery; account existence is not disclosed by recovery responses.

Additional regression checks (proposed): Compare existing and unknown account responses; test keyboard activation and return to the login form.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/forgot-password-no-action.json; evidence/forgot-password-no-action.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-017 / CONFIRMED DEFECT

My Profile menu item has no destination

Module	Account	Severity / priority	Medium / P2
Test ID	TC-017	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Sign in with the disposable account.
2. Open the profile menu and click My Profile.

Expected result	Actual result
The profile page opens or the unavailable feature is not presented as an action.	No page or panel opens; My Profile is static text.

Impact and quality context

The account menu advertises a function users cannot use. An account menu should contain destinations a signed-in customer can actually use. An inactive My Profile option is different from an authorization failure because no profile navigation is initiated at all.

Recommended remedy

Link to an implemented profile page or remove the inactive menu item until available.

Connect the option to an implemented authenticated profile view, or remove the option until available. Keep profile navigation and logout as distinct actions.

Retest acceptance

Selecting My Profile opens a working destination with the authenticated demo profile.

Additional regression checks (proposed): Check direct profile navigation after session expiry; confirm the menu remains usable after returning to the store.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/profile-no-action.json; evidence/profile-no-action.jpg

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-018 / CONFIRMED DEFECT

Explore Jobs does not open career information

Module	Contact	Severity / priority	Low / P3
Test ID	TC-018	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/contact

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open Contact.
2. Click Explore Jobs.

Expected result	Actual result
The button opens career details or a supported application destination.	The page and URL remain unchanged.

Impact and quality context

The careers call to action is nonfunctional. The careers button presents a concrete invitation to explore jobs. Without an action or an explanatory state, it creates an avoidable dead end on the Contact page. A truthful no-vacancies state can still provide a useful destination.

Recommended remedy

Provide an actual careers link, or remove the button when no vacancies or careers page exist.

Connect the control to approved career information and retain button or link semantics appropriate to the action. Remove the offer if there is no intended careers service.

Retest acceptance

Mouse and keyboard activation open the declared destination.

Additional regression checks (proposed): Check a no-vacancies state; verify the destination opens with keyboard activation and refreshes correctly.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/jobs-no-action.json; evidence/jobs-no-action.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-019 / CONFIRMED DEFECT

Newsletter subscription produces no result

Module	Home	Severity / priority	Medium / P2
Test ID	TC-019	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Browser test and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Enter a syntactically valid synthetic email in Subscribe now.
2. Click SUBSCRIBE.

Expected result	Actual result
The form records the request and shows success or a useful error.	There is no feedback or subscription action. The handler only prevents the default form submission.

Impact and quality context

The advertised 20 percent offer has no usable subscription path. Preventing form submission alone does not subscribe a customer. The missing outcome leaves the customer unable to tell whether an address was accepted or whether the service exists. A success message must reflect an actual service response.

Recommended remedy

Connect the form to the intended subscription service and show a result; remove the offer until its fulfilment works.

Use the subscription result to drive accessible pending, success and failure feedback. Prevent repeated submissions while one request is being processed.

Retest acceptance

Valid, duplicate and invalid requests produce truthful, accessible feedback without unintended subscriptions.

Additional regression checks (proposed): Test a service error and retry; verify duplicate submissions do not produce a misleading success message.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/subscribe-no-feedback.json; evidence/subscribe-no-feedback.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-020 / CONFIRMED DEFECT

Product names are absent from cart and order rows

Module	Cart	Severity / priority	Medium / P2
Test ID	TC-020	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/cart

Method: Browser test and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Add the $200 T-shirt in size M.
2. Inspect its cart row, then the own demo order history.

Expected result	Actual result
Each row identifies the product by its stored productName.	Images, price and size appear but the product name is blank. These views read name while records contain productName.

Impact and quality context

Customers cannot clearly identify line items; the same data-contract mismatch affects both views. Product names are essential identifiers in cart and order records. Photographs and prices alone are weak substitutes, especially when several items look alike. The inspected name/productName mismatch should be repaired consistently in both views.

Recommended remedy

Use one typed product contract and read productName in cart and order components.

Centralize the product display contract so all line-item components use the same field. Handle a missing name deliberately instead of leaving an unexplained blank.

Retest acceptance

Names appear for all line items in both cart and order history.

Additional regression checks (proposed): Use two similarly pictured items; verify names after page refresh and in the saved order history.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/cart-one-item.json; evidence/orders-validation-tests.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-021 / CONFIRMED DEFECT

Guest cart is overwritten after account creation

Module	Cart	Severity / priority	High / P1
Test ID	TC-021	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/cart

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. As a guest, add one item.
2. Create the disposable account.
3. Inspect the cart after authentication.

Expected result	Actual result
The guest selection survives or is merged with the account cart.	The badge changes from one item to zero and the guest item disappears when the empty account cart is loaded.

Impact and quality context

A customer loses the prepared purchase at the authentication step. Authentication is a state transition, not a reason to discard the shopper's selections. Replacing a populated guest cart with an empty account cart breaks continuity and can force the shopper to rebuild the order.

Recommended remedy

Merge validated guest items with the account cart on authentication and reconcile the result before replacing local state.

Resolve the merge before replacing local state. Define how matching product/size pairs combine and how rejected or unavailable entries are reported.

Retest acceptance

Guest-only and existing-account carts merge without loss or duplicate quantities.

Additional regression checks (proposed): Check an overlapping product/size pair; repeat authentication or refresh without adding quantities twice.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/cart-one-item.json; evidence/signup-outcome.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-022 / CONFIRMED DEFECT

An empty cart can be submitted as an order

Module	Checkout	Severity / priority	High / P1
Test ID	TC-022	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Use the authenticated demo account with an empty cart.
2. Proceed to checkout, complete the delivery form and submit cash on delivery.

Expected result	Actual result
Checkout is blocked when there are no valid line items; the server rejects an empty items array.	Order creation succeeds and the own-orders response contains an order with items=[] and amount=10.

Impact and quality context

Invalid transactions are stored and can enter fulfilment workflows. Empty orders are also invisible in the flattened history. An order without purchasable items has no valid fulfilment content. The persisted empty record demonstrates that the problem reaches the server, so disabling a button alone would leave the underlying rule unprotected.

Recommended remedy

Enforce non-empty validated items on the server and block the empty-cart checkout path in the UI.

Validate the full item list before any order write and before applying shipping. Preserve a clear rejection response while leaving valid one-item orders usable.

Retest acceptance

An empty order returns a validation error and creates no record; one valid item succeeds.

Additional regression checks (proposed): Check empty and missing items fields; verify rejected requests leave the own-orders record count unchanged.

Evidence to collect at retest (proposed)

Capture the form input, rejection feedback and sanitized own-order read-back in the identified fix build. Demonstrate that invalid delivery data or an empty item list creates no order. Repeat a valid COD purchase and compare its saved delivery data with the accepted form values.

Evidence: evidence/cart-empty.json; evidence/empty-order-outcome.json; raw/demo-orders.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-023 / CONFIRMED DEFECT

Empty-cart total does not agree with displayed shipping

Module	Cart	Severity / priority	Medium / P2
Test ID	TC-023	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/cart

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open an empty cart.
2. Compare Subtotal, Shipping Fee and Total.

Expected result	Actual result
Displayed amounts reconcile, and no charge applies to an order that cannot be placed.	Subtotal is $0.00 and shipping $10.00, but Total is $0.00. An empty submitted order instead stores $10.

Impact and quality context

The stated payable amount is internally inconsistent. A shopper should see the same monetary result that is later submitted and stored. The observed empty-cart values disagree across subtotal, shipping, displayed total and saved amount. Fixing only one label would leave the calculation inconsistent.

Recommended remedy

Use one totals function across display and submission; hide or zero shipping for an empty cart.

Use one approved empty-cart shipping rule and reconcile displayed and server-derived totals. Treat the invalid empty-order path separately from valid purchase calculations.

Retest acceptance

Empty and populated carts reconcile; submission and receipt equal the final displayed total.

Additional regression checks (proposed): Compare empty, one-item and cleared-cart totals; check displayed amount against the persisted valid order.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/cart-empty.json; evidence/cart-empty.jpg; raw/demo-orders.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-024 / CONFIRMED DEFECT

Whitespace-only delivery information is accepted

Module	Checkout	Severity / priority	High / P1
Test ID	TC-024	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Enter three spaces in first name, last name, street, city, state and country; use a valid synthetic email.
2. Submit a demo COD order.

Expected result	Actual result
Required address strings remain non-empty after trimming and are rejected otherwise.	The order is accepted; the persisted address contains whitespace-only values.

Impact and quality context

The stored order has no deliverable recipient or address. Whitespace is a string value, but it is not meaningful delivery information. Accepting it into persisted address fields allows technically non-empty data that cannot support the intended fulfilment task.

Recommended remedy

Trim and validate required strings on both client and server; show errors beside the fields.

Normalize required text before validating it and use the same rule at the API boundary. Field-specific messages should identify the value that needs correction.

Retest acceptance

Each whitespace-only required field rejects the order without persistence; a valid address succeeds.

Additional regression checks (proposed): Submit each required field as spaces independently; verify trimmed legitimate names and addresses remain usable.

Evidence to collect at retest (proposed)

Capture the form input, rejection feedback and sanitized own-order read-back in the identified fix build. Demonstrate that invalid delivery data or an empty item list creates no order. Repeat a valid COD purchase and compare its saved delivery data with the accepted form values.

Evidence: evidence/checkout-invalid-values.jpg; raw/demo-orders.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-025 / CONFIRMED DEFECT

Negative phone number is accepted at checkout

Module	Checkout	Severity / priority	High / P1
Test ID	TC-025	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Complete other delivery fields and enter -1 for Phone number.
2. Submit the authorized demo COD test order.

Expected result	Actual result
The contact field accepts a valid telephone string and rejects an impossible negative number.	The server stores phoneNumber="-1".

Impact and quality context

The fulfilment team has no usable delivery contact. Telephone numbers are identifiers rather than quantities. A negative stored string is unsuitable delivery contact data, while a numeric input may also remove valid formatting. Validation needs an explicit supported-country policy.

Recommended remedy

Use type=tel and server-side phone validation appropriate to the supported countries; do not treat phone numbers as arithmetic quantities.

Retain the telephone value as text and validate its supported representation on the server. Avoid silently changing a phone number into a different identifier.

Retest acceptance

-1 and malformed phones are rejected; supported formatted numbers remain intact.

Additional regression checks (proposed): Test leading-zero and international-prefix fixtures; confirm malformed values fail without creating an order.

Evidence to collect at retest (proposed)

Capture the form input, rejection feedback and sanitized own-order read-back in the identified fix build. Demonstrate that invalid delivery data or an empty item list creates no order. Repeat a valid COD purchase and compare its saved delivery data with the accepted form values.

Evidence: evidence/checkout-invalid-values.jpg; raw/demo-orders.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-026 / CONFIRMED DEFECT

Negative postal code is accepted at checkout

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-026	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder
Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Complete the other delivery fields and enter -1 for Zipcode.
2. Submit the authorized demo COD order.

Expected result	Actual result
Postal codes are validated as country-appropriate identifiers.	The persisted order contains zipCode="-1".

Impact and quality context

The order can contain unusable delivery routing data. Postal formats depend on the supported destination. Accepting a negative value proves a missing validation boundary; it does not justify restricting every country to numeric codes. The allowed format should follow an approved country rule.

Recommended remedy

Use a text postal-code field and validate it against the selected supported country on the server.

Keep the original postal string, then validate it for the selected supported country. Apply the same validation to direct API requests and the visible form.

Retest acceptance

Negative values fail; valid supported numeric and alphanumeric codes pass.

Additional regression checks (proposed): Check whitespace and negative fixtures; retain valid letters and leading zeros where the destination policy permits them.

Evidence to collect at retest (proposed)

Capture the form input, rejection feedback and sanitized own-order read-back in the identified fix build. Demonstrate that invalid delivery data or an empty item list creates no order. Repeat a valid COD purchase and compare its saved delivery data with the accepted form values.

Evidence: evidence/checkout-invalid-values.jpg; raw/demo-orders.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-027 / CONFIRMED DEFECT

Order endpoint accepts a malformed delivery email

Module	Order API	Severity / priority	Medium / P2
Test ID	TC-027	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/order/placeOrder
Method: Authenticated API test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Authenticate as the disposable account.
2. Submit one valid COD line item with address.email=not-an-email.
3. Fetch own orders.

Expected result	Actual result
The server rejects a malformed email independently of browser validation.	HTTP 200 success is returned and the malformed email persists in the order.

Impact and quality context

API clients can create orders with unusable notification addresses. Browser validation can be bypassed by submitting directly to the order endpoint. The persisted malformed email establishes a server-side gap, so repairing only the checkout field would not protect the order data.

Recommended remedy

Apply the same validated address schema at the API boundary; return a field-specific 4xx error.

Validate the delivery schema before persistence and report the failing field without exposing internal errors. Keep legitimate synthetic test addresses usable.

Retest acceptance

Malformed email creates no order; a valid synthetic email passes.

Additional regression checks (proposed): Test malformed direct requests and the UI path; verify the rejected order is absent from subsequent read-back.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/api-validation.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-028 / CONFIRMED DEFECT

Order endpoint accepts a negative fractional quantity

Module	Order API	Severity / priority	High / P1
Test ID	TC-028	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/order/placeOrder

Method: Authenticated API test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Use the demo account and a valid product ID.
2. Submit quantity=-0.5 in a COD order.
3. Read back own orders.

Expected result	Actual result
Every apparel quantity is a positive integer within the allowed limit.	The endpoint returns success and persists -0.5; the history displays that quantity.

Impact and quality context

Invalid units corrupt order and fulfilment calculations. An apparel line requires a valid count of items. Persisting a negative fraction breaks that model and can affect totals and fulfilment. The same quantity contract should apply to every entry in an order.

Recommended remedy

Validate Number.isSafeInteger(quantity), quantity>=1 and a documented maximum before any write.

Validate numeric type, integer bounds and the allowed maximum before writing any line. An invalid item should not leave a partially created order.

Retest acceptance

-0.5, 0, fractional and excessive values fail; 1 and a valid upper bound pass.

Additional regression checks (proposed): Place an invalid quantity beside a valid line; verify the full request is rejected without partial persistence.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/api-validation.json; evidence/orders-validation-tests.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-029 / CONFIRMED DEFECT

Order endpoint accepts a size not sold for the product

Module	Order API	Severity / priority	High / P1
Test ID	TC-029	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/order/placeOrder
Method: Authenticated API test
Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Submit the valid T-shirt ID with size=QA-NOT-A-SIZE.
2. Fetch the resulting own order.

Expected result	Actual result
The chosen size belongs to the server-side product variant list.	HTTP 200 success is returned and QA-NOT-A-SIZE is stored and displayed.

Impact and quality context

The order requests an impossible product variant. The requested size must belong to the authoritative product record. A client-supplied string alone cannot establish that a variant is available for purchase. The demonstrated unsupported value was persisted as if it were valid.

Recommended remedy

Resolve the product from the database and validate the requested variant against its current size list.

Resolve the product and size together before pricing or saving the order. Return a clear validation result when the selected variant is no longer available.

Retest acceptance

Unknown sizes fail without persistence; supported sizes succeed.

Additional regression checks (proposed): Test case and whitespace variants under the approved size policy; verify valid variants still produce the correct order line.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/api-validation.json; evidence/orders-validation-tests.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-030 / CONFIRMED DEFECT

Order endpoint accepts a non-existent product ID

Module	Order API	Severity / priority	High / P1
Test ID	TC-030	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/order/placeOrder
Method: Authenticated API test
Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Submit item ID 000000000000000000000000 with a copied valid product snapshot.
2. Fetch own orders.

Expected result	Actual result
Every order line references an existing saleable server-side product.	The fabricated ID is accepted and persisted.

Impact and quality context

An order can reference inventory that does not exist. A syntactically plausible product ID does not prove that inventory exists. Persisting a fabricated identifier can create an order that has no resolvable item, even if copied client metadata appears complete.

Recommended remedy

Look up every product and variant on the server; reject missing or unavailable records before writing the order.

Look up every line against authoritative product data before an order is saved. Handle unavailable items explicitly rather than relying on later rendering to reveal them.

Retest acceptance

Non-existent IDs fail; existing allowed IDs succeed without trusting copied metadata.

Additional regression checks (proposed): Mix a missing ID with a valid line; confirm the rejected request creates no partial order.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/api-validation.json; raw/products.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-031 / CONFIRMED DEFECT

Order endpoint trusts an altered client line-item price

Module	Order API	Severity / priority	High / P1
Test ID	TC-031	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/order/placeOrder

Method: Authenticated API test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Copy the valid $200 T-shirt line.
2. Change its client price to 1 and submit amount=11.
3. Fetch own orders.

Expected result	Actual result
The server uses its own catalogue price, ignoring a submitted client price.	The order stores the altered $1 price and $11 amount.

Impact and quality context

Price manipulation can create underpriced orders. No real payment or fraud was performed. The client can change the price it submits. The saved $1 line for an inspected $200 product demonstrates why the submitted price cannot be the authority for monetary calculation. This finding concerns line-price integrity.

Recommended remedy

Accept only product ID, variant and quantity; derive immutable line prices and discounts from server rules.

Resolve the current approved price and discount on the server, then save the resulting line snapshot. The shopper-facing total should agree with that validated result.

Retest acceptance

Tampered prices are rejected or ignored and the stored price remains $200.

Additional regression checks (proposed): Send altered and omitted price fields; verify the stored line remains tied to the authoritative product price.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/api-validation.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-032 / CONFIRMED DEFECT

Order endpoint trusts the submitted total amount

Module	Order API	Severity / priority	High / P1
Test ID	TC-032	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/order/placeOrder
Method: Authenticated API test
Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Keep one valid line priced $200 with quantity 1.
2. Submit amount=1 rather than the displayed $210.
3. Fetch own orders.

Expected result	Actual result
The server calculates the payable total from validated lines and shipping.	The amount of 1 is persisted despite the unchanged $200 item.

Impact and quality context

Totals can be manipulated independently of line-item prices. Even valid line data is insufficient when the final amount is accepted independently from the client. The saved amount of 1 demonstrates a separate total-integrity gap. Line pricing and final-total calculation need one coherent server rule.

Recommended remedy

Recalculate all monetary values on the server with an explicit currency and rounding policy.

Derive the payable amount from validated items and approved shipping, discount and currency rules. Never reconcile the result by simply copying the client's total.

Retest acceptance

Altered totals cannot be stored; valid item $200 plus $10 shipping yields $210.

Additional regression checks (proposed): Alter only the submitted amount; confirm the valid $200 plus $10 fixture remains $210 on read-back.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/api-validation.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-033 / CONFIRMED DEFECT

Cart endpoint stores a negative fractional quantity

Module	Cart API	Severity / priority	High / P1
Test ID	TC-033	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/cart/update

Method: Authenticated API test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Use only the demo account cart.
2. Update an item quantity to -0.5.
3. Fetch the cart and reload its page.

Expected result	Actual result
Cart quantities remain positive integers; removal uses an explicit operation.	The update succeeds and -0.5 persists. The invalid fixture produced a fractional badge and negative totals.

Impact and quality context

Cart arithmetic and checkout readiness become invalid. Invalid cart quantity can contaminate both visible counts and monetary totals. The persisted fraction demonstrates that the API boundary must enforce the cart's quantity model; a frontend stepper alone is insufficient.

Recommended remedy

Validate integer bounds server-side and sanitize existing invalid entries before computing totals.

Reject unsupported values before changing stored cart state and handle pre-existing invalid entries safely. Define removal as a distinct supported operation rather than an accidental negative quantity.

Retest acceptance

Invalid quantities fail and the cart remains unchanged; valid increments and removal still work.

Additional regression checks (proposed): Compare cart read-back before and after rejection; test valid increments, explicit removal and a configured maximum.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/cart-validation.json; evidence/session-log.json

Audit note: Only the invalid demo entries created for this test were subsequently removed.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-034 / CONFIRMED DEFECT

Cart endpoint accepts an unsupported size

Module	Cart API	Severity / priority	High / P1
Test ID	TC-034	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/cart/add

Method: Authenticated API test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Authenticate as the disposable account.
2. Add the valid product with size=QA-NOT-A-SIZE.
3. Fetch its cart.

Expected result	Actual result
The server rejects a variant not listed for that product.	The unsupported size is stored in cartData.

Impact and quality context

The cart holds a selection the storefront cannot legitimately fulfil. Cart selection needs the same product/variant relationship used by checkout. Storing an unknown size allows an invalid state to survive refresh and may defer the error until ordering.

Recommended remedy

Resolve the product variant before writing cart state and return a validation error for unknown sizes.

Validate the requested size against the resolved product before saving. Report invalid or stale variant selections without silently substituting a different size.

Retest acceptance

Unsupported size is rejected with no cart change; valid size M is accepted.

Additional regression checks (proposed): Check invalid and valid sizes for the same product; confirm a rejected update preserves the previous valid cart.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/cart-validation.json

Audit note: The test entry was removed after evidence capture.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-035 / CONFIRMED DEFECT

Cart endpoint accepts a non-existent product

Module	Cart API	Severity / priority	High / P1
Test ID	TC-035	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/cart/add

Method: Authenticated API test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Add ID 000000000000000000000000, size M to the demo cart.
2. Fetch the cart and reload it.

Expected result	Actual result
The cart accepts only existing saleable products.	The fabricated ID is stored but cannot be resolved into a visible valid product row.

Impact and quality context

Hidden invalid entries create inconsistent cart state and can break order construction. A cart reference that cannot resolve to a product is different from an empty cart. It can produce hidden entries or counts that do not agree with visible rows. Both write-time and stale-read handling need explicit rules.

Recommended remedy

Validate product existence on write and safely flag or remove stale references on read.

Reject new unknown IDs and define what the UI should show when a previously valid product becomes unavailable. Do not silently treat an unresolved row as purchasable.

Retest acceptance

Unknown IDs are rejected; deletion or unavailability of a previously valid product has a clear recovery state.

Additional regression checks (proposed): Attempt an unknown-ID write; use a controlled removed-product fixture to verify the declared recovery behaviour.

Evidence to collect at retest (proposed)

Capture sanitized request/response pairs and read-back for valid and rejected inputs in the identified fix build. A successful response alone is insufficient: demonstrate that invalid data was not persisted and that the related valid operation still works.

Evidence: raw/cart-validation.json; evidence/session-log.json

Audit note: The fabricated test entry was removed after capture.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-036 / CONFIRMED DEFECT

Guest checkout loses the address when authentication is required

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-036	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. As a guest with an item, complete the delivery form.
2. Press PLACE ORDER.
3. Follow the authentication flow.

Expected result	Actual result
Authentication is requested before data entry, or the draft and checkout destination are preserved.	Login is requested only on submission; the entered address is lost and successful signup returns to Home.

Impact and quality context

A customer must repeat delivery entry and navigate back to checkout. Authentication interrupts an already-entered checkout draft. Losing that draft and the return destination requires duplicate work and breaks the expected purchase sequence. The address should not be persisted more broadly than necessary.

Recommended remedy

Guard checkout earlier or preserve a draft and returnTo destination across authentication.

Choose an early authentication guard or a temporary checkout draft with a controlled return destination. Restore only the intended cart and address data for the authenticated user.

Retest acceptance

Guest-to-login and guest-to-signup flows return to checkout with the valid draft and cart intact.

Additional regression checks (proposed): Test login and signup separately; cancel authentication and inspect the draft-retention policy.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/checkout-fields.json; evidence/signup-outcome.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-037 / CONFIRMED DEFECT

Postal field strips letters from an alphanumeric code

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-037	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Type SW1A 1AA into Zipcode using normal keystrokes.
2. Read the resulting field value.

Expected result	Actual result
A postal identifier is preserved for a supported destination; unsupported countries are explicitly excluded.	The number input retains only 11 from SW1A 1AA. Country remains unrestricted free text.

Impact and quality context

A legitimate alphanumeric postal code cannot be entered accurately. A number input cannot preserve the letters in the recorded SW1A 1AA example. Since supported-country requirements were not supplied, the corrective decision should either support that destination or clearly restrict country selection.

Recommended remedy

Use type=text, preserve spaces and letters, and validate against the supported-country policy.

Use a postal text field and an approved country-specific policy. Validate the entered identifier rather than truncating it into a different code.

Retest acceptance

SW1A 1AA is preserved when the UK is supported; otherwise the UI clearly restricts destination selection.

Additional regression checks (proposed): Check a supported alphanumeric fixture and a numeric code with a leading zero; verify the country restriction is clear.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/checkout-form-limitations.json; evidence/checkout-form-limitations.jpg

Audit note: Supported-country requirements were not supplied; unrestricted country entry makes the current constraint ambiguous.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-038 / CONFIRMED DEFECT

Phone field rejects a normally formatted telephone string

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-038	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Type +1 (415) 555-0321 into Phone number.
2. Inspect the resulting value.

Expected result	Actual result
A telephone string can be entered and normalized without corrupting its meaning.	The type=number control does not retain the entered formatted phone; the recorded value is empty.

Impact and quality context

Customers cannot paste a commonly formatted contact number. Normally formatted phone strings may include a plus sign and separators. The observed empty recorded value shows the input type is unsuitable for the intended identifier. Changing the field type and validating the supported phone policy are related but separate steps.

Recommended remedy

Use type=tel and appropriate inputmode, retaining the original string until validated and normalized.

Preserve the entered phone as text until validation and any approved normalization are complete. Do not perform arithmetic conversion on a delivery contact identifier.

Retest acceptance

Formatted supported phone numbers work; invalid values receive a field-specific error.

Additional regression checks (proposed): Paste a formatted supported number; verify both the visible value and persisted approved representation.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/checkout-form-limitations.json; evidence/checkout-form-limitations.jpg

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-039 / CONFIRMED DEFECT

Unknown route has no not-found message or recovery

Module	Routing	Severity / priority	Medium / P2
Test ID	TC-039	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/qa-route-does-not-exist

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the stated unknown URL.
2. Allow the application to settle.

Expected result	Actual result
A not-found view explains the invalid route and links to a valid destination.	Only the shared header and footer appear; the route receives the SPA HTML with HTTP 200.

Impact and quality context

Broken links leave users in an unexplained page and are difficult to diagnose. Unknown routes should explain that the destination is unavailable and offer a recovery path. The shared shell alone can make a missing route look like a loading failure. A normal deep link must still work under the same hosting setup.

Recommended remedy

Add a catch-all route with a clear message and recovery link; use an appropriate status when the hosting architecture permits.

Use a catch-all interface state and keep host-level SPA routing compatible with known pages. The appropriate HTTP status depends on the deployment architecture.

Retest acceptance

Unknown routes show Not found; known deep links still load on refresh.

Additional regression checks (proposed): Open an unknown path directly and through navigation; refresh a known product route to guard against routing regressions.

Evidence to collect at retest (proposed)

Capture the affected page before and after the same action in the identified fix build. Record the URL or state transition, then repeat the stated acceptance and additional regression checks. A changed appearance alone should not be treated as proof that the action is working.

Evidence: evidence/unknown-route.json; evidence/unknown-route.jpg; raw/route-responses.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-040 / CONFIRMED DEFECT

Profile response includes password and refresh-token fields

Module	Account API	Severity / priority	High / P1
Test ID	TC-040	Status / owner	Open / Backend developer

Location: https://foreverbackend-k8zm.onrender.com/api/user/getUser

Method: Authenticated API response inspection

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Sign in only as the disposable account.
2. Inspect the field names returned by the own-profile endpoint.

Expected result	Actual result
The response contains only client-required profile data and excludes authentication internals.	The field list includes password and refreshToken, as well as internal persistence metadata. Secret values were not copied into this report.

Impact and quality context

Authentication material is unnecessarily exposed to client code. This is not evidence of access to other users. Profile consumers do not need password or refresh-token fields to display account details. Returning those fields unnecessarily broadens the exposure of sensitive account data. The report records field presence and does not disclose their secret values.

Recommended remedy

Return an explicit safe profile DTO and exclude password hashes, refresh tokens and internal metadata from serialization.

Serialize an explicit allowlist of safe profile fields. Verify the response boundary wherever the same user object is returned, rather than repairing one screen alone.

Retest acceptance

Own-profile and login responses omit these fields while authorised profile functions still work.

Additional regression checks (proposed): Inspect profile and login field names; confirm approved account fields remain available after sensitive fields are excluded.

Evidence to collect at retest (proposed)

Capture a sanitized list of own-profile response field names from the identified fix build, excluding secret values. Demonstrate that password and refresh-token fields are absent while approved profile fields and authorised account functions remain available. Inspect related login responses as specified by the acceptance criteria.

Evidence: raw/api-validation.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-041 / CONFIRMED DEFECT

Search opener cannot be activated with the keyboard

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-041	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: DOM and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect the search icon.
2. Traverse the header with Tab and attempt keyboard activation.

Expected result	Actual result
The search opener is a named keyboard-operable button.	The clickable image has no button role or tabindex and is absent from the normal interactive sequence.

Impact and quality context

Keyboard-only shoppers cannot open search. A pointer-only search opener blocks users who navigate through normal keyboard controls. The image can remain visually unchanged while its wrapper supplies a named, focusable action. This separates icon appearance from interaction semantics.

Recommended remedy

Use a button with an accessible name such as Open search, preserving the icon as decorative.

Use a real named button and keep its icon decorative. Opening search should reveal a usable form without losing track of the originating control.

Retest acceptance

Tab reaches the opener and Enter or Space opens the search form.

Additional regression checks (proposed): Use Tab followed by Enter and Space; close and reopen search to check a predictable focus sequence.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/home-mobile.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-042 / CONFIRMED DEFECT

Search close icon lacks a keyboard action and name

Module	Collection	Severity / priority	Medium / P2
Test ID	TC-042	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: DOM and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the search bar.
2. Inspect its close icon and try keyboard traversal.

Expected result	Actual result
Close search is a named button reachable with Tab.	The close affordance is a clickable image with empty alternative text and no button semantics.

Impact and quality context

The visible closing action is unavailable to keyboard and screen-reader users. Closing search is an action with its own purpose and name. An unnamed clickable image makes that action difficult to discover and activate without a pointer. Focus should return to a logical place when the search region disappears.

Recommended remedy

Wrap the icon in a button labelled Close search and restore focus to the opener when it closes.

Provide a Close search button and explicitly restore focus to the opener. Keep closing distinct from submitting the current query.

Retest acceptance

The action is announced by name and closes the bar with Enter or Space.

Additional regression checks (proposed): Close after typing a query; repeat using keyboard activation and verify focus returns to the opener.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/search-no-results.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-043 / CONFIRMED DEFECT

Authenticated account menu is not keyboard operable

Module	Account	Severity / priority	Medium / P2
Test ID	TC-043	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/
Method: DOM and public code review
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Sign in and inspect the profile opener.
2. Inspect Orders and Logout in its menu.

Expected result	Actual result
The opener and menu actions have suitable keyboard behaviour and semantic roles.	The opener is a clickable div and image; menu actions are clickable paragraphs without normal keyboard semantics.

Impact and quality context

Keyboard users cannot reliably open or use the account menu, including logout. The authenticated menu combines navigation and session actions. Both must remain reachable without a mouse; adding a name to the opener alone would leave its paragraph-based actions inaccessible.

Recommended remedy

Use a named disclosure button, a link for Orders and a button for Logout with proper focus handling.

Use disclosure semantics for opening, links for destinations and buttons for commands such as Logout. Keep focus order consistent with the visible menu.

Retest acceptance

The entire account menu can be opened, traversed, activated and dismissed using the keyboard.

Additional regression checks (proposed): Open and dismiss the menu using the keyboard; verify Orders navigation and Logout independently.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/profile-no-action.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-044 / CONFIRMED DEFECT

Login and Create Account mode switch is not a keyboard control

Module	Account	Severity / priority	Medium / P2
Test ID	TC-044	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/login

Method: DOM and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the account form.
2. Inspect and attempt keyboard activation of Login or Create Account.

Expected result	Actual result
The mode switch is an operable button or link.	The switch is a paragraph with an onClick handler and no keyboard control semantics.

Impact and quality context

Keyboard users cannot select the alternative authentication form. Changing account mode is an action inside a form, not ordinary body text. A paragraph click handler misses keyboard behaviour and can leave a user unable to reach the mode required to authenticate.

Recommended remedy

Use a type=button mode switch or links to explicit account routes.

Use an explicit non-submit button or route link for switching modes. Reset or retain form values according to the approved interaction so a mode change does not cause an unintended request.

Retest acceptance

Enter and Space switch modes without submitting the form accidentally.

Additional regression checks (proposed): Switch in both directions; verify Enter or Space changes mode without submitting credentials.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/login-form.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-045 / CONFIRMED DEFECT

Product gallery thumbnails are pointer-only controls

Module	Product	Severity / priority	Medium / P2
Test ID	TC-045	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6

Method: DOM and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the product with multiple gallery images.
2. Inspect the thumbnail controls.

Expected result	Actual result
Each thumbnail is keyboard operable and identifies the image it selects.	Thumbnails are clickable images without button roles or tabindex.

Impact and quality context

Keyboard shoppers cannot inspect alternative product views. Gallery thumbnails choose which product image is displayed. Their interactive purpose should be exposed separately from the image description, with a clear selected state and focus indicator.

Recommended remedy

Use named buttons around thumbnails, exposing selected state and a visible focus indicator.

Wrap each thumbnail in a named button and synchronize its selected state with the main view. Informative image alternatives should still describe the photograph.

Retest acceptance

All images can be selected using Tab and Enter; selected image state is announced.

Additional regression checks (proposed): Select first and last thumbnails by keyboard; change products and verify selected state resets correctly.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/product-details.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-046 / CONFIRMED DEFECT

Remove cart item is an unnamed pointer-only image

Module	Cart	Severity / priority	Medium / P2
Test ID	TC-046	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/cart

Method: DOM and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Add one valid item.
2. Inspect the bin icon used to remove the row.

Expected result	Actual result
Removal is a named keyboard-operable button identifying its item.	The bin is an image click target without suitable alternative text or button semantics.

Impact and quality context

Keyboard and assistive-technology users cannot reliably remove a line item. Removing an item changes cart state and may remove the control holding focus. An unnamed image leaves keyboard users without a clear action and makes it harder to determine which item would be removed.

Recommended remedy

Use a button labelled Remove [product name] with a clear focus style.

Use a named button tied to the product identity and move focus deliberately after removal. Reconcile badge, rows and totals from the resulting cart.

Retest acceptance

The item is removable with the keyboard and focus moves to a sensible remaining control.

Additional regression checks (proposed): Remove one of several items; remove the final item and inspect focus and the empty-cart state.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/cart-one-item.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-047 / CONFIRMED DEFECT

Cart product navigation is available only through a clickable image

Module	Cart	Severity / priority	Medium / P2
Test ID	TC-047	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/cart

Method: DOM and public code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Add one item.
2. Inspect its image-based route to the product.

Expected result	Actual result
An ordinary product link is available and identifies the destination.	The image uses a click handler rather than an anchor; the visible product name is also blank.

Impact and quality context

Keyboard users cannot use the cart shortcut back to product details. Product navigation should be recognizable as a link and identify its destination. An image click handler lacks normal link behaviour, while the blank product name compounds the identification problem.

Recommended remedy

Use an anchor containing an informative product name or image alternative.

Use an anchor around accurate product content. Repair the product-name contract independently so the visible and accessible destination descriptions agree.

Retest acceptance

Tab reaches a named product link and Enter opens the correct product.

Additional regression checks (proposed): Activate the product link with Enter; open it in a new tab and verify the matching product ID.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/cart-one-item.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-048 / CONFIRMED DEFECT

Mobile menu opener has no button semantics

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-048	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Responsive DOM review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Use a 390 px viewport.
2. Inspect the menu icon.

Expected result	Actual result
Open menu is a named button with its expanded state exposed.	The visible opener is a clickable image without button semantics or aria-expanded.

Impact and quality context

Keyboard and assistive-technology users cannot reliably open mobile navigation. The mobile menu opener is a state-changing action. Its accessible role, name and expanded state should agree with the panel users see. An image alone does not expose that relationship.

Recommended remedy

Use a button with aria-expanded and aria-controls tied to the menu panel.

Use a button linked to the panel and update expanded state when it opens or closes. This complements, rather than replaces, panel focus and visibility handling.

Retest acceptance

Keyboard activation opens the menu and the announced state changes.

Additional regression checks (proposed): Open and close the panel repeatedly; check the accessible expanded value on every transition.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/home-mobile.json; evidence/mobile-menu-open.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-049 / CONFIRMED DEFECT

Mobile menu Back affordance is not keyboard operable

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-049	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Responsive DOM review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open mobile navigation.
2. Inspect its Back image and text.

Expected result	Actual result
The visible closing control is a keyboard-operable, named button.	Back is implemented with a clickable div, image and paragraph rather than a button.

Impact and quality context

A keyboard user lacks a reliable explicit close control. The panel's Back affordance acts as a close command. It should be reachable and named as such, and closing should not leave keyboard focus on content that is no longer visible.

Recommended remedy

Use a Close menu button and return focus to the original opener.

Use a close button and restore focus to the menu opener. Keep its purpose distinct from browser Back navigation.

Retest acceptance

Tab reaches Close menu; Enter or Space closes the panel and restores focus.

Additional regression checks (proposed): Activate with Enter and Space; verify the panel closes without changing the current route unexpectedly.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/mobile-menu-open.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-050 / CONFIRMED DEFECT

Closed mobile menu leaves offscreen links in the accessibility tree

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-050	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Responsive DOM and code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. At mobile width, close the menu.
2. Inspect the menu links and their hiding mechanism.

Expected result	Actual result
Collapsed navigation content is removed from interactive and accessibility navigation.	The panel is moved with translate-x-full; its links remain in the snapshot and are not inert or aria-hidden.

Impact and quality context

Assistive navigation can expose offscreen destinations unrelated to the visible interface. Moving a closed panel offscreen is a visual operation, not necessarily an accessibility-state change. The saved snapshot still exposed its links. This finding is about the observed tree and does not claim separately tested assistive-technology outcomes.

Recommended remedy

Conditionally mount the closed panel or use an appropriate inert/hidden state, restoring it when opened.

Make closed content hidden or inert according to the chosen implementation, and restore it on opening. Do not leave focus inside content being hidden.

Retest acceptance

Closed links are absent from the accessibility and tab sequence; opening makes them available.

Additional regression checks (proposed): Inspect the closed tree and tab order; open the panel and verify those links become available again.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/home-mobile.json; raw/app.js

Audit note: The observed accessibility-tree exposure is confirmed; individual assistive-technology behaviour was not separately tested.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-051 / CONFIRMED DEFECT

Mobile menu does not manage focus or dismiss on Escape

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-051	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open the mobile menu.
2. Press Escape while a navigation item is focused.
3. Inspect focus handling.

Expected result	Actual result
An overlay menu provides predictable focus and dismissal behaviour.	Escape leaves the menu open; no opening focus transfer or closing focus restoration is implemented.

Impact and quality context

Keyboard users can lose their position in navigation. Opening and dismissing a menu creates a focus transition. Without an intentional interaction model, Escape may do nothing and focus may remain behind the visible panel. The correct model should be chosen before adding isolated key handlers.

Recommended remedy

Choose a disclosure or dialog interaction model and implement its focus and Escape behaviour consistently.

Implement the selected disclosure or dialog pattern consistently for opening, traversal, dismissal and focus restoration. Avoid mixing behaviours from incompatible patterns.

Retest acceptance

Open, traverse, Escape and reopen the menu; focus remains predictable throughout.

Additional regression checks (proposed): Open, traverse, press Escape and reopen; check focus after both keyboard and pointer dismissal.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/mobile-menu-escape.json; evidence/mobile-menu-open.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-052 / CONFIRMED DEFECT

Mobile filter disclosure is a paragraph rather than a control

Module	Collection	Severity / priority	Medium / P2
Test ID	TC-052	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection
Method: Responsive DOM review
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Use mobile Collection.
2. Inspect the FILTERS toggle.

Expected result	Actual result
A button opens filters and exposes expanded or collapsed state.	The toggle is a clickable paragraph without button semantics or expanded-state metadata.

Impact and quality context

Keyboard and assistive users cannot reliably discover and operate filtering. Showing and hiding filters changes the availability of related controls. The disclosure must convey both its action and its current state. A clickable paragraph provides neither normal keyboard semantics nor the observed expanded-state metadata.

Recommended remedy

Use a button with aria-expanded and aria-controls for the filter group.

Use a named button tied to the filter region and synchronize expanded state with visibility. Preserve selected criteria when the panel is collapsed.

Retest acceptance

Keyboard opening works and the state is announced correctly.

Additional regression checks (proposed): Toggle by keyboard after choosing a filter; verify the selection survives collapse and reopening.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/mobile-filters-open.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-053 / CONFIRMED DEFECT

Payment methods are not keyboard selectable radio controls

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-053	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder
Method: DOM and public code review

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Open checkout.
2. Traverse to the Stripe and Cash on Delivery choices.

Expected result	Actual result
Payment methods form a labelled radio group with keyboard selection and selected-state exposure.	The choices are clickable divs and decorative circles, with no radio or button semantics.

Impact and quality context

Keyboard customers cannot select a payment method reliably. Payment selection is a single-choice decision. Native radio behaviour communicates available options and the checked choice while providing a familiar keyboard interaction. Styling should not hide the underlying input semantics.

Recommended remedy

Use labelled radio inputs in a fieldset and expose the selected payment option.

Use labelled inputs in one fieldset and keep the selected option synchronized with submission state. A visual circle should represent, not replace, that checked state.

Retest acceptance

Tab and arrow keys select each method; the selected method is announced.

Additional regression checks (proposed): Move between options with arrow keys; verify the final submitted method equals the announced selection.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/checkout-form-limitations.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-054 / CONFIRMED DEFECT

Stripe option has no accessible payment-provider name

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-054	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: DOM review

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Inspect the Stripe choice in the checkout accessibility snapshot.

Expected result	Actual result
The provider name Stripe is available as text or an accessible label.	Only a logo with alt="" appears; the option has no text label and is absent as a named choice.

Impact and quality context

A screen-reader user cannot identify this visible payment option. A payment logo can be recognizable visually while providing no provider name to other users. The Stripe name is a separate requirement from whether the choice can be activated by keyboard.

Recommended remedy

Add the text label Stripe to its radio option; retain the logo as decorative.

Attach the provider name to its labelled payment input and keep a redundant logo decorative. Confirm the name and selected state refer to the same choice.

Retest acceptance

The provider is announced as Stripe together with its selected state.

Additional regression checks (proposed): Inspect the accessible name with the logo present and absent; ensure the provider label remains available.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/checkout-form-limitations.json; evidence/checkout-form-limitations.jpg

Audit note: This checks the accessible name, separately from the keyboard-selection defect.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-055 / CONFIRMED DEFECT

Selected product size is communicated only by colour

Module	Product	Severity / priority	Medium / P2
Test ID	TC-055	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6
Method: DOM and public code review
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Select size M.
2. Inspect its button attributes before and after selection.

Expected result	Actual result
The selected variant has a programmatically exposed state.	Only the border/background classes change; no aria-pressed or radio checked state indicates the selected size.

Impact and quality context

Assistive users cannot determine which size will be added. A border or background change does not expose the selected size programmatically. A customer needs to distinguish both which sizes are available and which one is currently chosen. Selection should not depend on colour perception.

Recommended remedy

Use a labelled size radio group, or expose aria-pressed consistently on selection buttons.

Use a labelled single-choice group or consistent pressed state on size buttons. Only the current selection should carry the selected state.

Retest acceptance

Selecting M announces its state and clears the previous selection.

Additional regression checks (proposed): Choose consecutive sizes; verify the previous state clears and the cart receives the announced size.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/related-size-carryover.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-056 / CONFIRMED DEFECT

Collection sort selector has no associated label

Module	Collection	Severity / priority	Medium / P2
Test ID	TC-056	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: DOM and code review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect the sort select element and its labels or aria-label.

Expected result	Actual result
The control has a programmatic label explaining its purpose.	The select has no label, id association or aria-label; only option text contains Sort by.

Impact and quality context

The control purpose depends on selected option text rather than a stable accessible name. Option wording alone is not a persistent label for the sort control's purpose. The selector should identify what it sorts even after a customer changes from the initial option.

Recommended remedy

Associate a Sort products label with the select.

Associate a visible Sort products label with the select and retain it across option changes. This makes the same purpose available visually and programmatically.

Retest acceptance

The control is announced by its purpose with each available option.

Additional regression checks (proposed): Inspect the name before and after sorting; verify keyboard selection updates the catalogue order.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/collection-loaded.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-057 / CONFIRMED DEFECT

Delivery fields rely on disappearing placeholders

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-057	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Browser test

Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Inspect delivery inputs before entry.
2. Type values into first name, address and contact fields.

Expected result	Actual result
Persistent visible labels identify the fields after entry and provide programmatic associations.	There are no associated labels; placeholders disappear as values are entered. Numeric postal and phone controls appear unnamed in the snapshot.

Impact and quality context

Customers lose field context and assistive users encounter unnamed controls. An address value should not replace the field's identity. Once a placeholder disappears, customers may struggle to review several delivery entries, and some inspected fields were unnamed in the snapshot.

Recommended remedy

Add label elements linked to stable input IDs for every delivery field; keep placeholders as optional examples.

Use stable input IDs and associated visible labels. Keep example placeholders separate from labels and pair errors with the corresponding field.

Retest acceptance

All nine fields retain visible and accessible names after entry.

Additional regression checks (proposed): Fill all nine fields and review them; verify labels and errors remain associated after validation fails.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/checkout-fields.json; evidence/checkout-form-limitations.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-058 / CONFIRMED DEFECT

Authentication fields have no persistent associated labels

Module	Account	Severity / priority	Medium / P2
Test ID	TC-058	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/login
Method: DOM and public code review
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open Signup or Login.
2. Fill username, email and password and inspect labels.

Expected result	Actual result
Each credential field retains a visible label and programmatic association.	Only placeholders identify the fields; no label associations are present.

Impact and quality context

Entered forms lose clear visual context and depend on placeholder interpretation. Authentication requires customers to understand each credential field in both modes. Placeholder-only identification disappears during entry and does not provide the persistent label association needed by the form.

Recommended remedy

Add associated Username, Email and Password labels to the account form.

Add associated labels and keep their meaning consistent when switching modes. Password visibility or other auxiliary controls should not replace the Password label.

Retest acceptance

Both modes keep field names visible and expose them correctly after entry.

Additional regression checks (proposed): Fill and switch between modes; inspect every remaining field's visible and accessible name.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/login-form.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-059 / CONFIRMED DEFECT

Personal-data inputs do not expose their autocomplete purposes

Module	Checkout	Severity / priority	Medium / P2
Test ID	TC-059	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder
Method: DOM review
Preconditions: Authenticated disposable demo account; cash on delivery; no real payment.

Reproduction procedure

1. Inspect autocomplete attributes on delivery name, address, email and phone inputs.

Expected result	Actual result
Known personal-data purposes are exposed using appropriate autocomplete tokens.	The fields do not specify purpose tokens such as given-name, street-address, postal-code or tel.

Impact and quality context

Assistive personalization and reliable browser autofill lack explicit field-purpose metadata. Personal-data fields have distinct purposes even when their values are all strings. Missing autocomplete tokens prevent the form from explicitly describing those purposes to compatible browser and assistive features.

Recommended remedy

Add correct autocomplete tokens for each supported personal-data field and authentication mode.

Assign the appropriate purpose tokens to address and authentication inputs. Check that a token describes the actual field rather than being copied across unrelated entries.

Retest acceptance

Inspect the corrected DOM and verify a test autofill preserves each field purpose.

Additional regression checks (proposed): Autofill a disposable test profile; verify name, address, telephone and account tokens map to the intended fields.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/checkout-form-limitations.json; evidence/login-form.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-060 / CONFIRMED DEFECT

Muted home-page text has insufficient contrast

Module	Home	Severity / priority	Medium / P2
Test ID	TC-060	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: Computed-style measurement

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect policy and newsletter text rendered in gray-400 on white.
2. Calculate contrast from the observed computed colour.

Expected result	Actual result
Normal-size text meets a minimum 4.5:1 contrast ratio.	The computed colour is oklch(0.707 0.022 261.325) at 16 px on white, approximately RGB [153, 161, 175]. The calculated contrast ratio is 2.60:1, below 4.5:1.

Impact and quality context

Low-vision users may struggle to read service-policy and newsletter text. The captured muted text is normal-sized text on white, so the comparison uses the stated 4.5:1 threshold. The observed 2.60:1 ratio describes that measured colour/background pair; it is not a claim about every text style in the store.

Recommended remedy

Use a darker approved text colour and check all states against the real background.

Select an approved darker text colour and measure the actual rendered pair. Avoid borderline passing values produced only by rounding.

Retest acceptance

The same text at 16 px measures at least 4.5:1 without relying on rounding.

Additional regression checks (proposed): Re-measure the same 16 px text; inspect equivalent muted copy and interaction states on their real backgrounds.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/typography-semantics.json; evidence/contrast-measurement.json

Audit note: The exact converted sRGB colour and ratio are included in the evidence summary.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-061 / CONFIRMED DEFECT

Newsletter input suppresses its visible keyboard focus

Module	Home	Severity / priority	Medium / P2
Test ID	TC-061	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/
Method: Keyboard test and style review
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Focus SUBSCRIBE, then Shift+Tab into the email input.
2. Inspect the focus outline and screenshot.

Expected result	Actual result
Keyboard focus is visibly indicated on the input.	The input uses outline-none and no focus shadow; the observed focus has no visible outline or replacement.

Impact and quality context

Keyboard users cannot easily locate the active subscription field. Keyboard users need to see where focus currently is. Removing the newsletter outline without a replacement hides that state even though the field can still receive keyboard input.

Recommended remedy

Provide a distinct focus-visible border or outline with sufficient contrast.

Provide a visible focus treatment that is distinguishable from the unfocused field and is not clipped by its container. Keep pointer and keyboard interaction visually coherent.

Retest acceptance

Tab and Shift+Tab clearly indicate focus without requiring pointer interaction.

Additional regression checks (proposed): Tab and Shift+Tab through the form; verify the indicator remains visible on both narrow and wide layouts.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/newsletter-focus.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-062 / CONFIRMED DEFECT

Meaningful product photographs have empty alternative text

Module	Product	Severity / priority	Medium / P2
Test ID	TC-062	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/product/68ee7c73675d613eba9e96c6
Method: DOM review
Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect the main product image and gallery alternatives.

Expected result	Actual result
Meaningful product views have concise text alternatives describing the item or view.	The product images use alt="" despite conveying garment identity and appearance.

Impact and quality context

Screen-reader users cannot obtain information conveyed by the product photography. Product photography conveys garment appearance and identity. Empty alternative text is appropriate only when that information is genuinely redundant or decorative; the inspected informative photographs need useful descriptions.

Recommended remedy

Provide accurate item and view alternatives; use empty alt only for genuinely decorative or fully redundant images.

Describe the item and relevant view accurately without repeating unrelated marketing copy. Different gallery views should have meaningful distinctions when they convey different details.

Retest acceptance

The main image and each informative gallery view expose useful, non-duplicative alternatives.

Additional regression checks (proposed): Inspect the main view and gallery names; compare alternatives with the actual approved photographs.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/product-details.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-063 / CONFIRMED DEFECT

Visible page and section titles are not semantic headings

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-063	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: DOM review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect Collection, Cart, Checkout, About and Contact heading outlines.

Expected result	Actual result
Page titles and major sections use a logical h1-h2 hierarchy.	The inspected pages have paragraph-based titles and no h1-h3 outline; the common title component renders a p.

Impact and quality context

Assistive heading navigation cannot follow the visible document structure. Heading structure helps users understand and navigate page sections. Changing the appearance of a paragraph does not create that structure. A shared title component can correct several routes if its level is chosen appropriately.

Recommended remedy

Use semantic headings in the shared title component with context-appropriate levels.

Render actual heading elements with context-sensitive levels and preserve the visual design. Ensure the page hierarchy follows its content rather than font size alone.

Retest acceptance

Every page has a meaningful h1 and logical section headings without skipped structural levels.

Additional regression checks (proposed): Inspect each route's heading outline; verify product and collection titles remain meaningful after navigation.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/collection-reload.json; evidence/about-page.json; evidence/contact-page.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-064 / CONFIRMED DEFECT

Page content lacks main and footer landmarks

Module	Shared layout	Severity / priority	Low / P3
Test ID	TC-064	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/

Method: DOM review

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect document landmarks on Home and Collection.

Expected result	Actual result
Main content and the site footer have suitable landmark semantics.	No main or contentinfo/footer landmarks are present; major regions are generic containers.

Impact and quality context

Assistive users have fewer efficient ways to navigate page regions. Landmarks identify major page regions independently of visual layout. Generic containers do not expose a main-content or footer region for landmark navigation, even when those regions are clear to a sighted reader.

Recommended remedy

Use one main element per page and a footer for shared closing content.

Use semantic main and footer elements around the intended regions. Avoid duplicating the main landmark when route content changes inside a shared shell.

Retest acceptance

Landmark navigation identifies Navigation, Main and Content information in a sensible order.

Additional regression checks (proposed): Check the landmark tree across routes; verify the main content changes without creating duplicate Main regions.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/typography-semantics.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-065 / CONFIRMED DEFECT

Browser title does not identify the current page

Module	Shared layout	Severity / priority	Low / P3
Test ID	TC-065	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/collection

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Navigate between Home, Collection, Product, About and Checkout.
2. Compare document.title.

Expected result	Actual result
Each title describes its page purpose and the store.	All inspected routes retain Forever Mart.

Impact and quality context

Tabs and assistive page announcements do not distinguish destinations. A document title identifies a browser tab, history entry and current page context. Retaining the same store title for all inspected routes loses the distinction between browsing, checkout and a specific product.

Recommended remedy

Set route-specific titles such as Collection | ForeverMart and include product names on detail pages.

Update the title from settled route and product data while preserving the store name. Handle loading and missing-product states without retaining another item's title.

Retest acceptance

Each route and direct deep link exposes an accurate title.

Additional regression checks (proposed): Open routes directly and via client navigation; inspect titles after Back, Forward and a missing-product result.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/collection-reload.json; evidence/product-details.json; evidence/about-page.json; evidence/checkout-fields.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-066 / CONFIRMED DEFECT

Layout overflows horizontally at 320 CSS pixels

Module	Shared layout	Severity / priority	Medium / P2
Test ID	TC-066	Status / owner	Open / Frontend developer

Location: https://forevermart.vercel.app/PlaceOrder

Method: Responsive measurement

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Set the viewport to 320 CSS px.
2. Inspect the header and checkout document width.

Expected result	Actual result
The page reflows without horizontal scrolling for ordinary content.	At 320 CSS px, the settled checkout document and body are both 352 px wide. The totals panel uses min-w-80 within the page margins.

Impact and quality context

Small-screen and zoomed users must pan horizontally to reach content. The measured checkout width exceeded the 320 px viewport by 32 px. That concrete overflow supports the finding; it should be checked against the settled layout rather than inferred from a screenshot alone.

Recommended remedy

Remove fixed minimum widths that exceed the available content area; wrap header controls and stacked form panels.

Remove oversized minimum widths and make panels fit their available parent width. Reflow controls and text while preserving the information needed to complete checkout.

Retest acceptance

At 320 CSS px, document width is no greater than the viewport and all controls remain usable.

Additional regression checks (proposed): Measure document width at 320 and 390 px; test long field values and confirm all actions remain reachable.

Evidence to collect at retest (proposed)

Retain a fresh DOM or computed-style extract together with a screenshot of the affected control in the fix build. Demonstrate the stated acceptance check with the relevant keyboard, label, contrast or reflow evidence; a visual style change alone does not establish accessibility.

Evidence: evidence/checkout-320-verified.json; evidence/checkout-320-verified.jpg; raw/app.js

Audit note: Reproduced again at the stated viewport; a screenshot and the full DOM snapshot are retained.

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-067 / CONFIRMED DEFECT

Home-page hero misspells Arrivals

Module	Home	Severity / priority	Low / P3
Test ID	TC-067	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Open Home and read the hero heading.

Expected result	Actual result
The heading reads Latest Arrivals.	The visible heading reads Latest Arivals.

Impact and quality context

The first impression contains a spelling mistake. The hero heading is prominent first-contact copy, so a spelling error is visible before a shopper reaches any products. Correcting it is small work, but the acceptance check should cover the rendered text as well as the source string.

Recommended remedy

Correct the copy and add a content proofreading checklist.

Replace the misspelled word in its authoritative copy source and include hero text in the release proofreading checklist. A purely visual replacement should not leave a different accessible heading.

Retest acceptance

The rendered heading and accessible heading text both read Latest Arrivals.

Additional regression checks (proposed): Reload Home after the change; search the production copy for the old spelling and check the heading text in the DOM.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/home-desktop.jpg; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-068 / CONFIRMED DEFECT

Template filler text remains in customer-facing sections

Module	Shared layout	Severity / priority	Low / P3
Test ID	TC-068	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Read the home collection descriptions, newsletter copy and footer.

Expected result	Actual result
Public copy explains the store and each section.	Several visible paragraphs contain Lorem ipsum template text.

Impact and quality context

Customers see unfinished content instead of useful information. Template filler signals that customer-facing content is unfinished and substitutes no useful store information. A single replacement is insufficient when the captured paragraphs occur in several shared and page-specific sections.

Recommended remedy

Replace all placeholder paragraphs with approved store copy and search the production content for template text.

Inventory the visible placeholder locations, replace them with approved copy and review the final rendered paragraphs. Avoid adding unsupported store claims merely to replace filler.

Retest acceptance

No Lorem ipsum remains on public routes; reviewed copy is meaningful.

Additional regression checks (proposed): Inspect Home and shared footer routes; scan the published text for Lorem ipsum and other known template markers.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/home-desktop.jpg; evidence/about-page.json; raw/app.js

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-069 / CONFIRMED DEFECT

Contact details conflict between the footer and Contact page

Module	Contact	Severity / priority	Medium / P2
Test ID	TC-069	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/contact

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Compare Contact page details with its footer.

Expected result	Actual result
The store publishes one verified contact set, or clearly labels different departments.	The footer shows +1-212-444-780 and contact@foreveryou.com; Contact shows (415) 555-0321 and admin@forever.com without an explanation.

Impact and quality context

Customers do not know which contact details belong to the store. Customers need a dependable route to contact the store. Different phone and email values may be legitimate department contacts, but the inspected interface does not explain that distinction. The remedy needs owner-approved values rather than guessed replacements.

Recommended remedy

Centralize approved contact data and label any distinct support or administrative contacts.

Centralize the approved support set and label any departmental exceptions. Update both the Contact page and shared footer from that source.

Retest acceptance

Each route shows the same approved support contact or explains the difference.

Additional regression checks (proposed): Compare all public support surfaces; verify any mailto and tel destinations agree with their visible values.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/contact-page.json; evidence/contact-page.jpg

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-070 / CONFIRMED DEFECT

About page contains an incomplete support sentence

Module	About	Severity / priority	Low / P3
Test ID	TC-070	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/about

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Read the support paragraph on About.

Expected result	Actual result
The sentence is complete and understandable.	The copy ends with assist you the way, leaving the intended meaning incomplete.

Impact and quality context

The About page communicates unfinished copy. An incomplete support sentence weakens the page's meaning, even when it does not block an interaction. The content owner should approve the intended message so proofreading does not introduce a service promise the store cannot fulfil.

Recommended remedy

Rewrite the sentence and proofread the complete About page.

Rewrite the complete sentence in its copy source and review the surrounding paragraph for grammar and meaning. Keep the revised text accurate for the store's actual support scope.

Retest acceptance

The paragraph is grammatically complete and approved by the content owner.

Additional regression checks (proposed): Read the full rendered paragraph; check narrow-layout wrapping and confirm no truncated or old phrase remains.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/about-page.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

FM-079 / CONFIRMED DEFECT

Newsletter placeholder contains incorrect wording

Module	Home	Severity / priority	Low / P3
Test ID	TC-079	Status / owner	Open / Content owner

Location: https://forevermart.vercel.app/

Method: Browser test

Preconditions: Public deployment available; use the stated page and test data.

Reproduction procedure

1. Inspect the newsletter email placeholder.

Expected result	Actual result
The field instruction is clear and correctly written.	The placeholder reads enter you email.

Impact and quality context

A visible entry instruction contains a grammar error. The newsletter instruction contains a grammar error and disappears when a value is entered. Correcting the placeholder is useful, but a persistent Email address label gives the field a clear identity throughout the interaction.

Recommended remedy

Use a persistent Email address label and an optional example placeholder.

Use approved wording for the label and keep an optional example distinct from the instruction. This copy repair should be checked separately from whether the subscription service works.

Retest acceptance

The form contains clear approved wording before and after entry.

Additional regression checks (proposed): Inspect the empty and filled field; check its visible and accessible name without relying on placeholder text.

Evidence to collect at retest (proposed)

Attach the approved copy or product-data source and a new capture of the affected page after repair. Compare the visible text with that source, then repeat the stated acceptance check in the identified fix build. Confirm the rendered result rather than relying only on an edited source file.

Evidence: evidence/home-mobile.json

Detected 9 October 2026. No fix build or closure evidence. Owner role proposed; developer/client comments not supplied.

Requirement and defect traceability

These are audit criteria, not a claim that a formal requirements specification was supplied. Every detailed record maps to a test with the same numeric suffix; TC-031, for example, reproduces FM-031.

Criterion	Test and finding references	Expected control
AC-01 Store actions	FM-001, 004, 015-019	Advertised actions open or perform their declared function
AC-02 Product truth	FM-002, 005-011, 020	Product identity, ratings, variants and names are accurate
AC-03 Find and retain choices	FM-012-014, 021, 036	Search normalization and state transitions preserve intent
AC-04 Deliverable order	FM-022, 024-030, 037-038	Valid non-empty items and usable delivery data
AC-05 Price integrity	FM-023, 031-032	Server-derived prices, shipping and totals reconcile
AC-06 Valid cart	FM-033-035	Existing product, valid variant, positive integer quantity
AC-07 Safe profile data	FM-040	Exclude authentication internals from client responses
AC-08 Accessible operation	FM-041-066	Keyboard semantics, labels, state, contrast and reflow
AC-09 Accurate public copy	FM-067-070, 079	Reviewed text and consistent contacts

Detailed findings contain the exact expected-result assertion and proposed retest. Adapted from Lewis E6 test-case fields, p. 358 (PDF p. 385), and E29 traceability reporting, p. 384 (PDF p. 411).

Checkout decision table

The table states the proposed business rules and the actual checked outcomes. A dash means the condition is irrelevant to that row; the table does not imply that every combination was executed.

Case	Signed in	Valid items	Valid address	Trusted total	Expected action	Observed
DT-01	Yes	No, empty	Yes	-	Reject	Accepted: FM-022
DT-02	Yes	No, qty -0.5	Yes	Yes	Reject	Accepted: FM-028

Case	Signed in	Valid items	Valid address	Trusted total	Expected action	Observed
DT-03	Yes	No, size unknown	Yes	Yes	Reject	Accepted: FM-029
DT-04	Yes	No, ID unknown	Yes	Yes	Reject	Accepted: FM-030
DT-05	Yes	Yes	No, spaces	-	Reject	Accepted: FM-024
DT-06	Yes	Yes	No, email	Yes	Reject	Accepted: FM-027
DT-07	Yes	Yes	Yes	No, altered	Recalculate or reject	Accepted: FM-031/032
DT-08	Yes	Yes	Yes	Yes	Allow COD order	Baseline demo order works


Boundary partitions for the next iteration

Field	Valid partition	Invalid partitions to retest
Quantity	Positive integer within maximum	Negative, zero, fraction, non-number, over maximum
Product and size	Existing saleable product and supported size	Unknown ID, unavailable product, unsupported size
Address	Trimmed required strings and country-appropriate contact identifiers	Whitespace-only, malformed email/phone/postal code
Money	Server catalogue and authorised adjustments	Client price, total, shipping or currency changes

Project-specific adaptation of Lewis G11 Decision Tables and Exhibit G.35, p. 492 (PDF p. 519).

Transaction workflow and control boundary

The inspected application loads public product data, maintains cart state and submits a delivery address plus copied item data to its API. The validation and pricing results show why the trust boundary must be enforced on the server.



Proposed correction: perform validation and pricing at the server boundary.

Figure 1 Proposed purchase validation workflow. This is a corrective design, not a claim that these controls already exist.

Boundary	Observed issue	Required remedy
Client to order API	Altered line price and submitted total persist	Resolve server product records and calculate final money
Client to cart API	Unknown IDs/sizes and quantity -0.5 persist	Validate identity, variant and quantity before writing
Client form to order API	Spaces, -1 contact data and malformed email persist	Use one server-side address schema
API to browser profile	password and refreshToken fields returned	Serialize an allowlisted client profile object

Flowchart method adapted from Lewis Chapter 3, p. 42 (PDF p. 69). The API and persistence boxes are a logical model inferred from observed requests and stored responses; server internals were not available.

Defect severity and priority

Supported defects by severity




Figure 2 Counts use only the 70 supported defects. All 70 records are confirmed defects.

Severity	Count	Priority	Action
High	13	P1	Correct before enabling real customer ordering

Severity	Count	Priority	Action
Medium	48	P2	Repair in the next planned quality iteration
Low	9	P3	Correct copy and structure with focused regression

High-severity records


FM-021, FM-022, FM-024, FM-025, FM-028, FM-029, FM-030, FM-031, FM-032, FM-033, FM-034, FM-035, FM-040.

The severity describes observed impact; no Critical or Showstopper classification has been invented. Browser browsing continued, and monetary tests were limited to authorised demo COD orders.

Severity and priority are adapted from Lewis Chapter 24, pp. 265-266 (PDF pp. 292-293), and E12, p. 364 (PDF p. 391).

Pareto analysis of supported defects

Defects by category with cumulative percentage



Red bars: defect count Charcoal line: cumulative share of the 70 defects

Figure 3 Categories are inspection classifications, not statistically proven root causes.

Accessibility (26) and Functionality (20) together account for 46 of 70 defects (65.7%). This frequency helps organise improvement work, but the fewer High-severity price and data-integrity defects still require earlier action.

Category	Defects	Cumulative share
Accessibility	26	37.1%
Functionality	20	65.7%
Data integrity	11	81.4%
Content	9	94.3%
Security	3	98.6%
Usability	1	100.0%

Adapted from Lewis G21 Pareto Analysis and Exhibit G.43, pp. 499-501 (PDF pp. 526-528). The 80/20 relationship is not assumed to hold for this dataset.

Defect distribution by application area

Supported defects by module




Figure 4 Each record is counted once in its primary module; shared symptoms are described in that record.

These counts identify where the audit encountered problems. They do not measure the relative quality of equally tested modules, because the amount of testing in each area was not equal.

A server validator change should trigger order and cart API retests. A shared navigation or title change should trigger all-route keyboard and responsive regression.

Adapted from the category and system-area analyses in Lewis Chapter 24, pp. 263-267 (PDF pp. 290-294), and E29, p. 385 (PDF p. 412).

Status and measurement boundaries

Confirmed-defect status



Status is based on the 70 confirmed records in this report. No repair or closure evidence has been received.

Metric	Value or limitation
Confirmed defect count	70
Open / closed	70 / 0
Assignment target shortfall	30 confirmed records
Defect density	Not calculated: no valid source-size denominator.
Test coverage percentage	Not calculated: no complete requirements/test denominator.
Defect age / closure trend	Not calculated: no repair history or closure dates.
Performance / load curves	Not measured in the authorised audit.

Lewis Chapter 24 describes age, density and tracking curves. Those measurements require data unavailable for this audit; no time series or source-size figures are invented.

Cause and effect investigation





Figure 6 Investigation map adapted to ForeverMart. Branches are possible contributing factors; the server root cause has not been confirmed from source.

Evidence-backed factor	Investigation or prevention action
Order validation failures	Inspect request schemas and write-path checks for empty items, identity, variant, quantity and address
Monetary values persist as submitted	Locate server price calculation and determine why client money is accepted
Client data-contract mismatch	Standardise productName and variant state transitions across views
UI semantics and copied content	Review shared components with keyboard, labels and content checks before release

Confirm causes through server-code review and a reproduction after each fix. A common symptom or a large category count alone does not prove a single causal mechanism.

Adapted from Lewis cause-and-effect discussion, p. 42 (PDF p. 69), and G7 Cause-Effect Graphing, pp. 456-457 (PDF pp. 483-484).

Defect lifecycle and triage



Triage may mark Duplicate, Works as intended or New requirement with a reason.

Figure 7 Proposed defect handling workflow, adapted from Exhibit 24.2. It has not been executed by the development team.

Role	Proposed responsibility
Project owner	Confirm defect criteria, assign corrective work and accept any residual risk
QA reviewer	Check evidence, reproduce, consolidate duplicates and specify retest acceptance
Developer	Investigate cause, implement the remedy and identify the fix build
QA retester	Retest the original scenario and related regression before closing

Closure evidence

A record closes only after the actual corrected build is identified, the original failure no longer occurs, relevant positive and negative checks pass, and fresh evidence is attached. If it fails, reopen it with the new actual result. No record in this report is marked fixed.

Adapted from Lewis Exhibit 24.2, p. 266 (PDF p. 293), defect meetings, p. 265 (PDF p. 292), and E12 status fields, p. 364 (PDF p. 391).

Continuous improvement plan




Figure 8 Project-specific Plan Do Check Act cycle. Proposed actions are not completed work.

Phase	Deliverable	Acceptance evidence
Plan	Approve domain rules, severity and supported countries/currency	Reviewed acceptance criteria and agreed defect priorities
Do	Repair server validation/pricing, cart merge, controls and product copy	Identified fix build and developer change notes
Check	Run record-specific retests and critical shopping regression	Expected/actual results plus fresh screenshots or responses
Act	Add shared schemas, typed contracts, accessibility and content gates	Repeatable checks in the release workflow

Suggested work order: first protect server order/cart integrity and profile serialization; then restore missing actions and customer state; then correct shared accessibility and content; then run the agreed regression checks before closure.

Adapted from Lewis Exhibit 3.1 and PDCA explanation, pp. 48-50 (PDF pp. 75-77), and E20 PDCA Test Schedule, p. 373 (PDF p. 400).

Corrective action and regression matrix

Changed component	Record references	Retest scope
Order validation and price calculation	FM-022-032	Valid COD order; invalid items and address; tampered money; confirmation totals
Cart validators and authentication merge	FM-020-021, 033-035	Guest and account carts; valid variants; bounds; unknown references; item display

Changed component	Record references	Retest scope
Product and recommendation state	FM-004-011, 045, 055, 062	Accurate data; related navigation; gallery; variants; keyboard and alternatives
Collection/search state	FM-012-014, 041-042, 052, 056	Search normalization; empty state; filters/sort; Back; keyboard
Shared navigation and forms	FM-015-019, 043-044, 048-066	All routes; input names; focus; menu lifecycle; 320 px layout
Public content	FM-067-070, FM-079	Proofread affected pages; reconcile approved contact details across routes

Passing checks retained as regression baselines

The audit observed successful catalogue loading and normal image loading, correctly labelled category checkboxes, case-insensitive basic search, working price sorting, a size-required add-to-cart check, a quantity minimum of one in normal decrement controls, working signup/login/logout, 390 px reflow, a working favicon, HTTPS/HSTS and a 401 response when the own-cart request omitted authentication.

Approval remains pending


The project owner has not approved the inferred criteria, assigned remedies or accepted production risk. Developer and client comments remain Not supplied. Suggested delivery order is not a promised implementation schedule.

Adapted from Lewis E14 Retest Matrix, pp. 366-367 (PDF pp. 393-394). The matrix maps changes to tests; it does not claim those retests have been run.

Screenshot evidence | Hero action and spelling

FM-001 / FM-067

SHOP NOW did not navigate. The hero also misspells Arrivals.




Excerpt from evidence/shop-now-no-action.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Product identity

FM-008

The inspected garment image and product identity do not agree.




Excerpt from evidence/product-details.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Cart product names

FM-020

Cart row displays image and money while omitting the product name.




Excerpt from evidence/cart-one-item.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Empty-cart checkout

FM-022 / FM-023

An empty cart exposes checkout and inconsistent shipping/total presentation.




Excerpt from evidence/cart-empty.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Invalid delivery values

FM-024 / FM-025 / FM-026

The authorised demo COD test submitted whitespace strings and negative contact values.




Excerpt from evidence/checkout-invalid-values.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Incorrect jacket description

FM-006

The jacket page describes a short-sleeved shirt.




Excerpt from evidence/second-product-loaded.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Unknown product

FM-011

A missing product leaves an incomplete purchase page.




Excerpt from evidence/missing-product.jpg. The unmodified full capture is retained in the evidence folder.

Screenshot evidence | Unknown route

FM-039

An unrecognised route offers no explanation or recovery body.



Excerpt from evidence/unknown-route.jpg. The unmodified full capture is retained in the evidence folder.

API and persistence evidence

Test	Submitted boundary value	Response and read-back
Order total	Valid $200 item, quantity 1; amount=1	HTTP 200 success; amount 1 stored
Order line price	price=1, amount=11 for the $200 product	HTTP 200 success; altered price stored
Order quantity	quantity=-0.5	HTTP 200 success; quantity stored and displayed
Order variant	size=QA-NOT-A-SIZE	HTTP 200 success; unsupported size stored
Order identity	ID=000000000000000000000000	HTTP 200 success; fabricated reference stored
Order delivery email	address.email=not-an-email	HTTP 200 success; malformed value stored
UI delivery address	Whitespace-only required strings; phone=-1; zip=-1	Order stored with those values
UI empty order	items=[]	Order stored with amount 10
Cart boundary checks	Unknown ID, unsupported size and quantity=-0.5	Each accepted; invalid demo entries later removed
Authentication baseline	Own cart request with no authentication cookie	HTTP 401; no anonymous access demonstrated

Sensitive response fields

The own-profile response field names included password and refreshToken. Values were excluded from the evidence register and this document. Returning these fields is an exposure finding; this audit does not claim plaintext passwords or access to other users.

Evidence sources

raw/api-validation.json contains the six API order checks and own-order read-back. raw/demo-orders.json contains the earlier two UI orders. raw/cart-validation.json contains cart checks. All submitted identity and contact data are synthetic.

The server root cause is not asserted without source access. Remedies specify enforceable rules derived from the observed failures.

Reference book crosswalk

The attached reference is Software Testing and Continuous Quality Improvement, second edition, William E. Lewis, with Gunasekaran Veerapillai as technical contributor. Copyright 2005, Auerbach Publications / CRC Press, ISBN 0-8493-2524-2. Printed page n corresponds to PDF page n+27 for the cited numbered pages.

Book reference	Printed / PDF pages	Application in this report
E4 Internet/client-server test plan	353-354 / 380-381	Scope, assumptions, environment and exclusions
E6 test-case fields	358 / 385	Matching TC reference and expected/actual results
E11 system summary	361-362 / 388-389	Capabilities, deficiencies, risk and readiness opinion
E12 problem report	362-364 / 389-391	Detailed finding sheets and lifecycle metadata
E14 retest matrix	366-367 / 393-394	Change-to-regression mapping
E20 PDCA schedule; E21 strategy	373-375 / 400-402	Improvement stages and test approach
E27 defect table; E29 summary	383-385 / 410-412	Index, register, summary and classifications
Exhibit 24.2 defect lifecycle	266 / 293	Proposed triage, fix, retest, reopen and closure flow
Exhibit 3.1 PDCA circle	49 / 76	ForeverMart improvement cycle
G7 cause and effect	456-457 / 483-484	Hypothesis-based investigation diagram
G11 decision tables	492 / 519	Checkout decision table


Book reference	Printed / PDF pages	Application in this report
G21; Exhibit G.43 Pareto	499-501 / 526-528	Actual category counts and cumulative percentage


Figures and tables are original adaptations populated with ForeverMart evidence. Unrelated book examples have not been copied. Run, scatter, control and defect-age charts require measurements not gathered in this audit, so no fabricated series is included.

The book was extracted in full for navigation, and the relevant reporting, management and testing-technique sections and representative layouts were reviewed.

Screenshot evidence | Mobile and accessibility

FM-048 to FM-051 / FM-060 / FM-066





Measurement	Recorded result
320 px checkout	Document width 352 px: horizontal overflow

Measurement	Recorded result
Muted home-page text	16 CSS px; contrast 2.60:1 on white (normal-text criterion 4.5:1)

Left: checkout-320-verified.jpg. Right: mobile-menu-open.jpg. Contrast uses recorded computed styles and a saved colour conversion.

Handover and supporting references

This confirmed-defect edition addresses Software Testing Portfolio Part 3 for ForeverMart. It preserves the original audited failures and evidence while adding explanatory context and proposed regression checks.

Handover materials

Material	Purpose
This report	70 individual defect sheets, register, analysis, workflows and evidence excerpts.
confirmed-defects.json	Filtered 70-record register plus clearly separated explanatory context.
confirmed-page-map.json	Current section and defect page numbers.
evidence and raw folders	Original captures and sanitized responses referenced by the sheets.

Next review

Assign corrective owners, agree the affected acceptance criteria, repair the High-priority rules first and provide an identified fix build. Reproduce the original failure, perform the stated acceptance check and related regression, then attach fresh evidence before closing a record.

Supporting standards and guidance

W3C WCAG 2.2 Labels or Instructions

W3C WCAG 2.2 Keyboard

W3C WCAG 2.2 Name Role Value

W3C WCAG 2.2 Contrast Minimum

W3C WCAG 2.2 Reflow

OWASP REST Security Cheat Sheet

Targeted accessibility checks do not constitute complete WCAG certification. No fixes or follow-up regression checks are claimed to be completed.

Techniques, tools and reference sources

Type	Technique / tool / source	Use in this ForeverMart audit
Test method	Exploratory and state-transition testing	Browse, search, navigation, cart merge and related-product size state; reproduce visible failures.
Test method	Boundary values, equivalence partitions and negative tests	Empty values, whitespace, -1 contact fields, quantity -0.5, unknown IDs and unsupported sizes.
Test method	Authenticated API validation and read-back	Compare submitted data with saved orders/cart; expose altered prices, totals and invalid domains (FM-022 to FM-040).
Test method	Keyboard, DOM and responsive inspection	Check control semantics, labels, focus, alternative text and 320/390 px layouts (FM-041 to FM-066).
Test tool	Codex in-app browser and browser automation	Operate the demo site; capture screenshots, DOM snapshots, computed styles and authorised test responses.
Inspection	Public JavaScript, product JSON and HTTP headers	Corroborate UI/data contracts, catalogue content and deployment policy; saved as raw evidence.
Measurement	Python: JSON, math, counters and SHA-256	Calculate contrast, record totals and chart counts; validate evidence paths and file integrity.
Analysis	Decision table, traceability, Pareto and module/severity charts	Link test rules to findings and prioritise the 70 defects using observed counts.
Improvement	Cause/effect, defect lifecycle, PDCA and retest matrix	Structure proposed investigation, remedies, ownership and regression acceptance; repairs are not yet implemented.
Book	William E. Lewis, second edition, 2005	Software Testing and Continuous Quality Improvement. Ch. 24; E12/E14/E27/E29; G4/G11/G13/G21/G22. See the book crosswalk.
Standard	W3C WCAG 2.2	Keyboard, names/roles, labels, contrast and reflow criteria. Targeted checks rather than full certification.
Guidance	OWASP REST Security Cheat Sheet	Server validation, trusted pricing and response-data exposure remedies. See the supporting references.
Report tools	Python, ReportLab, pypdf, pdfplumber, PDFium and Pillow	Compose the document, preserve data, inspect text, render every page and verify layout. These are report tools, not defect scanners.