



Mujahidkhan09

Day3

30 days left in trial



Mujahidkhan09

Day3

PLAN

Growth Trial

STATUS

Active

PROJECT ID

m89q0rig

Getting started

Overview

Members

Studios

Datasets

Access

Activity

Usage

Plan

API

Settings

Webhooks

CORS origins

Tokens

GROQ-powered webhooks

HTTP callbacks to a given URL triggered by changes in your content lake

[Learn more about webhooks](#)

[+ Create webhook](#)

0 of 2
webhooks
(2 included in plan)

[Get more webhooks](#)



There are no GROQ-powered webhooks in this project
Maybe try creating a new webhook?

What's new

Sanity Create Content Mapping, Visual Editing,
and Content Releases

File Edit Selection View Go Run Terminal Help

giaic-hackathon-2

EXPLORER

- GIAIC-HACKATHON-2
 - .next
 - node_modules
 - public
 - src
 - .env.local
 - .gitignore
 - components.json
 - next-env.d.ts
 - next.config.mjs
 - package-lock.json
 - package.json
 - postcss.config.mjs
 - README.md
 - sanity.cli.ts
 - sanity.config.ts
 - tailwind.config.ts
 - tsconfig.json

JS node-request.cjs JS .env.local JS index.cjs C:\...\get-it\... JS index.cjs C:\...\client\... JS Observable.js JS errorContext.js JS lift.js {} components.js

.env.local

```
1 EXT_PUBLIC_SANITY_PROJECT_ID="m89q0rig"
2 NEXT_PUBLIC_SANITY_DATASET="production"
3 SANITY_API_TOKEN=
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

create-sanity

✓ You are logged in as mujahidsahab090@gmail.com using GitHub
✓ Fetching existing projects

? Create a new project or select an existing one [Create new project](#)
? Your project name: `Day3`
Your content will be stored in a dataset that can be public or private, depending on whether you want to query your content with or without authentication.
The default dataset configuration has a public dataset named "production".
? Use the default dataset configuration? `Yes`
✓ Creating dataset
? Would you like to add configuration files for a Sanity project in this Next.js folder? `Yes`
? Do you want to use TypeScript? `Yes`
? Would you like an embedded Sanity Studio? `Yes`
? What route do you want to use for the Studio? `/studio`
? Select project template to use `Clean project with no predefined schema types`
? Would you like to add the project ID and dataset to your .env.local file? `Yes`
Added `http://localhost:3000` to CORS origins
Running `'npm install --legacy-peer-deps --save @sanity/vision@3 sanity@3 @sanity/image-url@1 styled-components@6'`
`npm warn deprecated` @sanity/block-tools@3.70.0: Renamed - use '@portabletext/block-tools' instead. '@sanity/block-tools' will no lon

main* 0 0 0 0 0

Type here to search

Ln 3, Col 18 Spaces: 4 UTF-8 LF Shell Script Go Live

12°C Smoke 10:49 PM 1/22/2025

FileEditSelectionViewGoRunTerminalHelp

←→

giaic-hackathon-2

🔒

🔍📄📄📄-📄📄

EXPLORER

▼ GIAIC-HACKATHON-2

> .next

> node_modules

> public

> src

📄 .env.local

🔴 .gitignore

{ } components.json

TS next-env.d.ts

🕒 next.config.mjs

🔴 package-lock.json M

🔴 package.json M

🔴 postcss.config.mjs

📄 README.md

TS sanity.cli.ts U

TS sanity.config.ts U

🌀 tailwind.config.ts

TS tsconfig.json

> OUTLINE

> TIMELINE

Welcome

JS node-request.cjs

📄 .env.local

JS index.cjs C:\...\get-it\...

JS index.cjs C:\...\client\...

JS Observable.js

JS errorContext.js

JS lift.js

{ } components.js

1 EXT_PUBLIC_SANITY_PROJECT_ID="m89q0rig"

2 NEXT_PUBLIC_SANITY_DATASET="production"

3 SANITY_API_TOKEN=

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

🖥️ powershell +📄🗑️...^📄

To address all issues, run:
npm audit fix

Run `npm audit` for details.

added 16 packages, and audited 1158 packages in 25s

150 packages are looking for funding
run `npm fund` for details

2 moderate severity vulnerabilities

To address all issues, run:
npm audit fix

Run `npm audit` for details.

Success! Your Sanity configuration files has been added to this project

PS C:\Users\Dell\Desktop\New folder (2)\giaic-hackathon-2>

📄 History restored

main*

🔄🔒🚫🔊0

🔍 Type here to search

📅📁📧📊📁🌐🖥️⚙️🎤

Ln 3, Col 18 Spaces: 4 UTF-8 LF Shell Script Go Live

🌸 USD/GBP +0.30%

10:53 PM 1/22/2025



Mujahidkhan09

Day3

30 days left in trial



Getting started

Overview

Members

Studios

Datasets

Access

Activity

Usage

Plan

API

Settings

Webhooks

CORS origins

Tokens

CORS origins

+ Add CORS origin

Hosts that can connect to the project API.

ORIGIN	CREDENTIALS	CREATED	
http://localhost:3000	Allowed	49 minutes	
http://localhost:3333	Allowed	1 hour	

Tokens

+ Add API token

Tokens are used to authenticate apps and scripts to access project data.



There are no API tokens yet
Maybe try creating one?

What's new

Sanity Create Content Mapping, Visual Editing,
and Content Releases



Mujahidkhan09

Day3

30 days left in trial



Getting started

Overview

Members

Studios

Datasets

Access

Activity

Usage

Plan

API

Settings

Webhooks

CORS origins

Tokens

http://localhost:3000

Allowed

50 minutes



http://localhost:3333

Allowed

1 hour



Tokens

+ Add API token

Tokens are used to authenticate apps and scripts to access project data.

Name

Examples: "Employee import", "Website preview" or "PDF generator".

daythree

Permissions

Choose the access privileges for the token.

- ☐ Contributor
- ☐ Read and write access to draft content within all datasets, with no access to project settings. (Tokens: read+write drafts)
- ☐ Deploy Studio (Token only)
- Access to deploy Sanity Studio and GraphQL APIs to our hosted service.
- ☒ Developer
- Read and write access to all datasets, with access to project settings for developers. (Tokens: read+write)

Editor

What's new

Sanity Create Content Mapping, Visual Editing, and Content Releases

←→↻

sanity.io/manage/personal/project/m89q0rig/api

☆🔖📄M

S

Mujahidkhan09

Day3

⚡ 30 days left in trial

🔍👤

🚀 Getting started

📁 Overview

👤 Members

📄 Studios

📄 Datasets

🔒 Access

📈 Activity

📊 Usage

⚡ Plan

🔗 API

⚙️ Settings

Webhooks

CORS origins

Tokens

Tokens

+ Add API token

Tokens are used to authenticate apps and scripts to access project data.

NAME	PERMISSIONS	CREATED	
daythree	Developer	0 seconds	🗑️

Copy the token below – this is your only chance to do so!

sk1k5b1TDUrilK2W79GycyaDvMwYAYDF05msX4ntfWkT0qTF0ICXCLy8DASXJ6tLjhREaxpqLuBHufAIkHdqOrn3GxCerXXIJnuzvKEd2NxMBJP1KC0KrU8sphjNdq0G0m9aPsgV7sSJgrf5zqoLhpkW3mtjLF14LtNRuXCBwIh6swbY0CIR

What's new

Sanity Create Content Mapping, Visual Editing, and Content Releases

📄 L SYSTEMS OPERATIONAL

All rights reserved.

🪟🔍 Type here to search

📅📄📧📊📁🌐🖥️⚙️🎤

🌤️ 12°C Smoke ⬆️🔌📶🔊10:56 PM 1/22/2025🗨️

File Edit Selection View Go Run Terminal Help

giaic-hackathon-2

EXPLORER

- GIAIC-HACKATHON-2
 - .next
 - node_modules
 - public
 - src
 - app
 - components
 - lib
 - sanity
 - lib
 - schemaTypes
 - index.ts
 - product.ts**
 - env.ts
 - structure.ts
 - styles
 - types
 - .env.local
 - .gitignore
 - components.json
 - next-env.d.ts
 - next.config.mjs
 - package-lock.json
 - package.json
 - postcss.config.mjs
 - README.md
 - sanity.cli.ts
 - sanity.config.ts
 - tailwind.config.ts
 - tsconfig.json
 - OUTLINE
 - TIMELINE

src > sanity > schemaTypes > TS product.ts > default

```
1 import { defineType } from "sanity"
2
3 export default defineType({
4   name: 'products',
5   title: 'Products',
6   type: 'document',
7   fields: [
8     {
9       name: 'name',
10      title: 'Name',
11      type: 'string',
12    },
13    {
14      name: 'price',
15      title: 'Price',
16      type: 'number',
17    },
18    {
19      name: 'description',
20      title: 'Description',
21      type: 'text',
22    },
23    {
24      name: 'image',
25      title: 'Image',
26      type: 'image',
27    },
28    {
29      name: "category",
30      title: "Category",
31      type: 'string',
32      options: {
33        list: [
34          {title: 'T-Shirt', value: 'tshirt'},
35          {title: 'Short', value: 'short'},
36          {title: 'Jeans', value: 'jeans'},
37          {title: 'Hoddie', value: 'hoodie'},
38          {title: 'Shirt', value: 'shirt'},
39        ]
36      }
37    }
38  ]
39 }
```

Ln 69, Col 3 Spaces: 4 UTF-8 CRLF {} TypeScript Go Live

14°C Smoke 11:39 PM 1/22/2025

File Edit Selection View Go Run Terminal Help

giaic-hackathon-2

EXPLORER

- ▼ GIAIC-HACKATHON-2
 - ▼ .next
 - ▼ node_modules
 - ▼ public
 - ▼ src
 - ▼ app
 - ▼ components
 - ▼ lib
 - ▼ sanity
 - ▼ lib
 - ▼ schemaTypes
 - TS index.ts U
 - TS product.ts U
 - TS env.ts U
 - TS structure.ts U
 - ▼ styles
 - ▼ types
 - .env.local
 - .gitignore
 - { } components.json
 - TS next-env.d.ts
 - next.config.mjs
 - package-lock.json M
 - package.json M
 - postcss.config.mjs
 - README.md
 - TS sanity.cli.ts U
 - TS sanity.config.ts U
 - tailwind.config.ts
 - tsconfig.json
 - ▼ OUTLINE
 - ▼ TIMELINE

src > sanity > schemaTypes > TS product.ts > default

```
3 export default defineType({
7   fields: [
32     options:{
39       ]
40     }
41   },
42   {
43     name:"discountPercent",
44     title:"Discount Percent",
45     type: 'number',
46   },
47   {
48     name:"new",
49     type: 'boolean',
50     title:"New",
51   },
52   {
53     name:"colors",
54     title:"Colors",
55     type: 'array',
56     of:[
57       {type: 'string'}
58     ]
59   },
60   {
61     name:"sizes",
62     title:"Sizes",
63     type: 'array',
64     of:[
65       {type: 'string'}
66     ]
67   }
68 ],
69 }
```

Ln 69, Col 3 Spaces: 4 UTF-8 CRLF {} TypeScript Go Live

14°C Smoke 11:39 PM 1/22/2025

FileEditSelectionViewGoRunTerminalHelp

←→giaic-hackathon-2

08[][]-[]×

EXPLORER

GIAIC-HACKATHON-2

> .next

> node_modules

> public

> scripts

JS importData.js U

> src

> app

> components

> lib

> sanity

> lib

> schemaTypes

TS index.ts U

TS product.ts U

TS env.ts U

TS structure.ts U

> styles

> types

.env.local

.gitignore

{ } components.json

TS next-env.d.ts

next.config.mjs

package-lock.json M

package.json M

postcss.config.mjs

README.md

TS sanity.cli.ts U

TS sanity.config.ts U

tailwind.config.ts

tsconfig.json

> OUTLINE

> TIMELINE

Welcome

JS node-request.cjs

.env.local

TS product.ts U

TS index.ts U

JS importData.js U X

package.json M

JS index.cjs C:\...get-it\...

JS index.cjs C:\...cli...

scripts > JS importData.js > client

1 import { createClient } from '@sanity/client';

2

3 const client = createClient({

4 projectId: 'm89q0rig',

5 dataset: 'production',

6 useCdn: true,

7 apiVersion: '2025-01-13',

8 token: 'sk1k5b1TDUrilK2W79GycyaDvMwYAYDF05msX4ntfwkT0qTF0ICXCLY8DASXJ6tLjhREaxpqLuBHufAIkHdq0rn3GxCerXXIJnuzvKEd2NxMBJP1KC0KrU8sphjNdq0G0m9aPsgV7sS3gr-f5zqoLhpkw3mtj

9 });

10

11 async function uploadImageToSanity(imageUrl) {

12 try {

13 console.log(`Uploading image: \${imageUrl}`);

14

15 const response = await fetch(imageUrl);

16 if (!response.ok) {

17 throw new Error(`Failed to fetch image: \${imageUrl}`);

18 }

19

20 const buffer = await response.arrayBuffer();

21 const bufferImage = Buffer.from(buffer);

22

23 const asset = await client.assets.upload('image', bufferImage, {

24 filename: imageUrl.split('/').pop(),

25 });

26

27 console.log(`Image uploaded successfully: \${asset._id}`);

28 return asset._id;

29 } catch (error) {

30 console.error('Failed to upload image:', imageUrl, error);

31 return null;

32 }

33 }

34

35 async function uploadProduct(product) {

36 try {

37 const imageId = await uploadImageToSanity(product.imageUrl);

38

39 if (imageId) {

Ln 7, Col 28 Spaces: 4 UTF-8 CRLF {} JavaScript Go Live

World's Best Barbecu...

12:03 AM 1/23/2025

File Edit Selection View Go Run Terminal Help

giaic-hackathon-2

EXPLORER

- ▼ GIAIC-HACKAT...
 - > .next
 - > node_modules
 - > public
 - ▼ scripts
 - JS importData.js U
 - ▼ src
 - > app
 - > components
 - > lib
 - ▼ sanity
 - > lib
 - ▼ schemaTypes
 - TS index.ts U
 - TS product.ts U
 - TS env.ts U
 - TS structure.ts U
 - > styles
 - > types
 - .env.local
 - .gitignore
 - { } components.json
 - TS next-env.d.ts
 - next.config.mjs
 - package-lock.json M
 - package.json M
 - postcss.config.mjs
 - README.md
 - TS sanity.cli.ts U
 - TS sanity.config.ts U
 - tailwind.config.ts
 - tsconfig.json
 - > OUTLINE
 - > TIMELINE

package.json > {} scripts > import-data

```
1 {
2   "name": "next-ecommerce-shopco",
3   "version": "0.1.0",
4   "private": true,
5   "type": "module",
6   "scripts": {
7     "dev": "next dev",
8     "build": "next build",
9     "start": "next start",
10    "lint": "next lint",
11    "import-data": "node script/importData.js"
12  },
13  "dependencies": {
14    "@radix-ui/react-accordion": "^1.2.0",
15    "@radix-ui/react-dialog": "^1.1.1",
16    "@radix-ui/react-icons": "^1.3.0",
17    "@radix-ui/react-navigation-menu": "^1.2.0",
18    "@radix-ui/react-select": "^2.1.1",
19    "@radix-ui/react-separator": "^1.1.0",
20    "@radix-ui/react-slider": "^1.2.0",
21    "@radix-ui/react-slot": "^1.1.0",
22    "@reduxjs/toolkit": "^2.2.7",
23    "@sanity/client": "^6.27.1",
24    "@sanity/image-url": "^1.1.0",
25    "@sanity/vision": "^3.70.0",
26    "axios": "^1.7.9",
27    "class-variance-authority": "^0.7.0",
28    "clsx": "^2.1.1",
29    "dotenv": "^16.4.7",
30    "embla-carousel-react": "^8.2.1",
31    "framer-motion": "^11.5.4",
32    "holy-loader": "^2.3.7",
33    "lucide-react": "^0.438.0",
34    "next": "^14.2.18",
35    "next-sanity": "^9.8.39",
36    "react": "^18",
37    "react-dom": "^18",
38    "react-icons": "^5.3.0",
39    "react-redux": "^9.1.2",
40    "react-router-dom": "^6.26.0",
41    "redux": "^5.0.0",
42    "redux-persist": "^6.0.0",
43    "sanity": "^3.70.0",
44    "sharp": "^0.33.5",
45    "tailwind-merge": "^2.5.2",
46    "tailwindcss": "^3.4.10",
47    "typescript": "^5.6.2",
48    "zod": "^3.23.8"
49  }
50 }
```

Ln 11, Col 46 Spaces: 2 UTF-8 LF {} JSON Go Live

Type here to search

World's Best Barbecu...

12:03 AM 1/23/2025

SHOP.CO

Shop On Sale New Arrivals Brands

Search for products...



Default

Structure Vision Schedules

Drafts

Content

Products

Products

Search list

Beige Slim-Fit Jogger Pants

Classic Polo Shirt

Black Athletic Jogger Pants with Side S...

Skinny Fit Jeans

Black Striped T-Shirt

Checkered Shirt

LOOSE FIT BERMUDA SHORTS

Vertical Striped Shirt

Sleeve Stripe T-Shirt

COURAGE GRAPHIC T-SHIRT

Gray Slim-Fit Jogger Pants

Published Draft

Beige Slim-Fit Jogger Pants

Products

Beige Slim-Fit Jogger Pants

Name

Beige Slim-Fit Jogger Pants

Price

269

Description

These beige jogger pants combine comfort and style with their relaxed yet modern fit. Designed with an elastic waistband and cuffed ankles, they provide a sleek, slim silhouette while offering a casual, sporty look. The soft fabric ensures all-day comfort, making them perfect for lounging or running errands. The neutral beige color adds versatility, allowing for easy pairing with a variety of tops. Whether you're pairing them with a t-shirt or a hoodie, these joggers are a must-have staple for a stylish, laid-back

What's new
Sanity Create Content Mapping, Visual Editing, and Content Releases

localhost:3000/studio/structure/products:Q37rl3GcpJ7ynpZeHIMp0s

Sign up and get 20% off to your first order. [Sign Up Now](#)

SHOP.CO

Shop

On Sale

New Arrivals

Brands

Search for products...



Default

Structure Vision Schedules

Drafts

DATASET	API VERSION	CUSTOM API VERSION	PERSPECTIVE	QUERY URL [COPY TO CLIPBOARD]
production	Other	v2025-01-20	raw	https://pk0ufnye.api.sanity.io/v2025-01-20/data/query/produ

```
1 *[type == product]
```

```
RESULT
[...] 45 items
  0: {...} 14 properties
    image: {...} 2 properties
      _type: image
      asset: {...} 1 property
        _ref: image-ed4960c6cf46ac416ae2fa6c0a3accbaa551457e-278x296-png
        _rev: 6DACIt209hR5TJpRFHzLSf
      sizes: [...] 4 items
        0: L
        1: M
        2: XXL
        3: XL
      isNew: true
    colors: [...] 4 items
      0: Black
      1: Red
      2: Green
```

What's new
Sanity Create Content Mapping, Visual Editing, and Content Releases