DataBase Lab 06 (POST-Lab Task)

Muhammad Ghulam Mujtaba Qureshi

24k-0535

Task 1

Welcome Page | hr

Worksheet | Query Builder

```
SELECT first_name, salary
FROM employees e
WHERE salary >
      (SELECT AVG(salary)
       FROM employees
       WHERE department_id = e.department_id);
```

Script Output | Query Result

SQL | All Rows Fetched: 39 in 0.02 seconds

	FIRST_NAME	SALARY
1	Steven	24000
2	Neena	17000
3	Lex	17000
4	Alexander	9000
5	Bruce	6000
6	Nancy	12008
7	Daniel	9000
8	Den	11000
9	Matthew	8000
10	Adam	8200
11	Payam	7900
12	Shanta	6500
13	Kevin	5800
14	Renske	3600
15	Trenna	3500
16	John	14000
17	Karen	13500
18	Alberto	12000
19	Gerald	11000
20	Eleni	10500
21	Peter	10000
22	David	9500
23	Peter	9000
24	Janette	10000
25	Patrick	9500
26	Allan	9000
27	Clara	10500
28	Danielle	9500
29	Lisa	11500
30	Harrison	10000
31	Tayler	9600
32	Ellen	11000
33	Nandita	4200
34	Alexis	4100
35	Kelly	3800
36	Jennifer	3600
37	Sarah	4000
38	Britney	3900
39	Shelley	12008

Task 2

Welcome Page | hr

Worksheet | Query Builder

```
SELECT job_id, MIN(salary) AS lowest_salary
FROM employees
GROUP BY job_id
HAVING MIN(salary) >= 1000
ORDER BY lowest_salary ASC;
```

Script Output | Query Result

SQL | All Rows Fetched: 17 in 0.006 seconds

	JOB_ID	LOWEST_SALARY
1	ST_CLERK	2100
2	PU_CLERK	2500
3	SH_CLERK	2500
4	IT_PROG	4200
5	AD_ASST	4400
6	ST_MAN	5800
7	SA_REP	6100
8	HR_REP	6500
9	FI_ACCOUNT	6900
10	AC_ACCOUNT	8300
11	PR_REP	10000
12	SA_MAN	10500
13	PU_MAN	11000
14	FI_MGR	12008
15	AC_MGR	12008
16	AD_VP	17000
17	AD_PRES	24000

Task 3

Welcome Page | hr

Worksheet | Query Builder

```
SELECT first_name, department_id
FROM employees
WHERE department_id =
      (SELECT department_id
       FROM employees
       WHERE employee_id = 140);
```

Script Output | Query Result

SQL | All Rows Fetched: 45 in 0.008 seconds

	FIRST_NAME	DEPARTMENT_ID
1	Matthew	50
2	Adam	50
3	Payam	50
4	Shanta	50
5	Kevin	50
6	Julia	50
7	Irene	50
8	James	50
9	Steven	50
10	Laura	50
11	Mozhe	50
12	James	50
13	TJ	50
14	Jason	50
15	Michael	50
16	Ki	50
17	Hazel	50
18	Renske	50
19	Stephen	50
20	John	50
21	Joshua	50
22	Trenna	50
23	Curtis	50
24	Randall	50
25	Peter	50
26	Winston	50
27	Jean	50
28	Martha	50
29	Girard	50
30	Nandita	50
31	Alexis	50
32	Julia	50
33	Anthony	50
34	Kelly	50
35	Jennifer	50
36	Timothy	50
37	Randall	50
38	Sarah	50
39	Britney	50

Task 4

Welcome Page | hr

Worksheet | Query Builder

```
CREATE TABLE employees_copy AS
SELECT *
FROM employees;

UPDATE employees_copy
SET salary = salary + (salary * 0.12)
WHERE salary BETWEEN 5000 AND 10000;
```

Script Output | Query Result

Task completed in 0.024 seconds

```
Table EMPLOYEES_COPY created.


42 rows updated.
```

Task 5

Welcome Page | hr

Worksheet | Query Builder

```
SELECT *
FROM (
     SELECT first_name, salary
     FROM employees
     ORDER BY salary DESC
)
WHERE ROWNUM <=
       (SELECT COUNT(*) * 0.10
        FROM employees);
```

Script Output | Query Result

SQL | All Rows Fetched: 10 in 0.004 seconds

	FIRST_NAME	SALARY
1	Steven	24000
2	Neena	17000
3	Lex	17000
4	John	14000
5	Karen	13500
6	Nancy	12008
7	Shelley	12008
8	Alberto	12000
9	Lisa	11500
10	Den	11000

Task 6

Welcome Page | hr

Worksheet | Query Builder

```
SELECT location_id, COUNT(department_id)
FROM departments
GROUP BY location_id;
```

Script Output | Query Result

SQL | All Rows Fetched: 7 in 0.004 seconds

	LOCATION_ID	COUNT(DEPARTMENT_ID)
1	1800	1
2	2400	1
3	1400	1
4	2500	1
5	1700	26
6	2700	1
7	1500	1

Task 7

Welcome Page | hr

Worksheet | Query Builder

```
SELECT job_id, MIN(salary) AS lowest_salary
FROM employees
WHERE job_id IS NOT NULL
GROUP BY job_id
HAVING MIN(salary) <> 1500
ORDER BY lowest_salary DESC;
```

Script Output | Query Result

SQL | All Rows Fetched: 17 in 0.005 seconds

	JOB_ID	LOWEST_SALARY
1	AD_PRES	24000
2	AD_VP	17000
3	AC_MGR	12008
4	FI_MGR	12008
5	PU_MAN	11000
6	SA_MAN	10500
7	PR_REP	10000
8	AC_ACCOUNT	8300
9	FI_ACCOUNT	6900
10	HR_REP	6500
11	SA_REP	6100
12	ST_MAN	5800
13	AD_ASST	4400
14	IT_PROG	4200
15	SH_CLERK	2500
16	PU_CLERK	2500
17	ST_CLERK	2100

Task 8

Welcome Page | hr

Worksheet | Query Builder

```
SELECT first_name, department_id
FROM employees
WHERE department_id =
      (SELECT department_id
       FROM employees
       WHERE employee_id = 130);
```

Script Output | Query Result

SQL | All Rows Fetched: 45 in 0.006 seconds

	FIRST_NAME	DEPARTMENT_ID
1	Matthew	50
2	Adam	50
3	Payam	50
4	Shanta	50
5	Kevin	50
6	Julia	50
7	Irene	50
8	James	50
9	Steven	50
10	Laura	50
11	Mozhe	50
12	James	50
13	TJ	50
14	Jason	50
15	Michael	50
16	Ki	50
17	Hazel	50
18	Renske	50
19	Stephen	50
20	John	50
21	Joshua	50
22	Trenna	50
23	Curtis	50
24	Randall	50
25	Peter	50
26	Winston	50
27	Jean	50
28	Martha	50
29	Girard	50
30	Nandita	50
31	Alexis	50
32	Julia	50
33	Anthony	50
34	Kelly	50
35	Jennifer	50
36	Timothy	50
37	Randall	50
38	Sarah	50
39	Britney	50

Task 9

Welcome Page | hr

Worksheet | Query Builder

```
SELECT first_name, salary
FROM employees
WHERE department_id <> 30
AND salary > ALL
      (SELECT salary
       FROM employees
       WHERE department_id = 30);
```

Script Output | Query Result

SQL | All Rows Fetched: 9 in 0.005 seconds

	FIRST_NAME	SALARY
1	Lisa	11500
2	Alberto	12000
3	Shelley	12008
4	Nancy	12008
5	Karen	13500
6	John	14000
7	Lex	17000
8	Neena	17000
9	Steven	24000

Task 10


Welcome Page
hr
Worksheet
Query Builder
SELECT department_id
FROM employees
GROUP BY department_id
HAVING COUNT(*) > 5;
Script Output
Query Result
SQL
All Rows Fetched: 3 in 0.003 seconds
DEPARTMENT_ID
1 30
2 50
3 80