DataBase Lab 09 (POST Lab Task)

Muhammad Ghulam Mujtaba Qureshi

24k-0535

Hostel Mess Management System

CREATING ENTITIES



ADDING RELATIONSHIPS



CONVERT TO RELATIONAL MODEL



GENERATING DDL

DDL File Editor - Oracle Database 11g

Oracle Database 11g | Relational_1 | Generate | Clear

```
-- Generated by Oracle SQL Developer Data Modeler 18.1.0.082.1041
--   at:        2026-04-04 15:53:10 PDT
--   site:      Oracle Database 11g
--   type:      Oracle Database 11g



CREATE TABLE booking (
    booking_id              NUMBER NOT NULL,
    resident_resident_id    NUMBER NOT NULL,
    meal_meal_id            NUMBER NOT NULL,
    meal_plan_plan_id       NUMBER NOT NULL
);

ALTER TABLE booking ADD CONSTRAINT booking_pk PRIMARY KEY ( booking_id );

CREATE TABLE feedback (
    feedback_id             NUMBER NOT NULL,
    "comment"               VARCHAR2(10),
    resident_resident_id    NUMBER NOT NULL
);

ALTER TABLE feedback ADD CONSTRAINT feedback_pk PRIMARY KEY ( feedback_id );

CREATE TABLE guest (
    guest_id                NUMBER NOT NULL,
    resident_resident_id    NUMBER NOT NULL
);

ALTER TABLE guest ADD CONSTRAINT guest_pk PRIMARY KEY ( guest_id );

CREATE TABLE hostel (
    hostel_id   NUMBER NOT NULL,
    name        VARCHAR2(20)
);

ALTER TABLE hostel ADD CONSTRAINT hostel_pk PRIMARY KEY ( hostel_id );

CREATE TABLE inventory (
    item_id      NUMBER NOT NULL,
    item_namee   VARCHAR2(10),
    quantity     NUMBER
);

ALTER TABLE inventory ADD CONSTRAINT inventory_pk PRIMARY KEY ( item_id );

CREATE TABLE meal (
    meal_id     NUMBER NOT NULL,
    meal_name   VARCHAR2(10)
);
```

```sql

ALTER TABLE meal ADD CONSTRAINT meal_pk PRIMARY KEY ( meal_id );

CREATE TABLE meal_plan (
    plan_id       NUMBER NOT NULL,
    type          VARCHAR2(10),
    diet_typee    VARCHAR2(10)
);

ALTER TABLE meal_plan ADD CONSTRAINT meal_plan_pk PRIMARY KEY ( plan_id );

CREATE TABLE payment (
    payment_id              NUMBER NOT NULL,
    amount                  NUMBER,
    payment_date            DATE,
    resident_resident_id    NUMBER NOT NULL
);

ALTER TABLE payment ADD CONSTRAINT payment_pk PRIMARY KEY ( payment_id );

CREATE TABLE resident (
    resident_id         NUMBER NOT NULL,
    name                VARCHAR2(20),
    room_no             NUMBER,
    contact             NUMBER,
    hostel_hostel_id    NUMBER NOT NULL
);

ALTER TABLE resident ADD CONSTRAINT resident_pk PRIMARY KEY ( resident_id );

ALTER TABLE booking
    ADD CONSTRAINT booking_meal_fk FOREIGN KEY ( meal_meal_id )
        REFERENCES meal ( meal_id );

ALTER TABLE booking
    ADD CONSTRAINT booking_meal_plan_fk FOREIGN KEY ( meal_plan_plan_id )
        REFERENCES meal_plan ( plan_id );

ALTER TABLE booking
    ADD CONSTRAINT booking_resident_fk FOREIGN KEY ( resident_resident_id )
        REFERENCES resident ( resident_id );

ALTER TABLE feedback
    ADD CONSTRAINT feedback_resident_fk FOREIGN KEY ( resident_resident_id )
        REFERENCES resident ( resident_id );

ALTER TABLE guest
    ADD CONSTRAINT guest_resident_fk FOREIGN KEY ( resident_resident_id )
        REFERENCES resident ( resident_id );
```

```sql

ALTER TABLE payment
    ADD CONSTRAINT payment_resident_fk FOREIGN KEY ( resident_resident_id )
        REFERENCES resident ( resident_id );

ALTER TABLE resident
    ADD CONSTRAINT resident_hostel_fk FOREIGN KEY ( hostel_hostel_id )
        REFERENCES hostel ( hostel_id );



-- Oracle SQL Developer Data Modeler Summary Report:
--
-- CREATE TABLE                             9
-- CREATE INDEX                             0
-- ALTER TABLE                             16
-- CREATE VIEW                              0
-- ALTER VIEW                               0
-- CREATE PACKAGE                           0
-- CREATE PACKAGE BODY                      0
-- CREATE PROCEDURE                         0
-- CREATE FUNCTION                          0
-- CREATE TRIGGER                           0
-- ALTER TRIGGER                            0
-- CREATE COLLECTION TYPE                   0
-- CREATE STRUCTURED TYPE                   0
-- CREATE STRUCTURED TYPE BODY              0
-- CREATE CLUSTER                           0
-- CREATE CONTEXT                           0
-- CREATE DATABASE                          0
-- CREATE DIMENSION                         0
-- CREATE DIRECTORY                         0
-- CREATE DISK GROUP                        0
-- CREATE ROLE                              0
-- CREATE ROLLBACK SEGMENT                  0
-- CREATE SEQUENCE                          0
-- CREATE MATERIALIZED VIEW                 0
-- CREATE SYNONYM                           0
-- CREATE TABLESPACE                        0
-- CREATE USER                              0
--
-- DROP TABLESPACE                          0
-- DROP DATABASE                            0
--
-- REDACTION POLICY                         0
--
```

```
-- CREATE DATABASE                          0
-- CREATE DIMENSION                         0
-- CREATE DIRECTORY                         0
-- CREATE DISK GROUP                        0
-- CREATE ROLE                              0
-- CREATE ROLLBACK SEGMENT                  0
-- CREATE SEQUENCE                          0
-- CREATE MATERIALIZED VIEW                 0
-- CREATE SYNONYM                           0
-- CREATE TABLESPACE                        0
-- CREATE USER                              0
--
-- DROP TABLESPACE                          0
-- DROP DATABASE                            0
--
-- REDACTION POLICY                         0
--
-- ORDS DROP SCHEMA                         0
-- ORDS ENABLE SCHEMA                       0
-- ORDS ENABLE OBJECT                       0
--
-- ERRORS                                   0
-- WARNINGS                                 0
```