

**1. Introduction :** Most Used in DBMS. JOIN is → Merging two tables, Must have common fields on merging tables.

**2. Doing JOIN TASK Without JOIN :** Alternative Method Without JOIN :

```
SELECT student.roll , student.name, result.grade  
FROM student, result  
WHERE student.roll = result.roll
```

**Alternative Method is Time Consuming. But JOIN is more efficient and faster.**

**3. Joining tables:** without join syntax, by WHERE *Conditions*

**#Question :** Join employees + departments :

By Alternative Method Without JOIN :

```
SELECT employees.employee_id, employees.first_name, departments.department_name  
FROM employees, departments  
WHERE employees.department_id = departments.department_id
```

**4. Doing using JOIN :** JOIN Statement. Join keywords are ON, USING

**#Question :** Join employees + departments :

**By JOIN Method Syntax (USING):**

```
SELECT col1, col2, col3.....  
FROM Table1 JOIN Table2 USING (Common field/column_name)  
WHERE _____  
GROUP BY _____  
HAVING _____  
ORDER BY _____
```

### **By JOIN Method Syntax (ON):**

```
SELECT col1, col2, col3.....  
FROM Table1 JOIN Table2 ON (table1.common_field = table2.common_field)  
WHERE _____  
GROUP BY _____  
HAVING _____  
ORDER BY _____
```

5. **Self Join** : JOIN with own table. **USING** won't work. **ON** will make the connection, which is USING won't.

**#Question** : name of a employee and his/her manager name


**Example** : follow sql script

**USING** → two different table

**ON** → two different / Own table.

### **6. Inner, Left, Right, Full Join :**

i) **INNER JOIN** : Common in Both Table.




Order				
OrderID	CustomerID	EmployeeID	OrderDate	ShipperID
10308	2	7	1996-09-18	3
10309	37	3	1996-09-19	1
10310	77	8	1996-09-20	2


  

Customer						
CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico



ii) **LEFT JOIN** : All elements from Left table, if not exist in **RIGHT** table = **NULL**



iii) **RIGHT JOIN** : All elements from Left table, if not exist in **LEFT** table = **NULL**



iv) **FULL JOIN** : All elements will join.



**OUTER :**

**Syntax :**

```
SELECT _____  
FROM table1 INNER/LEFT/RIGHT/FULL JOIN table2  
ON/USING (conditions);
```

## **7. Summary**