



# 数据库系统

# 数据库系统



<http://dbms.wangding.co>





MySQL manual



LeetCode



Bilibili

- 平时考勤： 5%
- 雪梨网站： 55%
- 期末考试： 40%

石家庄

数据库

搜索

登录, 查看更多岗位

石家庄

公司行业

职位类型

求职类型

工作经验

薪资待遇

学历要求

公司规模

融资阶段

清空筛选条件

数据库开发 | 数据处理 | MySQL

健身房广播操, 全勤奖, 带薪年假, 定期体检, 节日福利, ...

数据库开发工程师 [石家庄]

6-10K

1-3年

大专

李先生 | HR



天津知信科技有限公司

互联网

20-99人

SQL | Shell | Hadoop | linux | sql语言功底

数据库开发工程师 [石家庄·新华区·新百广场]

6-10K

1-3年

大专

马女士 | 部门经理



冠新软件

计算机软件

C轮

500-999人

数据仓库 | ETL | 数据库开发 | SQL | 数据分析 | 数据采集

全勤奖, 定期体检, 加班补助, 餐补, 带薪年假, 员工旅游...

数据库开发工程师 [石家庄·长安区·育才]

15-16K

1-3年

本科

苏女士 | 项目经理



中移系统集成有限公司

通信/网络设备

未融资

1000-9999人

C++

企业年金, 企业年金, 餐补, 五险一金, 高温补贴, 工龄奖...

数据库开发工程师(中级) [石家庄·桥西区·新石]

8-13K

3-5年

本科

康先生 | 软件事业部经理



石家庄点点云科技...

互联网

不需要融资

20-99人

Shell | SQL | Kettle | Oracle RDB

零食下午茶, 全勤奖, 年终奖, 节日福利, 员工旅游, 餐补...

sqlserver

数据库运维

数据库管理员

数据库实习生

数据库开发

数据库工程师

数据处理

信息管理

etl

数据运维

直聘企业版 | zhipin.com

海量优质人才  
让招聘更高效

BOSS直聘



- 第1章 绪论
- 第2章 结构化查询语言
- 第3章 关系代数


7w

- 第4章 概念数据库设计
- 第5章 逻辑数据库设计
- 第6章 物理数据库设计

3w

- 第7章 存储管理
- 第8章 索引结构
- 第9章 查询执行
- 第10章 查询优化
- 第11章 并发控制
- 第12章 故障恢复

6w





主机名: lab

IP 地址: 192.168.XXX.XXX

[projects]\$ rm -f foo.txt

prompt command option argument cursor

The diagram illustrates the components of a terminal command line. The text "[projects]\$ rm -f foo.txt" is displayed, with each part enclosed in a colored rounded rectangle: "[projects]" in red, "\$" in orange, "rm" in orange, "-f" in green, and "foo.txt" in yellow. Below the text, labels with arrows identify each part: "prompt" (red) points to "[projects]", "command" (orange) points to "\$", "option" (green) points to "-f", "argument" (yellow) points to "foo.txt", and "cursor" (white) points to a white cursor icon at the end of the line.

# list directory contents

**ls**

# print name of current/working directory

**pwd**

# display a calendar

**cal**

# print or set the system date and time

**date**

# change directory

**cd**

# concatenate files and print on the standard output

**cat**

# copy files and directories

**cp**

# make directories

**mkdir**

# change file timestamps

**touch**

# move files


**mv**

# remove files or directories

**rm**

# output the first part of files

**head**





ORACLE®

PostgreSQL






mongoDB



380 systems in ranking, October 2021

| Rank     |          |          | DBMS                         | Database Model               | Score    |          |          |
|----------|----------|----------|------------------------------|------------------------------|----------|----------|----------|
| Oct 2021 | Sep 2021 | Oct 2020 |                              |                              | Oct 2021 | Sep 2021 | Oct 2020 |
| 1.       | 1.       | 1.       | Oracle +                     | Relational, Multi-model ⓘ    | 1270.35  | -1.19    | -98.42   |
| 2.       | 2.       | 2.       | MySQL +                      | Relational, Multi-model ⓘ    | 1219.77  | +7.24    | -36.61   |
| 3.       | 3.       | 3.       | Microsoft SQL Server +       | Relational, Multi-model ⓘ    | 970.61   | -0.24    | -72.51   |
| 4.       | 4.       | 4.       | PostgreSQL + 💬               | Relational, Multi-model ⓘ    | 586.97   | +9.47    | +44.57   |
| 5.       | 5.       | 5.       | MongoDB +                    | Document, Multi-model ⓘ      | 493.55   | -2.95    | +45.53   |
| 6.       | 6.       | ↑ 8.     | Redis +                      | Key-value, Multi-model ⓘ     | 171.35   | -0.59    | +18.07   |
| 7.       | 7.       | ↓ 6.     | IBM Db2                      | Relational, Multi-model ⓘ    | 165.96   | -0.60    | +4.06    |
| 8.       | 8.       | ↓ 7.     | Elasticsearch                | Search engine, Multi-model ⓘ | 158.25   | -1.98    | +4.41    |
| 9.       | 9.       | 9.       | SQLite +                     | Relational                   | 129.37   | +0.72    | +3.95    |
| 10.      | 10.      | 10.      | Cassandra +                  | Wide column                  | 119.28   | +0.29    | +0.18    |
| 11.      | 11.      | 11.      | Microsoft Access             | Relational                   | 116.38   | -0.56    | -1.87    |
| 12.      | 12.      | 12.      | MariaDB +                    | Relational, Multi-model ⓘ    | 102.59   | +1.90    | +10.82   |
| 13.      | 13.      | 13.      | Splunk                       | Search engine                | 90.61    | -0.99    | +1.21    |
| 14.      | 14.      | ↑ 15.    | Hive +                       | Relational                   | 84.74    | -0.83    | +15.19   |
| 15.      | 15.      | ↑ 17.    | Microsoft Azure SQL Database | Relational, Multi-model ⓘ    | 79.72    | +1.46    | +15.32   |
| 16.      | 16.      | 16.      | Amazon DynamoDB +            | Multi-model ⓘ                | 76.55    | -0.38    | +8.14    |
| 17.      | 17.      | ↓ 14.    | Teradata +                   | Relational, Multi-model ⓘ    | 69.83    | +0.15    | -5.96    |
| 18.      | ↑ 21.    | ↑ 64.    | Snowflake +                  | Relational                   | 58.26    | +6.19    | +52.32   |
| 19.      | ↓ 18.    | ↑ 21.    | Neo4j +                      | Graph                        | 57.87    | +0.24    | +6.53    |
| 20.      | ↓ 19.    | ↓ 19.    | SAP HANA +                   | Relational, Multi-model ⓘ    | 55.28    | -0.96    | +1.04    |

## DB-Engines Ranking



```
-----  
~/tmp » cd  
-----
```

wangding@OFFICE

```
~ » mysql
```

wangding@OFFICE

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 29

Server version: 5.7.30 MySQL Community Server (GPL)

Copyright (c) 2000, 2020, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

(wangding@lab) [(none)]> show databases;

```
+-----+  
| Database          |  
+-----+  
| information_schema |  
| cartoon            |  
| mysql              |  
| northwind          |  
| performance_schema |  
| sys                |  
| todo               |  
| weibo              |  
+-----+
```

8 rows in set (0.00 sec)

(wangding@lab) [(none)]> █



mysql-workben  
ch-community-  
8.0.20-winx64



VC\_redist.x64

## MySQL Workbench 8.0 CE



Navigator

## SCHEMAS

Filter objects

- ▶ cartoon
- ▶ northwind
- ▶ sys
- ▶ todo
- ▶ weibo

Administration Schemas

Information

Table: book

Columns:

|             |               |
|-------------|---------------|
| id          | int(10) UN AI |
| unique_id   | PK            |
| book_name   | varchar(100)  |
| nick_name   | varchar(50)   |
| create_time | varchar(100)  |
| update_time | int(11)       |
|             | int(11)       |

Object Info Session

Query 1 x



Limit to 1000 rows

```
1. select * from northwind.employees;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

|   | id | company           | last_name | first_name | email_address                | job_title   |
|---|----|-------------------|-----------|------------|------------------------------|-------------|
| ▶ | 1  | Northwind Traders | Freehafer | Nancy      | nancy@northwindtraders.com   | Sales Repr  |
|   | 2  | Northwind Traders | Cencini   | Andrew     | andrew@northwindtraders.com  | Vice Presic |
|   | 3  | Northwind Traders | Kotas     | Jan        | jan@northwindtraders.com     | Sales Repr  |
|   | 4  | Northwind Traders | Sergienko | Mariya     | mariya@northwindtraders.com  | Sales Repr  |
|   | 5  | Northwind Traders | Thorpe    | Steven     | steven@northwindtraders.com  | Sales Mana  |
|   | 6  | Northwind Traders | Neipper   | Michael    | michael@northwindtraders.com | Sales Repr  |

employees 2 x

Apply

Revert

Output

