

Cucumber Report

Feb 15, 2022 8:44:20 AM

Start : Feb 15, 8:43:58.808 AM

End : Feb 15, 8:44:18.137 AM

Duration : 19.329 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0


PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 5
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	1	0	0	19.329 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	5	0	0	19.319 s




(F)- User should be able to login

PASSED	DURATION - 19.329 s	Scenarios		Steps	
/ 8:43:58.808 AM // 8:44:18.137 AM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- User should login with valid credentials

<div>PASSED</div> <div>DURATION - 19.319 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:43:58.818 AM // 8:44:18.137 AM /				
User should be able to login				
@Smoke				

#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	3.370 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.797 s
	User should login with valid credentials		
			
2	When user enter username as "Admin"	PASSED	0.138 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.281 s
	User should login with valid credentials		
			

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.143 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.307 s
	User should login with valid credentials		
			
4	And user click on login button	PASSED	4.168 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.376 s
	User should login with valid credentials		
			
5	Then user should be able to see dashboard	PASSED	0.041 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.345 s
	User should login with valid credentials		
			

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login



(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials


(F) User should be able to login



(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login



(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

