Cucumber Report

Start : Feb 15, 12:57:32.070 AM	**End : Feb 15, 12:57:56.177 AM**	**Duration : 24.107 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	0	1	0	16.493 s
2	Check application basic steps	1	1	0	0	7.605 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	4	1	0	16.486 s
2	Check application basic steps	Application social media links should work	5	5	0	0	7.604 s

(F)- User should be able to login

FAILED	DURATION - 16.493 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 12:57:32.070 AM // 12:57:48.563 AM /		Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User should login with valid credentials

FAILED	DURATION - 16.486 s		Steps	
/ 12:57:32.077 AM // 12:57:48.563 AM /			Total - 5	
User should be able to login			Pass - 4	5
			Fail - 1	
@Smoke			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	4.254 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.620 s
	User should login with valid credentials		
	+		
2	When user enter username as "admin"	PASSED	0.146 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.249 s
	User should login with valid credentials		
	+		

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.111 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.231 s
	User should login with valid credentials		
	+		
4	And user click on login button	PASSED	1.576 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.226 s
	User should login with valid credentials		
	+		
5	Then user should be able to see dashboard	FAILED	0.014 s

	java.lang.AssertionError: expected [true] but found [false]
	   at org.testng.Assert.fail(Assert.java:99)
	   at org.testng.Assert.failNotEquals(Assert.java:1037)
	   at org.testng.Assert.assertTrue(Assert.java:45)
	   at org.testng.Assert.assertTrue(Assert.java:55)
	   at stepDefinations.LoginStepDefination.user_should_be_able_to_see_dashboard(LoginStepDefination.java:38)
	   at ?.user should be able to see dashboard(file:///C:/Users/l/eclipse-workspace_oct_2021/cucumberjava/FeatureFiles/Login.feature:9)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.250 s
	User should login with valid credentials		
	+		

(F)- Check application basic steps

PASSED	DURATION - 7.605 s	Scenarios		Steps	
/ 12:57:48.572 AM // 12:57:56.177 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 5 Pass - 5 Fail - 0 Skip - 0	5

(S)- Application social media links should work

PASSED	DURATION - 7.604 s		Steps	
/ 12:57:48.572 AM // 12:57:56.176 AM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
Check application basic steps				
@Sanity				

#	Step / Hook Details	Status	Duration
1	Given Application is up and running	PASSED	3.575 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.604 s
	Application social media links should work		
	+		
2	When User see home page	PASSED	0.008 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.247 s
	Application social media links should work		
	+		

#	Step / Hook Details	Status	Duration
3	And check footer section	PASSED	0.062 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.202 s
	Application social media links should work		
4	Then social media links should be present	PASSED	0.022 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.204 s
	Application social media links should work		
5	And all links should point to correct platforms	PASSED	0.000 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.232 s
	Application social media links should work		

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should
work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should
work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps