

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	0	1	0	33.595 s
2	Check application basic steps	1	1	0	0	22.345 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	4	1	0	33.582 s
2	Check application basic steps	Application social media links should work	5	5	0	0	22.345 s

DETAILED SECTION -- 4 --

(F)- User should be able to login

FAILED	DURATION - 33.595 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 8:45:29.249 AI	M // 8:46:02.844 AM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User should login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	5.628 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.004 s
	User should login with valid credentials		
	→ Crange-RRM +		
2	When user enter username as "admin"	PASSED	0.233 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.408 s
	User should login with valid credentials		
	→		
	### ### ### ### ### ### ### ### ### ##		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.249 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.379 s
	User should login with valid credentials		
	←		
	(3) :		
4	And user click on login button	PASSED	14.532 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.368 s
	User should login with valid credentials		
	5mgs		
	The second secon		
5	Then user should be able to see dashboard	FAILED	0.043 s
	java.lang.AssertionError: expected [true] but found [false]		
	at org.testng.Assert.fail(Assert.java:99)		
	at org.testng.Assert.failNotEquals(Assert.java:1037)		
	at org.testng.Assert.assertTrue(Assert.java:45)		
	at org.testng.Assert.assertTrue(Assert.java:55) at stepDefinations.LoginStepDefination.user_should_be_able_to_see_dashboard(LoginStepDefination.java:38)		
	at ?.user should be able to see dashboard(file:///C:/Users/l/eclipse-workspace_oct_2021/cucumberjava/FeatureFiles/Login.feature:9)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.362 s
	User should login with valid credentials		
	<u>Сикув.</u>		
	the maillion area.		

DETAILED SECTION -- 6 --

(F)- Check application basic steps

PASSED	DURATION - 22.345 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 8:46:02.893 AM	1 // 8:46:25.238 AM /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Application social media links should work

PASSED DURATION - 22.345 s	15 -		1	1	1		Steps	
/ 8:46:02.893 AM // 8:46:25.238 AM /	10 -	 					Total - 5	
	_						Pass - 5	5
Check application basic steps	5	 				1	Fail - 0	
@Sanity	0 -	 <u>.</u>	<u> </u>	<u> </u>	<u>.</u>	1	Skip - 0	
		1	2	3	4	5		

#	Step / Hook Details	Status	Duration
1	Given Application is up and running	PASSED	14.203 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.535 s
	Application social media links should work		
	→ Tranger-NRM +		
2	When User see home page	PASSED	0.136 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.723 s
		TAGGED	0.7203
	Application social media links should work		
	→		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
3	And check footer section	PASSED	0.185 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.607 s
	Application social media links should work		
	→		
	Etc.		
4	Then social media links should be present	PASSED	0.102 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.505 s
	Application social media links should work	1	
	4	1	
	Orange Hext.		
_		D. 40055	0.000
5	And all links should point to correct platforms	PASSED	0.002 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.474 s
	Application social media links should work		
	→ trange-NEW +		
	THE CONTRACT OF THE CONTRACT O		

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login













(S) User should login with valid credentials

(F) User should be able to login






OrangeHRM 4.9 © 2005 - 2022 OrangeHRM, Inc. All rights reserved.

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login



OrangeHRM 4.9 © 2005 - 2022 OrangeHRM, Inc. All rights reserved. EXPANDED SECTION -- 10 --

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)


(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps



OrangeHRM 4.9 © 2005 - 2022 OrangeHRM, Inc. All rights reserved.





OrangeHRM 4.9
© 2005 - 2022 OrangeHRM Inc. All rights reserved.

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps













(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps











