

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	0	1	0	14.460 s
2	Check application basic steps	1	1	0	0	7.798 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	4	1	0	14.449 s
2	Check application basic steps	Application social media links should work	5	5	0	0	7.797 s

DETAILED SECTION -- 4 --

(F)- User should be able to login

FAILED	DURATION - 14.460 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 1:09:41.634 AN	M // 1:09:56.094 AM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User should login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	3.134 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.587 s
	User should login with valid credentials		
	drange⊪®M +		
2	When user enter username as "admin"	PASSED	0.114 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.306 s
	User should login with valid credentials		
	→		
	GROUP.		

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.108 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.225 s
	User should login with valid credentials		
	→		
	(3) :		
	840.		
4	And user click on login button	PASSED	1.671 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.253 s
	User should login with valid credentials		
	→		
	Orange-Hen		
	EN A		
5	Then user should be able to see dashboard	FAILED	0.017 s
	java.lang.AssertionError		
	at org.junit.Assert.fail(Assert.java:87)		
	at org.junit.Assert.assertTrue(Assert.java:42)		
	at org.junit.Assert.assertTrue(Assert.java:53)		
	at stepDefinations.LoginStepDefination.user_should_be_able_to_see_dashboard(LoginStepDefination.java:38) at ?.user should be able to see dashboard(file:///C:/Users/l/eclipse-workspace_oct_2021/cucumberjava/FeatureFiles/Login.feature:9)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.247 s
	User should login with valid credentials		
	→		
	O destruction and a second of the second of		
	I .		1

DETAILED SECTION -- 6 --

(F)- Check application basic steps

PASSED	DURATION - 7.798 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 1:09:56.137 AN	// // 1:10:03.935 AM /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Application social media links should work

PASSED DURATION - 7.797 s	4 Steps	
/ 1:09:56.138 AM // 1:10:03.935 AM /	3 Total - 5	
	2	5
Check application basic steps	1	Ů
@Sanity	Skip - 0	
	1 2 3 4 5	

#	Step / Hook Details	Status	Duration
1	Given Application is up and running	PASSED	3.444 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.582 s
	Application social media links should work		
	→ Cranger®M		
	WHILE AT		
2	When User see home page	PASSED	0.008 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.283 s
	Application social media links should work		
	→		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
3	And check footer section	PASSED	0.099 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.213 s
	Application social media links should work		
	←		
4	Then social media links should be present	PASSED	0.019 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.215 s
	Application social media links should work		
		†	
	Orange HEAL		
5	And all links should point to correct platforms	PASSED	0.000 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.248 s
	Application social media links should work		
	→		

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login













(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login













EXPANDED SECTION -- 10 --

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps













(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps













(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps











