


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	1	0	0	21.970 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	5	0	0	21.958 s

DETAILED SECTION -- 4 --

(F)- User should be able to login

PASSED	DURATION - 21.970 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 8:10:04.186 AM	/ // 8:10:26.156 AM /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- User should login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	5.019 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.949 s
	User should login with valid credentials		
	dranger #844 +		
	eti.		
2	When user enter username as "Admin"	PASSED	0.176 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.320 s
	User should login with valid credentials		
	→ Trangerson		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.159 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.390 s
	User should login with valid credentials		
	→ ✓rangel®M		
4	And user click on login button	PASSED	4.787 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.391 s
	User should login with valid credentials		
	Congress		
5	Then user should be able to see dashboard	PASSED	0.021 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.274 s
	User should login with valid credentials		
	Congress		



(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login













(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login






OrangeHRM 4.9 © 2005 - 2022 OrangeHRM, Inc. All rights reserved.

(Step) AFTER_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login



OrangeHRM 4.9 © 2005 - 2022 OrangeHRM, Inc. All rights reserved.

(F) User should be able to login

OrangeHRM 4.9 © 2005 - 2022 OrangeHRM, Inc. All rights reserved.