Cucumber Report

Start : Feb 15, 12:58:39.489 AM	End : Feb 15, 12:58:58.425 AM	Duration : 18.936 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	0	1	0	11.577 s
2	Check application basic steps	1	1	0	0	7.345 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	4	1	0	11.570 s
2	Check application basic steps	Application social media links should work	5	5	0	0	7.343 s

(F)- User should be able to login

FAILED	DURATION - 11.577 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:58:39.489 AM // 12:58:51.066 AM /						

(S)- User should login with valid credentials

FAILED	DURATION - 11.570 s			Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:58:39.496 AM // 12:58:51.066 AM /					
User should be able to login					
@Smoke					

#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	3.981 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.531 s
	User should login with valid credentials		
	+		
2	When user enter username as "admin"	PASSED	0.105 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.215 s
	User should login with valid credentials		
	+		

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.104 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.214 s
	User should login with valid credentials		
4	And user click on login button	PASSED	1.751 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.260 s
	User should login with valid credentials		
5	Then user should be able to see dashboard	FAILED	0.016 s

	java.lang.AssertionError: expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertTrue(Assert.java:45)
	    at org.testng.Assert.assertTrue(Assert.java:55)
	    at stepDefinations.LoginStepDefination.user_should_be_able_to_see_dashboard(LoginStepDefination.java:38)
	    at ?.user should be able to see dashboard(file:///C:/Users/l/eclipse-workspace_oct_2021/cucumberjava/FeatureFiles/Login.feature:9)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.244 s
	User should login with valid credentials		

(F)- Check application basic steps

PASSED	DURATION - 7.345 s		Scenarios		Steps	
/ 12:58:51.080 AM // 12:58:58.425 AM /			Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 5 Pass - 5 Fail - 0 Skip - 0	5

(S)- Application social media links should work

PASSED	DURATION - 7.343 s		Steps	
/ 12:58:51.082 AM // 12:58:58.425 AM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
Check application basic steps				
@Sanity				

#	Step / Hook Details	Status	Duration
1	Given Application is up and running	PASSED	3.947 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.515 s
	Application social media links should work		
	+		
2	When User see home page	PASSED	0.008 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.242 s
	Application social media links should work		
	+		

#	Step / Hook Details	Status	Duration
3	And check footer section	PASSED	0.053 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.191 s
	Application social media links should work		
	+		
4	Then social media links should be present	PASSED	0.019 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.199 s
	Application social media links should work		
	+		
5	And all links should point to correct platforms	PASSED	0.001 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.266 s
	Application social media links should work		
	+		

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps

(Step) AFTER_STEP - Hooks.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Application social media links should work

(F) Check application basic steps