


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	User should be able to login	1	0	1	0	13.131 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User should be able to login	User should login with valid credentials	5	4	1	0	13.125 s

DETAILED SECTION -- 4 --

## (F)- User should be able to login


FAILED	DURATION - 13.131 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 1:17:24.201 AN	M // 1:17:37.332 AM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- User should login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Application is up and running and validated	PASSED	3.174 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.572 s
	User should login with valid credentials		
	<b>→</b>		
	GHA.		
2	When user enter username as "admin"	PASSED	0.188 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.338 s
	User should login with valid credentials		
	<b>→</b>		
	660		

#	Step / Hook Details	Status	Duration
3	And user enter password as "admin123"	PASSED	0.104 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.216 s
	User should login with valid credentials		
	<b>→</b>		
	BHY.		
4	And user click on login button	PASSED	1.501 s
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.240 s
	User should login with valid credentials		
	+		
	▼ Tranger#M.		
	GRU A		
5	Then user should be able to see dashboard	FAILED	0.014 s
5		FAILED	0.014 5
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87)		
	at org.junit.Assert.assertTrue(Assert.java:42)		
	at org.junit.Assert.assertTrue(Assert.java:53)		
	at stepDefinations.LoginStepDefination.user_should_be_able_to_see_dashboard(LoginStepDefination.java:38)		
	at ?.user should be able to see dashboard(file:///C:/Users/l/eclipse-workspace_oct_2021/cucumberjava/FeatureFiles/Login.feature:9)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.238 s
	User should login with valid credentials		
	<b>→</b>		



(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER\_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login













(Step) AFTER\_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login

(Step) AFTER\_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login













EXPANDED SECTION -- 8 --

(Step) AFTER\_STEP - Hooks.Hooks. tearDown(io.cucumber.java.Scenario)

(S) User should login with valid credentials

(F) User should be able to login





