

Cucumber Report

23-Jul-2023, 8:16:06 am

Start : Jul 23, 8:15:14.833 am

End : Jul 23, 8:16:04.529 am

Duration : 49.696 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As a admin user should be able to login</u>	49.696 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	<u>As a admin user should be able to login</u>	<u>Admin can login with valid credentials</u>





#	Feature Name	T	P	F	S	Duration
1	<u>As a admin user should be able to login</u>	1	0	1	0	49.696 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As a admin user should be able to login</u>	<u>Admin can login with valid credentials</u>	3	2	1	0	49.689 s

As a admin user should be able to login

FAILED	DURATION - 49.696 s	Scenarios		Steps	
/ 8:15:14.833 am // 8:16:04.529 am /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Admin can login with valid credentials

<div>FAILED</div> <div>DURATION - 49.689 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:15:14.840 am // 8:16:04.529 am /				
As a admin user should be able to login				

#	Step / Hook Details	Status	Duration
1	Given User is able to load the application	PASSED	0.009 s
2	When User enters username as "admin@email.com" and password as "admin@123" and clicks on submit button	PASSED	7.860 s
3	Then User should be able to login <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[normalize-space()='Manage1']"} (Session info: chrome=114.0.5735.198) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '11.5.1', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7569695553cb747e30c26c1f488c6848, findElement {using=xpath, value=//span[normalize-space()='Manage1']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.198, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/q4/n7_h7l_j7m3...}, goog:chromeOptions: {debuggerAddress: localhost:49994}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49994/devtoo..., se:cdpVersion: 114.0.5735.198, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7569695553cb747e30c26c1f488c6848 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre>	FAILED	30.128 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefination.LoginAsAdmin.user_should_be_able_to_login(LoginAsAdmin.java:32) at ?.User should be able to login(file:///Users/mukeshotwani/eclipse-workspace_25_may/Cucumber7Framework/featureFiles/Login.feature:6) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.432 s
	Admin can login with valid credentials		
	