Cucumber Report

| Start : Jul 23, 8:11:01.927 am	End : Jul 23, 8:11:48.257 am	Duration : 46.330 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
As a admin user should be able to login	*46.330 s*	*1*	*0*	*1*	*0*	*3*	*2*	*1*	*0*

#	Feature Name	Scenario Name
1	*As a admin user should be able to login*	*Admin can login with valid credentials*

#	Feature Name	T	P	F	S	Duration
1	*As a admin user should be able to login*	1	0	1	0	46.330 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	As a admin user should be able to login	Admin can login with valid credentials	3	2	1	0	46.324 s

As a admin user should be able to login

FAILED	DURATION - 46.330 s		Scenarios		Steps	
			Total - 1		Total - 3	
/ 8:11:01.927 am // 8:11:48.257 am /			Pass - 0	1	Pass - 2	3
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 0	

Admin can login with valid credentials

FAILED	DURATION - 46.324 s		Steps	
			Total - 3	
/ 8:11:01.933 am // 8:11:48.257 am /			Pass - 2	3
As a admin user should be able to login			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is able to load the application	PASSED	0.006 s
2	When User enters username as "admin@email.com" and password as "admin@123" and clicks on submit button	PASSED	4.523 s
3	Then User should be able to login	FAILED	30.126 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[normalize-space()='Manage1']"} (Session info: chrome=114.0.5735.198) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os. name: 'Mac OS X', os.arch: 'x86_64', os.version: '11.5.1', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ef769b2087e1aadb788285fb8a47b07, findElement {using=xpath, value=//span[normalize-space()='Manage1']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.198, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: /var/folders/q4/n7_h7l_j7m3...}, goog:chromeOptions: {debuggerAddress: localhost:49961}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49961/devtoo..., se:cdpVersion: 114.0.5735.198, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ef769b2087e1aadb788285fb8a47b07
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefination.LoginAsAdmin.user_should_be_able_to_login(LoginAsAdmin.java:32) at ?.User should be able to login(file:///Users/mukeshotwani/eclipse-workspace_25_may/Cucumber7Framework/featureFiles/Login.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.tearDown(io.cucumber.java.Scenario) Admin can login with valid credentials 	PASSED	0.356 s