


Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
As a admin user should be able to login	36.393 s	1	0	1	0	3	2	1	0


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	As a admin user should be able to login	Admin can login with valid credentials

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	As a admin user should be able to login	1	0	1	0	36.393 s




	# Feature Name	Scenario Name	T	P	F	S	Duration
2	As a admin user should be able to login	Admin can login with valid credentials	3	2	1	0	36.390 s

DETAILED SECTION -- 6 --

As a admin user should be able to login

FAILED	DURATION - 36.393 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 10:27:58.107 PM //	10:28:34.500 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Admin can login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is able to load the application	PASSED	0.008 s
2	When User enters username as "admin@email.com" and password as "admin@123" and clicks on submit button	PASSED	3.267 s
3	Then User should be able to login	FAILED	20.722 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[normalize-space()='Manage'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java. version: '1.8.0_202' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefination.LoginAsAdmin.user_should_be_able_to_login(LoginAsAdmin.java:32) at ?.User should be able to login(file:///Users/mukeshotwani/eclipse-workspace_25_may/Cucumber7Framework/featureFiles/Login.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.tearDown(io.cucumber.java.Scenario)	FAILED	0.050 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.198) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch:		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
#	x86_64', os.version: '10.16', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8353f29143f9a00511f3fb5ab17c4e19, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.198, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: /var/folders/q4/n7_h7l_j7m3}, goog:chromecOptions: {debuggerAddress: localhost:53502}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53502/devtoo, se:cdpVersion: 114.0.5735.198, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8353f29143f9a00511f3fb5ab17c4e19 at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(ColegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.iava:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.iava:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.ivokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316) at helper.Utility.captureScreenshotInByte(Utility.java:215)		
	at hooks.Hook.tearDown(Hook.java:36)		