Week 3: ISR is Kazatomprom’s edge, so copy Cameco’s software, not its assets

Weekly evidence artifact · Week 3 · Trimester 1, 2026

1. Theory anchor

Business Model Canvas and value chain [10].

2. Artifact

Item	Cameco (A)	Kazatomprom (B)
Mining method	Hard-rock (McArthur River, Cigar Lake) [3]	100% In-Situ Recovery [6]
Downstream	49% of Westinghouse [3]	Mostly uranium products
Key cost driver	Ore handling	Sulfuric acid, wellfield control

3. Company A vs. Company B insight

Cameco’s strength is process control and downstream reach [3]; Kazatomprom’s is low-cost liquid leaching [6].

4. Transfer verdict

Reject Westinghouse-style M&A. **Adopt** advanced process control (APC) software.

5. Evidence + verification

Method differences [6]. Checked against the IAEA ISL manual.

6. Mini-recommendation

The Chief Technical Officer should select an APC pilot site; progress signal: site and baseline agreed.

7. Learning progression & AI disclosure

I assumed copying a bigger firm would help. The ISR/hard-rock gap showed that only software transfers. AI summarised background; the verdicts are mine.

Companies: Cameco (A) and NAC Kazatomprom JSC (B). Source numbers [n] refer to the Evidence page of the ePortfolio. Proposed targets and thresholds are design assumptions and pilot targets, not verified Kazatomprom data.