

	Pimpri Chinchwad Education Trust's Pimpri Chinchwad College of Engineering (PCCoE) (An Autonomous Institute) Affiliated to Savitribai Phule Pune University (SPPU) ISO 21001:2018 Certified by TUV	
Full Stack Development Laboratory		

Name – Mukund Fegade

PRN – 123B1B197

DIV – C

Assignment-1

Title

Create a Static Web Page Which Defines All Text Formatting Tags of HTML in Tabular Format

Objectives

- To understand different text formatting tags available in HTML.
- To learn how HTML tags affect the appearance and structure of text.
- To design a static webpage using basic HTML elements.
- To present information systematically using tables.
- To improve knowledge of semantic text representation in web development.

Outcomes

- Students will be able to identify and use various HTML text formatting tags.
- Students will understand how formatting improves readability and presentation of web content.
- Students will gain experience creating structured webpages using HTML tables.
- Students will learn proper usage of tags such as bold, italic, underline, and highlighted text.
- Students will be able to develop simple static webpages without scripting.

Theory

1. Static Web Page

A static webpage is a web page whose content remains fixed and does not change dynamically. It is created using HTML and displays the same information to every user unless manually modified. Static webpages are simple to create and are mainly used for displaying fixed information such as educational content, portfolios, or documentation.

2. HTML Text Formatting Tags

HTML provides several formatting tags that allow developers to modify the appearance and meaning of text content. These tags help emphasize important information and improve readability.

Common HTML Text Formatting Tags

Tag	Description	Example
	Displays text in bold format	Bold Text
	Indicates important text with strong emphasis	Important
<i>	Displays italicized text	<i>Italic Text</i>
	Emphasizes text semantically	Emphasized
<u>	Underlines text	<u>Underlined</u>
<mark>	Highlights text	<mark>Highlighted</mark>
<small>	Displays smaller text	Small Text
	Shows deleted text with a strike-through	Deleted
<ins>	Represents inserted text	<ins>Inserted</ins>
<sub>	Displays subscript text	H₂O
<sup>	Displays superscript text	x²
<code>	Displays text in code format	<code>printf()</code>
<pre>	Preserves spacing and formatting	<pre>Preformatted Text</pre>

These formatting tags enhance both visual presentation and semantic meaning of the text in webpages.

3. HTML Tables

Tables in HTML are used to organize data into rows and columns.

Basic Table Tags

<table> – Creates a table

<tr> – Defines a table row

<th> – Defines a table header

<td> – Defines table data

Using tables helps present formatting tags clearly along with their descriptions and examples in a structured manner.

4. Static Web Development

Static webpages form the foundation of web development. They help beginners understand webpage structure before moving to dynamic applications in full stack development. Learning static HTML builds a strong base in web technologies.

Dataset Used

No external dataset was required for this assignment. The webpage content was created using predefined HTML text formatting tags and table elements.

index.html :

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>HTML Text Formatting Tags</title>

  <style>

    body{

      background-color: beige;

      margin: auto;

    }

    h2 {

      text-align: center;

      font-family: Arial, Helvetica, sans-serif;

    }

    table {

      background-color: bisque;

      border-style: solid;

      width: 80%;

      margin-left: auto;

      margin-right: auto;

      text-align: left;

      font-size: larger;
```

```

    }
    thead {
        background-color: rgb(239, 184, 111);
    }
    th,td {
        padding: 10px;
    }
</style>
</head>
<body>
    <h2><u>HTML Text Formatting Tags</u></h2>
    <table border="1">
        <thead>
            <th>Tag</th>
            <th>Decription</th>
            <th>Example Usage</th>
        </thead>
        <tr>
            <td>&lt;b&gt;</td>
            <td>Bold Text</td>
            <td><b>Bold</b></td>
        </tr>
        <tr>
            <td>&lt;i&gt;</td>
            <td>Italic Text</td>
            <td><i>Italic</i></td>
        </tr>
        <tr>
            <td>&lt;strong&gt;</td>

```

<td>Important Text</td>
<td>Strong</td>

</tr>
<tr>
<td><sub> / <sup></td>
<td>Subscript/Superscript text</td>
<td>H₂O / e^x</td>

</tr>
<tr>
<td></td>
<td>Emphasized Text</td>
<td>Emphasized</td>

</tr>
<tr>
<td><u></td>
<td>Underlined Text</td>
<td><u>Underline</u></td>

</tr>
<tr>
<td><mark></td>
<td>Highlighted Text</td>
<td><mark>Marked</mark></td>

</tr>
<tr>
<td></td>
<td>Deleted Text</td>
<td>Deleted</td>

</tr>
<tr>

```

        <td>&lt;ins&gt;</td>

        <td>Inserted Text</td>

        <td><ins>Inserted</ins></td>

    </tr>


</table>

</body>

</html>

```

Output –



Tag	Decription	Example Usage
	Bold Text	Bold
<i>	Italic Text	<i>Italic</i>
	Important Text	Strong
<sub> / <sup>	Subscript/Superscript text	H ₂ O / e ^x
	Emphasized Text	<i>Emphasized</i>
<u>	Underlined Text	<u>Underline</u>
<mark>	Highlighted Text	Marked
	Deleted Text	Deleted
<ins>	Inserted Text	<u>Inserted</u>