🍕 ONLINE FOOD DELIVERY SYSTEM — PPT CONTENT

(Structured to match Cab Booking reference PDF — slide by slide)

SLIDE 1 — TITLE SLIDE

Title: Online Food Delivery System

Team Members:

Name	Roll Number
[Member 1 Name]	[Roll No.]
[Member 2 Name]	[Roll No.]
[Member 3 Name]	[Roll No.]
[Member 4 Name]	[Roll No.]

(Replace with your actual names and roll numbers)

SLIDE 2 — PROJECT SCOPE

Heading: *Project Scope*

The Online Food Delivery System is a web-based application designed to simplify the process of ordering food from nearby restaurants. It provides users with a convenient platform to browse menus, place orders, track deliveries in real time, and make secure payments online.

Tech Stack:

- Frontend (HTML / CSS / JavaScript / React.js pages)
- Backend logic (ordering, authentication, delivery management)
- Database operations (user data, restaurant data, order records)

Features:

- Registration & Login (Authentication system)
- Restaurant & Menu Browsing
- Order Placement & Cart Management
- Real-Time Order Tracking

- Payment Processing
- Delivery Management
- Ratings & Feedback System

SLIDE 3 — PROJECT OBJECTIVES

Heading: Project Objectives

Key Goals of the Online Food Delivery System

- Verify correct working of each implemented module
- Ensure smooth interaction between frontend and backend
- Validate database storage and retrieval of order and user records
- Detect bugs in login, ordering, and payment flows
- Ensure the system handles invalid inputs and edge cases properly
- Validate real-time delivery tracking functionality
- Confirm that the system handles concurrent users without failure

---

SLIDE 4 — FUNCTIONALITIES

Heading: Functionalities

Functionality	Description
User Registration & Login	Users can create accounts and log in securely using mobile number or email.
Restaurant & Menu Browsing	Browse nearby restaurants, filter by cuisine, rating, or delivery time.
Order Placement	Enter pickup/drop location or delivery address, add items to cart, and confirm order.
Real-Time Order Tracking	Displays order confirmation, preparation, dispatch, and delivery stages live.
Fare / Bill Calculation	Automatically calculates total bill based on selected items and applicable discounts.
Payment System	Basic payment options — Cash on Delivery, UPI, and simulated online payment.
Ratings & Feedback	Users can rate restaurants and delivery partners after order completion.
Responsive UI	Works smoothly on different screen sizes using HTML & CSS.

SLIDE 5 — FLOW OF SAMPLE TEST CASES

Heading: Flow of Sample Test Cases

```
[1] Login with valid credentials
      ↓
[2] Login with invalid credentials
      ↓
[3] Register with valid details
      ↓
[4] Browse restaurants & order food
      ↓
[5] Empty cart / invalid order check
      ↓
[6] Fare calculation (item quantity & price)
      ↓
[7] Payment process (UPI / Card)
      ↓
[8] Delivery tracking & assignment
      ↓
[9] Responsive design — Open on mobile
```

Test Case Summary:

1. **Login Flow** — Correct credentials, wrong password, invalid number
2. **Registration Flow** — Valid details, duplicate number, empty fields
3. **Ordering Flow** — Add items, empty cart, unavailable restaurant
4. **Fare Calculation** — Distance-based or item-based pricing
5. **Payment Flow** — Valid UPI, invalid card, retry after failure
6. **Delivery Assignment** — Driver assigned, driver unavailable message
7. **Responsive Design** — Open app on mobile screen

SLIDE 6 — SAMPLE TEST CASES FOR LOGIN (INTRO)

Heading: Sample Test Cases for Login

This section details essential **test cases** for user login and booking functionalities, ensuring accurate performance under various scenarios, including successful logins and potential error handling for invalid requests.

Key scenarios covered:

- Valid credentials → redirect to home page
- Wrong password → appropriate error message
- Unregistered user → "user not found" message
- Multiple failed attempts → security verification triggered

- Account lock after repeated failures

SLIDE 7 — TEST SUITE: TS1 – VERIFY "USER LOGIN" FUNCTIONALITY

Heading: Test Suite: TS1 – Verify "User Login" Functionality

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC1	Verify that registered user can login with correct mobile number and password	—	Mobile number 9876543210 registered; password = food@123	User logged in	Enter mobile 9876543210 and password food@123. Click Login	Home / Dashboard displayed
TC2	Verify that unregistered user cannot login	—	Mobile number 9876500000 not registered	User not logged in	Enter mobile 9876500000 and password xyz123. Click Login	"Login failed. User not registered" message displayed
TC3	Verify that registered user cannot login with incorrect password	—	Mobile number registered but wrong password entered	User not logged in	Enter registered mobile and incorrect password. Click Login	"Incorrect password" message displayed
TC4	Verify that login fails when mobile number is incorrect	TC3	Invalid mobile number entered	User not logged in	Enter wrong mobile number and password. Click Login	"Invalid login credentials" message displayed

---

SLIDE 8 — TEST SUITE: TS1 CONTINUED (SECURITY CASES)

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC5	Verify that login fails after entering wrong password twice consecutively	TC4	Registered mobile entered; password incorrect twice	User not logged in	Enter wrong password twice consecutively	Warning message displayed
TC6	Verify that security verification appears after three consecutive failed attempts	TC5	Wrong password entered three times	Security question displayed	Enter wrong password third time	CAPTCHA or OTP prompt displayed
TC7	Verify that account unlocks after correct OTP entered	TC6	OTP sent to registered mobile	OTP verified successfully	Enter correct OTP and click Verify	User can retry login
TC8	Verify that account is blocked after wrong OTP entered	TC6	OTP incorrect	Account temporarily blocked	Enter wrong OTP	"Too many failed attempts. Account blocked temporarily" message displayed

SLIDE 9 — SAMPLE TEST CASES FOR REGISTRATION (INTRO)

Heading: Sample Test Cases for Registration

This section outlines **key test cases** for user registration, ensuring that the system correctly validates input, handles errors, and successfully processes valid registrations — enhancing user experience and system reliability.

Key scenarios covered:

- Valid name, phone, and password → account creation success
- Duplicate phone number → error message displayed
- Invalid phone format (alphabets, short number) → validation error
- Empty required fields → validation error

SLIDE 10 — TEST SUITE: TS2 – VERIFY "USER REGISTRATION" FUNCTIONALITY

Heading: Test Suite: TS2 – Verify "User Registration" Functionality

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC1	Verify user can register with valid details	—	User not registered	Account created	Enter valid name, phone, password. Click Register	"Registration successful" message displayed
TC2	Verify duplicate phone number cannot register	TC1	Phone already exists in database	Account not created	Enter existing phone number and register	"Phone number already registered" error message displayed
TC3	Verify registration fails with invalid phone format	—	Invalid phone format entered (alphabets)	Account not created	Enter alphabets instead of digits in phone field	"Invalid phone number" message displayed
TC4	Verify registration fails when mandatory fields are empty	—	Fields left blank	Account not created	Click Register without entering any details	Validation error displayed on all required fields

---

SLIDE 11 — TEST SUITE: TS3 – VERIFY "FOOD ORDERING" FUNCTIONALITY

Heading: Test Suite: TS3 – Verify "Food Ordering" Functionality

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC1	Verify user can place order from available restaurant	—	User logged in; restaurant and items available	Order confirmed	Browse restaurant → Add items to cart → Click Place Order	"Order placed successfully" message displayed with order ID
TC2	Verify ordering fails when restaurant is closed	TC1	Restaurant marked as closed	Order not placed	Try to order from a closed restaurant	"Restaurant is currently closed" message displayed
TC3	Verify login is required before placing order	—	User not logged in	Order denied	Click Order without logging in	"Please login to continue" message displayed
TC4	Verify order cancellation before confirmation	TC1	Order initiated but not confirmed	Order cancelled	Click Cancel before clicking Confirm Order	"Order cancelled" message displayed
TC5	Verify user can add multiple items to cart	TC1	User logged in; multiple items available	Items added to cart	Add multiple different items to cart	Cart updated correctly with all items and total price shown

---

SLIDE 12 — PAYMENT TEST SCENARIOS OVERVIEW

Heading: Payment Test Scenarios Overview

This section highlights key test scenarios for payment processing, ensuring **reliable transactions**. It covers valid and invalid payment details, emphasizing the importance of secure payment integration in the food delivery system.

Key scenarios covered:

- Successful UPI payment → order confirmed
- Failed card payment → error message with retry option
- Cash on Delivery selection → order placed without online payment
- Payment retry after failure
- Correct invoice and bill amount displayed after payment

SLIDE 13 — TEST SUITE: TS4 – VERIFY "PAYMENT MODULE"

Heading: Test Suite: TS4 – Verify "Payment Module"

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC1	Verify payment success with valid UPI ID	—	Order placed; ride completed	Payment successful	Enter valid UPI ID → Click Pay	"Payment successful" message; order confirmed
TC2	Verify payment failure with invalid card details	—	Invalid card details entered	Payment failed	Enter wrong card number and CVV	"Payment failed. Invalid card details" message displayed
TC3	Verify retry option after payment failure	TC2	Payment failed once	Retry enabled	Click Retry after failed payment	Payment retry page opened; user can re-enter details
TC4	Verify Cash on Delivery option works correctly	—	User selects COD at checkout	Order confirmed without online payment	Select COD → Confirm Order	Order placed successfully; payment due on delivery
TC5	Verify correct bill amount shown before payment	TC1	Cart has items with known prices and discount	Correct total shown	View cart summary page	Total = item prices + delivery fee − discount (correct calculation)

SLIDE 14 — DELIVERY MODULE OVERVIEW

Heading: Delivery Modules

The **Delivery and Admin Modules** facilitate efficient management of orders and delivery agents. Delivery partners receive order assignments automatically, while admins oversee user data, order histories, and system performance to ensure optimal functionality.

Key aspects:

- Delivery partner receives notification upon order confirmation
- System assigns nearest available delivery agent

- Delivery status updates in real time (Preparing → Picked Up → On the Way → Delivered)
- Admin can view all active orders and intervene if needed
- Customer receives estimated delivery time (ETA) based on distance

---

SLIDE 15 — TEST SUITE: TS5 – VERIFY "DELIVERY ASSIGNMENT MODULE"

Heading: Test Suite: TS5 – Verify "Delivery Assignment Module"

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC1	Verify delivery partner is assigned after order is confirmed	—	Order confirmed; delivery partner available	Delivery partner assigned	Place and confirm order	Delivery partner details (name, contact, ETA) displayed
TC2	Verify message shown if no delivery partner is available	TC1	No delivery partner available in the area	Order pending	Place order when no delivery partner is online	"No delivery agent available. Your order is queued" message displayed
TC3	Verify real-time tracking updates during delivery	TC1	Order picked up by delivery partner	Live tracking visible	Open order tracking page after pickup	Map shows live location of delivery partner moving toward destination

---

SLIDE 16 — OVERVIEW OF TESTING TYPES

Heading: Overview of Testing Types

This section outlines the essential **testing types** utilized in the Online Food Delivery System. It ensures functionality, integration, and performance to create a reliable and user-friendly application experience.

Types of testing used:

1. Unit Testing
2. Integration Testing
3. System Testing
4. Acceptance Testing
5. Black Box Testing
6. White Box Testing
7. Functional Testing
8. Non-Functional Testing

SLIDE 17 — TESTING TYPES OVERVIEW (Unit & Integration)

Heading: Testing Types Overview

1. Unit Testing

- Used ✅
- Purpose: Test individual components in isolation
- Examples:
  - Login validation function
  - Registration form input validation
  - Cart total price calculation function
  - Fare calculation logic

2. Integration Testing

- Used ✅
- Purpose: Test interaction between modules
- Examples:
  - Login → Home Page → Restaurant Menu
  - Add to Cart → Checkout → Payment → Database
  - Frontend ↔ Backend ↔ Database

SLIDE 18 — TESTING TYPES OVERVIEW (System & Acceptance)

Heading: Testing Types Overview

3. System Testing

- Used ✅
- Purpose: Test the complete system end-to-end
- Example:
  - Full flow: Register → Login → Browse Restaurant → Add to Cart → Place Order → Payment → Order Tracking → Delivery → Feedback

4. Acceptance Testing

- Used (Basic Level) ✅
- Purpose: Validate with user requirements
- Examples:
  - Check if food ordering works as expected by an end user
  - Verify UI is intuitive and user-friendly
  - Check if order history is accessible from account section

---

SLIDE 19 — TESTING TYPES OVERVIEW (Black Box & White Box)

Heading: Testing Types Overview

5. Black Box Testing

- Used ✅
- Purpose: Test without seeing internal code
- Examples:
  - Enter valid/invalid inputs in login form and check outputs
  - Validate ordering, payment, and registration from a user's perspective

6. White Box Testing

- Partially Used ✅
- Purpose: Code-level testing
- Examples:
  - Checking if-else conditions in login authentication logic
  - Validating fare calculation backend logic
  - Checking loops and conditions in cart management

SLIDE 20 — TESTING TYPES OVERVIEW (Functional & Non-Functional)

Heading: Testing Types Overview

7. Functional Testing

- Used ✅
- Purpose: Check if features work as expected
- Examples:
  - Login works correctly
  - Food ordering and cart work
  - Payment processing works
  - Delivery tracking updates correctly

8. Non-Functional Testing

- Used (Basic Level) ✅
- Purpose: Check performance and usability
- Examples:
  - Page load speed
  - System response time when placing an order
  - UI usability across different devices
  - Responsiveness on mobile screen

SLIDE 21 — THANK YOU

Thank You!

We appreciate your attention today!

BONUS: ADDITIONAL TEST SUITE — TS6: VERIFY "CART & FARE CALCULATION"

(Optional slide — use if you want more test cases)

#	Summary	Dependency	Pre-condition	Post-condition	Execution Steps	Expected Output
TC1	Verify item is added to cart correctly	—	User logged in; menu visible	Item in cart	Click "Add to Cart" on any item	Item appears in cart with correct name and price
TC2	Verify item can be removed from cart	TC1	Item already in cart	Item removed	Click remove / delete on cart item	Cart updates; item no longer shown; total recalculated
TC3	Verify total amount is calculated correctly	TC1	Multiple items in cart	Correct total shown	Add multiple items with known prices	Total = sum of all item prices + delivery charge
TC4	Verify discount coupon is applied correctly	TC1	Valid coupon code available	Discount applied	Enter valid coupon code and click Apply	Discount deducted from total; updated total displayed
TC5	Verify cart is cleared after successful order	TC1	Order placed and confirmed	Cart empty	Complete order and return to cart	Cart shows empty with ₹0 total

---

BONUS: HOME SCREEN TEST CASES (from QAble reference)

(Can use as additional slide for "Sample Test Cases — Home Screen")

Test Scenarios for Home Screen:

- Validate that previous orders are displayed on home screen for quick reordering
- Validate the accurate delivery location shown on screen
- Verify nearby restaurants are listed with correct distance from delivery address
- Validate discount banners and offers visible on the home screen
- Validate filter options available: cuisine, rating, delivery time, veg/non-veg
- Verify that search functionality returns matching restaurant or food item names

---

End of PPT Content Document

> **Usage Note:**
> - Each "SLIDE" section above = one slide in your PowerPoint
> - Use the tables directly as table slides
> - Add relevant images/icons to visual slides (Slides 2, 3, 4, 5, 6, 9, 12, 14, 16)
> - The presentation should have approximately **18–21 slides** total
> - Add your college name and subject/course name on Slide 1