Objective: Make Subdirectory of your name in root directory.

Explanation: This command creates a new directory with the specified name in the G drive's root. We can use md or mkdir to create subdirectory.

Syntax:

```
G:\>md Jiya
G:\>mkdir Jain
```

```
G:\>dir
 Volume in drive G is New Volume
Volume Serial Number is 863A-32C6
Directory of G:\
13-01-2024 09:04 AM
                       <DIR>
                                       APPS
27-12-2023 10:03 PM
                       <DIR>
                                      CODES
26-12-2023 05:09 PM
                       <DIR>
                                      GAMES
18-01-2024 06:05 PM
                        <DIR>
                                       Jain
                       <DIR>
18-01-2024 06:05 PM
                                      Jiya
              0 File(s)
                                     0 bytes
               5 Dir(s) 136,301,662,208 bytes free
```

Objective: Display Date & Time on screen.

Explanation: This command can set or display the current system date and time on screen.

Syntax of Date:

C:\>Date_

Output:

C:\>Date The current date is: Thu 01/04/2024 Enter the new date: (mm-dd-yy)

Syntax of Time:

C:\>Time

Output:

C:\>Time The current time is: 18:02:24.73 Enter the new time: _

Objective: Display the structure of root directory.

Explanation: Displays a tree-like structure of the root directory, including all subdirectories and files, sorted by name.

Syntax:

C:\>Tree

```
0409
-AdvancedInstallers
-AppLocker
-appraiser
ar-SA
-ASUSACCI
-bg-BG
Boot
    -en-US
-Bthprops
-ca-ES
-CatRoot
     -{127D0A1D-4EF2-11D1-8608-00C04FC295EE}
    -{F750E6C3-38EE-11D1-85E5-00C04FC295EE}
     {127D0A1D-4EF2-11D1-8608-00C04FC295EE}
    -{F750E6C3-38EE-11D1-85E5-00C04FC295EE}
CodeIntegrity
     CiPolicies
        -Active
         -Internal
        -Staged
     Tokens
         -Active
        -Staged
-Com
     -dmp
     en-US
config
    -BFS
    -Journal
     -RegBack
    -systemprofile
```

Objective: Make file "ABC" in subdirectory "Sage".

Explanation: Creates a new file named "ABC.txt" in the "Sage" subdirectory and allows to enter text.

Syntax:

```
C:\>md SAGE
C:\>cd sage
C:\SAGE>echo.>ABC.txt
```

Objective: Display the content of file "ABC".

Explanation: This command will output the content of the "ABC.txt" file located in the "Sage" subdirectory on the C drive. If the file contains text, we'll see the text displayed in the command prompt.

Syntax:

C:\SAGE>type C:\sage\ABC.txt

Output:

C:\SAGE>type C:\sage\ABC.txt
under file text

Objective: Make subdirectory "MCA" in root directory.

Explanation: This command creates a new directory named "MCA" in the root directory of the C drive.

Syntax:

C:\>md MCA

```
C:\>dir
Volume in drive C is OS
Volume Serial Number is 7EDD-5869
Directory of C:\
06/09/2023 07:48 PM
                        <DIR>
                                      eSupport
01/04/2024 06:34 PM
                        <DIR>
                                      MCA
09/06/2023 08:01 PM
                       <DIR>
                                      MinGW
12/14/2023 08:12 PM
                       <DIR>
                                      Program Files
                                      Program Files (x86)
12/03/2023 08:50 PM
                       <DIR>
10/08/2023 05:36 PM
                        <DIR>
                                      Users
12/06/2023 07:30 PM
                       <DIR>
                                      Windows
09/14/2023 05:09 PM
                        <DIR>
                                      XboxGames
              0 File(s)
                                     0 bytes
               8 Dir(s) 18,434,441,216 bytes free
C:\>
```

Objective: Give new name to the file "ABC" as "XYZ".

Explanation: This command renames the file from "ABC.txt" to "XYZ.txt" in the "Sage" subdirectory on the C drive.

Syntax:

C:\sage>ren ABC.txt XYZ.txt

Objective: Display the name of the disk.

Explanation: Displays the disk volume label and serial number. If don't specify a drive, it shows the volume label of the current drive.

Syntax:

C:\>vol_

Output:

C:\>vol Volume in drive C is OS Volume Serial Number is 7EDD-5869

Objective: Make Subdirectory "BCA" inside subdirectory "Sage".

Explanation: Displays the disk volume label and serial number. If don't specify a drive, it shows the volume label of the current drive.

Syntax:

C:\>md C:\sage\BCA

```
C:\>md C:\sage\BCA
C:\>
C:\>dir C:\sage
Volume in drive C is OS
Volume Serial Number is 7EDD-5869
Directory of C:\sage
01/04/2024 06:44 PM
                        <DIR>
01/04/2024 06:44 PM
                        <DIR>
                                       BCA
01/04/2024 06:39 PM
                                     2 XYZ.txt
              1 File(s)
                                     2 bytes
              2 Dir(s) 18,452,557,824 bytes free
::\>
```

Objective: Remove subdirectory "MCA".

Explanation: The command removes the specified directory, but it will only work if the directory is empty.

Syntax:

C:\>rd MCA

```
C:\>rd MCA
C:\>dir
Volume in drive C is OS
Volume Serial Number is 7EDD-5869
Directory of C:\
06/09/2023 07:48 PM
                       <DIR>
                                       eSupport
09/06/2023 08:01 PM
                                      MinGW
                       <DIR>
12/14/2023 08:12 PM
                       <DIR>
                                      Program Files
12/03/2023 08:50 PM
                       <DIR>
                                      Program Files (x86)
01/04/2024 06:44 PM
                       <DIR>
                                       sage
                                      Users
10/08/2023 05:36 PM
                       <DIR>
12/06/2023 07:30 PM
                       <DIR>
                                      Windows
09/14/2023 05:09 PM
                                      XboxGames
                       <DIR>
              0 File(s)
                                      0 bytes
              8 Dir(s) 18,451,972,096 bytes free
C:\>_
```

Objective: Make an extra copy of file "XYZ" in subdirectory "BCA".

Explanation: Copies a file from a source location to a destination location.

Syntax:

Objective: Display those files on screen which are having secondary name as ".c"..

Explanation: Display copies of file from a source location to a destination location. Specifies the directory (C:) and the pattern to match files with a ".c" extension.

Syntax:

C:\>dir *.C**_**

Objective: Remove file "xyz" from subdirectory "BCA".

Explanation: Deletes or remove the files.

Syntax:

C:\>del C:\sage\BCA\XYZ.txt

Objective: Change position of file "ABC" of subdirectory "sage" to root directory.

Explanation: Moves a file or directory from one location to another.

Syntax:

```
:\>dir C:\
Volume in drive C is OS
 Volume Serial Number is 7EDD-5869
Directory of C:\
06/09/2023 07:48 PM
                       <DIR>
                                      eSupport
                                      MinGW
09/06/2023 08:01 PM
                       <DIR>
12/14/2023 08:12 PM
                       <DIR>
                                      Program Files
12/03/2023 08:50 PM
                       <DIR>
                                      Program Files (x86)
01/04/2024 07:04 PM
                       <DIR>
                                      sage
10/08/2023 05:36 PM
                       <DIR>
                                      Users
12/06/2023 07:30 PM
                                      Windows
                       <DIR>
09/14/2023 05:09 PM
                       <DIR>
                                      XboxGames
01/04/2024 06:39 PM
                                    2 XYZ.txt
              1 File(s)
                                     2 bytes
              8 Dir(s) 18,446,032,896 bytes free
```

Objective: Display those file which are having primary name of three characters and secondary name as anything.

Explanation: Lists files and directories in the specified directory that match the given pattern. The ??? wildcard represents any three characters in the primary name, and .* represents any secondary name (file extension).

Syntax:

C:\>dir C:\???.*