

# Cucumber Report

Nov 6, 2023, 12:48:01 PM

Start : Nov 06, 12:47:38.581 PM

End : Nov 06, 12:48:00.830 PM

Duration : 22.249 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 2  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to orange HRM application in website</u>	22.249 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	<u>Login to orange HRM application in website</u>	<u>Verifying login using valid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login to orange HRM application in website	1	0	1	0	22.249 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to orange HRM application in website</u>	<u>Verifying login using valid credentials</u>	3	2	1	0	22.246 s

## Login to orange HRM application in website

<b>FAILED</b>	<b>DURATION - 22.249 s</b>	Scenarios		Steps	
/ 12:47:38.581 PM // 12:48:00.830 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Verifying login using valid credentials

<div>FAILED</div>	<div>DURATION - 22.246 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:47:38.584 PM // 12:48:00.830 PM /</div>				
<div>Login to orange HRM application in website</div>				
<div>@ValidCredentials</div>				

#	Step / Hook Details	Status	Duration
1	Given User opens HRM login page	PASSED	5.486 s
2	When User gives valid username and password	PASSED	0.677 s
3	Then User should be able to login successfully <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='oxd-topbar-header-breadcrumb']"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [fcf7e5bbb72f716cc40ccbf143074fe4, findElement {using=xpath, value=//span[@class='oxd-topbar-header-breadcrumb']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56762}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a..., userDataDir: C:\Users\dmulinti\AppData\Local\Microsoft\EdgeDevToolsClient\119.0.2151.44}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56762/devtools, se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fcf7e5bbb72f716cc40ccbf143074fe4     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre>	FAILED	11.208 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source)</p> <p>at com.cucumberreports.HomePageActions.getVerifyText(HomePageActions.java:14)</p> <p>at com.cucumberreports.LoginStepDef.user_should_be_able_to_login_successfully(LoginStepDef.java:30)</p> <p>at ?.User should be able to login successfully(file:///C:/Users/dmulinti/eclipse-workspace/CucumberReportsNew/src/test/resources/Features/HRMLoginPage.feature:8)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.cucumberreports.HooksClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.725 s
	Verifying login using valid credentials		
	