
## **Cucumber Report**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to DemoWebShop application	23.413 s	1	0	1	0	3	1	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to DemoWebShop application	Login the website using valid credentials


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login to DemoWebShop application	1	0	1	0	23.413 s

SCENARIOS SUMMARY -- 6 --




#		Scenario Name	T	P	F	S	Duration
1	Login to DemoWebShop application	Login the website using valid credentials	3	1	1	1	23.404 s

DETAILED SECTION -- 7 --

## **Login to DemoWebShop application**

	Steps	
	Total - 3	
1	Pass - 1	3
	Fail - 1	
	Skip - 1	
	1	1 Pass - 1 Fail - 1

## Login the website using valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on DemoWebShop login webpage	PASSED	4.524 s
2	When User provides valid credentials	FAILED	15.032 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='Email']"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: "Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d9abff66a2335a197870e9222dc3a957, findElement {using=xpath, value=//input[@id='Email']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:acccounts: true, ms:edgeOptions: {debuggerAddress: localhost:56834}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a, userDataDir: C:\Users\dmulinti\Approbat\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56834/devtoo, se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d9abff66a2335a197870e9222dc3a957 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:39) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.sendKeys(Unknown Source) at com.Dinesh.TechAssessment3.LoginPageActions.setemail(LoginPageActions.java:18) at com.Dinesh.TechAssessment3.LoginPageActions.login(LoginPageActions.java:29) at com.Dinesh.TechAssessment3.LoginStepDef.user_provides_valid_credentials(LoginStepDef.java:23) at ?.User provides valid credentials(file:///C:/Users/dmulinti/techAssessment_ES6105/com.Dinesh.TechAssessment3/src/test/resources/Features/Login.feature:9) * Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and see homepage	SKIPPED	0.000 s
	AFTER - com.Dinesh.TechAssessment3.HooksClassLogin.tearDown(io.cucumber.java.Scenario)  Login the website using valid credentials	PASSED	1.310 s