

Cucumber Report

Nov 7, 2023, 2:27:13 PM

Start : Nov 07, 2:26:48.123 PM

End : Nov 07, 2:27:13.243 PM

Duration : 25.120 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to DemoWebShop application</u>	25.120 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	<u>Login to DemoWebShop application</u>	<u>Login the website with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@InvalidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login to DemoWebShop application	1	0	1	0	25.120 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to DemoWebShop application	Login the website with invalid credentials	3	2	1	0	25.116 s

Login to DemoWebShop application

FAILED	DURATION - 25.120 s	Scenarios		Steps	
/ 2:26:48.123 PM // 2:27:13.243 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Login the website with invalid credentials

<div><div>FAILED</div><div>DURATION - 25.116 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:26:48.127 PM // 2:27:13.243 PM /				
Login to DemoWebShop application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on DemoWebShop login webpage	PASSED	4.297 s
2	When User provides valid credentials	PASSED	1.446 s
3	Then User should be able to see unsuccessful with error message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Login was unsuccessful. Please correct the errors and try again.']} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [95dc18767d041585496baacd1dcd0b68, findElement {using=xpath, value=//span[text()='Login was unsuccessful. Please correct the errors and try again.']} Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55773}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a..., userDataDir: C:\Users\dmulinti\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55773/devtoo..., se.cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 95dc18767d041585496baacd1dcd0b68 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	15.468 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source) at com.loginPage.HomePageActions.getVerifyText2(HomePageActions.java:17) at com.loginPage.LoginStepDef.user_should_be_able_to_see_unsuccessfull_with_error_message(LoginStepDef.java:38) at ?.User should be able to see unsuccessfull with error message(file:///C:/Users/dmulinti/techAssessment_ES6105/com.Dinesh.TechAssessment3/src/test/resources/Features/Login.feature:16) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.loginPage.HooksClassLogin.tearDown(io.cucumber.java.Scenario)	PASSED	0.982 s
	Login the website with invalid credentials		
	