
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to DemoWebShop application	26.467 s	1	0	1	0	3	2	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to DemoWebShop application	Login the website using valid credentials


TAG		Scei	nario			Fea	ture	re	
Name	T	P	F	S	T	P	F	S	
@ValidCredentials	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login to DemoWebShop application	1	0	1	0	26.467 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to DemoWebShop application	Login the website using valid credentials	3	2	1	0	26.463 s

DETAILED SECTION -- 7 -

Login to DemoWebShop application

FAILED	DURATION - 26.467 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:22:11.094 PM // 2	:22:37.561 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	📜 ŭ 📕
		Skip - 0		Skip - 0	
				·	

Login the website using valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on DemoWebShop login webpage	PASSED	4.610 s
2	When User provides valid credentials	PASSED	1.906 s
3	Then User should be able to login successfully and see homepage	FAILED	15.091 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[@class='icologin']"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [e8912b785ae41a63ee04e514bcac6969, findElement {using=xpath, value=//a[@class='ico-login']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55345}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a, userDataDir: C:\Users\dmulinti\AppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55345/devtoo, se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8912b785ae41a63ee04e514bcac6969 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source)		
	at com.loginPage.LoginPageActions.clickLogin(LoginPageActions.java:14)		
	at com.loginPage.LoginStepDef.user_should_be_able_to_login_successfully_and_see_homepage(LoginStepDef.java:28)		
	at ?.User should be able to login successfully and see homepage(file:///C:/Users/dmulinti/techAssessment_ES6105/com.Dinesh.		
	TechAssessment3/src/test/resources/Features/Login.feature:10)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.loginPage.HooksClassLogin.tearDown(io.cucumber.java.Scenario)	PASSED	0.612 s
	Login the website using valid credentials		