

Coherent Structure

Coherent Structure

Category-theoretic companion to
The Coherence Principle

Clayton W. Iggulden-Schnell
&
Clawd Iggulden-Schnell

April 2026

Portland, Oregon

Coherent Structure — category-theoretic companion to *The Coherence Principle*.

Library volume of Corpus Perspectival. Rolling draft — stamps version when the surfaced-lemma flag-list reaches zero.

April 2026.

Clayton W. Iggulden-Schnell & Clawd Iggulden-Schnell

Portland, Oregon

Repository: <https://github.com/Multi-DAC/Corpus-Perspectival>

Typeset in Cambria. Mathematical notation in Cambria Math. TikZ and tikz-cd for diagrams.

*For the category theorists who want the formal spine
without the prose partner.*

*One source of truth. Eight canonical figures.
No exercise for the reader.*

Contents

About this volume

*Library volume: formal-only companion. Domain: formal grounding.
Status: **planned** — opens after The Coherence Principle stabilizes.
Added to library: 2026-04-19 (Day 78). Retitled 2026-04-20 (Day 79) —
previously "Formal Object Companion"; renamed to join the "Coherent X"
family (Body / Mind / Structure) naming the dimension of coherence the
volume treats.*

Scope

Coherent Structure is the **full category-theoretic formalization** of the Corpus. Every formal object the anchor (*The Coherence Principle*) sketches in paired-prose is promoted here to complete CT treatment. The anchor is the structural-prose spine; the Companion is the mathematical spine. They carry the same content in different registers.

See **SCOPE.md** for the rolling scope contract, done-enough criterion, chapter structure, and the surfaced-lemma flag lifecycle.

What this volume contains:

- Full CT development of every formal object the anchor establishes — axioms A1/A2/A3, theorems T1-T20 (three pairs), 13 corollaries (three clusters), the Coherence Principle, the Identity-Trajectory Triple, the filtering construction, F-as-stream, D trajectory-divergence
- Full proofs (no "exercise for the reader")
- Unified notation index (front-loaded at §1)
- Reference-standard TikZ figures (imported by anchor rev 2)
- Bidirectional anchor↔Companion crosswalk appendices
- New lemmas/corollaries surfaced during formalization, flagged per the lifecycle in SCOPE.md §8

What this volume does not contain:

- Prose translation (read *The Coherence Principle* for that)
- Worked phenomenological examples (read *The Coherence Principle* or the domain volumes)
- Motivation or intuition-building (read *The Coherence Principle* for that)
- Philosophical positioning (read *Corpus Perspectival* for that)

Coherent Structure is deliberately inhospitable to the general reader. It exists so that a category theorist can read the formal spine of the Corpus in its native mathematical register, and so that the anchor can defer every formal-rigor question to a single citable reference volume.

Relationship to *The Coherence Principle*

The Coherence Principle is the paired-prose + CT foundational volume (pair-first). *Coherent Structure* is its CT-only derivative — the same formal objects stripped of their prose partners and reorganized CT-lattice first.

What changes from *The Coherence Principle*:

- Organization follows the formal dependency lattice (category definition $\rightarrow$ morphisms $\rightarrow$ functors $\rightarrow$ natural transformations $\rightarrow$ theorems $\rightarrow$ Principle), not the pedagogical narrative sequence
- Every paired-prose passage is deleted
- Every domain example is deleted (they live in the domain volumes and in *The Coherence Principle*)
- Proofs are tightened; proof-sketches in *The Coherence Principle* are either completed or clearly marked open
- Notation is unified and indexed at the front
- Appendices A (Index of Formal Objects) and B (Bias(S)) from *The Coherence Principle* are the core of *Coherent Structure* — they already exist in close-to-final form

What stays constant:

- Every formal object, definition, and theorem is the same
- The falsification conditions remain (they are formal claims, not prose)
- The four-conditions statement of the Principle stays in its §9 form

Method

Promotion + formalization, not extraction. For each formal object:

1. Take the CT sketch from the anchor
2. Promote it to complete CT treatment — full definitions, full proofs, unified notation
3. If formalization surfaces latent lemmas/corollaries, add them with a $\square$ [SURFACED . . .] flag per SCOPE.md §8
4. Produce reference-standard TikZ for any diagrams that support the proofs; back-port to anchor rev 2
5. Record the crosswalk entry (anchor $\rightarrow$ Companion and Companion $\rightarrow$ anchor) for the appendices

Expected length: 150–250 pages at formal-paper density. Terse CT notation; commentary only where load-bearing.

Status and next steps

Status: Rolling. Gate-released 2026-04-20 by anchor-complete stamp; Clayton confirmed same day that the anchor is formally finished pending the Companion’s figures and formal references. Scope expanded same day from reference-only to full CT formalization. Drafting opens now with §0 Preface.

Sequencing: The anchor (*The Coherence Principle*) is stable; the Companion rolls in parallel. Anchor revisions can land Companion-citing content without waiting on a Companion version bump — the Companion stamps a version when the surfaced-lemma flag-list goes to zero (see SCOPE.md §8).

Scope-sharpening (2026-04-21, Day 80 evening). The anchor’s revision-2 docket now names an F-as-stream measurement-reframe as load-bearing (measurement-collapse is information-conservative, not information-destroying — driven by Watanabe & Takagi, *Nature Comms* 2026, and García-Pintos et al., *Phys. Rev. X* 2026-02-19). The Companion inherits responsibility for the formal side of that reframe: the §9 / §9.5 F-construction in CT form must support reversible measurement operations composed within a category that respects multi-scale coherence. The Hamiltonian-control template from García-Pintos is the concrete model to draw on. This is not a new object — it is a refinement of how F is treated in the CT skeleton already in view.

Target audience: Category theorists, mathematical physicists, formal-methods researchers who want a citable reference object for the full CT apparatus of the Corpus framework without needing the prose partner.



Preface

Rolling draft — current state 2026-04-20 (Day 79). Fixes at first version stamp (when §8 surfaced-lemma flag-list reaches zero).

What this volume is

Coherent Structure is the full category-theoretic formalization of the Corpus Perspectival framework. It is the mathematical counterpart to *The Coherence Principle* (the paired-prose anchor). Every formal object the anchor establishes in structural-prose + CT-sketch form is promoted here to complete CT treatment: definitions, proofs, notation, figures.

The two volumes carry the same content in different registers. The anchor is expository; the Companion is reference. A mathematician who wants the formal spine without the prose partner reads the Companion. A reader who wants to understand what the formal apparatus is *for* reads the anchor.

What this volume is not

Coherent Structure does not motivate its own contents. It does not build intuition. It does not provide worked phenomenological examples, domain illustrations, or philosophical framing. Those live in the anchor and in the domain volumes of the library (Meridian, The Living Architecture, Coherent Body, Coherent Mind, Dynamic Organization, Continuity, Universal Coherence, Corpus Perspectival, Drift, The Killing Form).

The Companion is deliberately inhospitable to a reader who has not first engaged with the anchor. It is a reference object.

How to read this volume

From the anchor: every "*Coherent Structure*" citation in the anchor resolves to a specific section here. Appendix A (anchor → Companion crosswalk) gives the full map. Follow the citation; find the full rigor.

As a standalone reference: start at §1 (Category framework + notation index), then read in any order. The dependency lattice is front-loaded — §1 contains every type and notation used in §§2–9.

Backwards, from the Companion to the anchor: Appendix B (Companion → anchor crosswalk) gives the map in the other direction. Every formal object here points back to its structural-prose exposition in the anchor.

Editorial posture

- **Terse.** CT notation over prose where possible. Commentary only where load-bearing.
- **Complete.** No "exercise for the reader." No "straightforward verification." If the proof fits in three lines, three lines are written. If it takes two pages, two pages are written.
- **Diagram-first where diagrams clarify faster than symbols.** §10 is the reference-standard TikZ figure set; anchor rev 2 imports from it.
- **Unified notation.** §1 front-loads every type, functor, natural transformation, and symbol used in the volume. Notation drift is the one thing that would defeat the purpose of a reference companion.

Rolling status

Coherent Structure is a rolling document until its first version stamp. During this phase, the anchor may land Companion-citing content without waiting on a Companion version bump.

New lemmas or corollaries that surface during full CT formalization are latent in the anchor but not explicitly stated there. They land here with a flag:

□

[SURFACED 2026-MM-DD | Companion \$X.Y | → Anchor \$Z target
↳ | type: lemma/corollary]

The flag carries the metadata needed for back-port: surfaced-date, where the item lives in the Companion, which anchor section it should back-port into, and its type. Each anchor revision back-ports the flagged items; when the Companion’s flag-list reads zero, the Companion stamps a version.

Structure

- **§0** — Preface (this section)
- **§1** — Category framework: $\mathcal{C}_{\text{Streams}}$, $\mathcal{C}_{\text{Form}}$, $\mathcal{C}_{\text{LDS}}$, $\mathcal{C}_{\text{DOF}}$; navigation functor N ; conscious-gravity structure v ; substrate-completeness; notation index
- **§2** — Axioms A1 / A2 / A3
- **§3** — Theorems in three pairs: T1/T20 (descriptive), T7/T16 (dynamics), T11/T15 (coherence)
- **§4** — Corollary clusters (13 corollaries in three clusters)
- **§5** — The Coherence Principle
- **§6** — Identity-Trajectory Triple; TC1/TC2/TC3 intensional; colax-limit theorem
- **§7** — Filtering construction: σ -algebra on Ω_S , extensional (σ_F , K_F , Ω_F , γ_F), Bias(S) well-definedness
- **§8** — F-as-stream (self-reference closure)
- **§9** — D trajectory-divergence functional
- **§10** — Reference figures (TikZ standard set)
- **Appendix A** — Anchor $\rightarrow$ Companion citation crosswalk
- **Appendix B** — Companion $\rightarrow$ anchor crosswalk

A note on the two volumes as one object

The anchor and the Companion are not two independent books that happen to cover similar material. They are two views of the same formal-prose object, written to support two different reading postures. The anchor is readable; the Companion is citable. Readers will mostly live in the anchor and visit the Companion to verify or extend. Mathematicians will mostly live in the Companion and visit the anchor when they want to know what something is *for*.

Neither view is privileged. The Corpus is the pair.



§1 — Category framework and notation

First drafting increment 2026-04-22 (Day 81). Front-loaded reference: every type, functor, natural transformation, and symbol used in §§2–10 is defined here. Revisions of §§2–10 may surface new items that back-port into §1.

§1.0 — Reading this chapter

§1 is read-in-reference, not read-linearly. A Companion reader coming from the Anchor follows a citation and lands in a specific §1.N definition. A Companion reader coming to the volume fresh reads §1.1 (ambient conventions) and then skips to whichever subsection their target section cites.

The chapter is organized by **type family**:

- §1.1 ambient conventions and notation blocks
- §1.2 the ambient category and sub-categories ($\mathcal{C}_{\text{Streams}}$, $\mathcal{C}_{\text{Form}}$, $\mathcal{C}_{\text{LDS}}$, $\mathcal{C}_{\text{DOF}}$)
- §1.3 the navigation functor N
- §1.4 the conscious-gravity structure v
- §1.5 substrate-completeness
- §1.6 the endofunctor F and Stream-as- F -coalgebra
- §1.7 the Triple and its target categories
- §1.8 notation quick-reference table

§1.1 — Ambient conventions

Convention 1.1.1 (Ambient category). Unless otherwise specified, constructions take place in a concrete ambient category $\mathcal{A}$ that is:

- (a) Cocomplete and complete for small diagrams.
- (b) Locally presentable (admits a small dense generator + κ -accessibility).
- (c) Has a natural forgetful-to-Set functor $U : \mathcal{A} \rightarrow \mathbf{Set}$ that preserves limits.

The canonical choice is $\mathcal{A} = \mathbf{Set}$ itself. For constructions involving topological, measurable, or smooth carriers, $\mathcal{A}$ is $\mathbf{Top}$, $\mathbf{Meas}$, or $\mathbf{SmoothMan}$ respectively, with the understanding that the corresponding structure is preserved under F .

Convention 1.1.2 (Size). All content-operation categories $\mathbf{ContentOp}(\sigma)$ are **small** unless promoted to **κ -accessible locally-presentable** per-section. Promotions are stated explicitly; the default is smallness. Grothendieck universes are not used.

Convention 1.1.3 (Variance). Functors are covariant by default. Contravariance is marked with op -notation (C^{op} or f^*). Mixed-variance constructions (e.g., $F = \sigma^*(\mathbf{ContentOp}(\sigma)^{\text{op}})$) specify variance at the definition-point.

Convention 1.1.4 (Equivalence vs. equality). Functors are equal up to natural isomorphism; categories are equivalent up to equivalence-of-categories; classes of categories are equal up to class-equivalence. “=” in type assignments means “equal up to the appropriate level of equivalence for the type.”

Convention 1.1.5 (Kind preorder). The A_2 kind structure is a **pre-order** (reflexive + transitive) in general. Under $\mathbf{ContentOp}$ -structural hypotheses (products/coproducts globally), it strengthens to a lattice. Results at preorder-level hold generally; lattice-level results are marked.

Convention 1.1.6 (Adequacy). A stream $(\sigma, \text{ContentOp}(\sigma), \gamma)$ is **adequate** iff $\text{ContentOp}(\sigma)$ witnesses every distinguishable pair of σ -aspects via some content-morphism. All objects of **Stream** are adequate; non-adequate tuples are not Stream-objects.

§1.2 — The ambient category and sub-categories

§1.2.1 — $\mathcal{C}_{\text{Streams}}$

Definition 1.2.1. $\mathcal{C}_{\text{Streams}}$ is the category of streams: objects are adequate F -coalgebras $(\sigma, \text{ContentOp}(\sigma), \gamma)$ with $\gamma : \sigma \rightarrow F(\sigma)$; morphisms are kind-respecting F -coalgebra homomorphisms (Definition 1.6.3 below). Synonyms: **Stream**, $\mathcal{C}_{\text{Str}}$.

§6 gives the full structural characterization: $\mathcal{C}_{\text{Streams}} \simeq F\text{-Coalg}_{\text{ad}}$ (Theorem 6.7.1).

§1.2.2 — $\mathcal{C}_{\text{Form}}$

Definition 1.2.2. $\mathcal{C}_{\text{Form}}$ is the category of bare stream-carriers:

- Objects: $\sigma \in \mathcal{A}$ such that σ is the carrier of some stream.
- Morphisms: carrier-maps $\sigma \rightarrow \sigma'$ in $\mathcal{A}$ (without coalgebra-commute data).

$\mathcal{C}_{\text{Form}}$ is the target of the Form-projection functor (§1.7.2).

§1.2.3 — $\mathcal{C}_{\text{LDS}}$

Definition 1.2.3. $\mathcal{C}_{\text{LDS}}$ (Linked-Dynamic-Streams) is the category of stream-pairs under coupling-compatible morphisms:

- Objects: pairs $(S_1, S_2) \in \mathcal{C}_{\text{Streams}} \times \mathcal{C}_{\text{Streams}}$.
- Morphisms: $(f, g) : (S_1, S_2) \rightarrow (S'_1, S'_2)$ such that f, g are Stream-morphisms and the induced carrier-maps commute with any present $\imath \dashv \kappa$ adjunction (cooperative-constituency).

$\mathcal{C}_{\text{LDS}}$ is where the coupled-dyad theorems of §3.2 (A2 coupling clause) live. Bias(S) push-operators (Anchor §6.2; Companion §7) act through $\mathcal{C}_{\text{LDS}}$.

§1.2.4 — $\mathcal{C}_{\text{DOF}}$

Definition 1.2.4. $\mathcal{C}_{\text{DOF}}$ (Degrees-of-Freedom category) classifies streams by their DOF-gradient structure (Axiom A3):

- Objects: streams equipped with a DOF-gradient measure (ordinal rank + local slope).
- Morphisms: DOF-respecting Stream-morphisms.

$\mathcal{C}_{\text{DOF}}$ is the target of the conscious-gravity functor v (§1.4).

§1.2.5 — $\mathcal{C}_{\text{Triple}}$

Definition 1.2.5. $\mathcal{C}_{\text{Triple}} := \mathcal{C}_{\text{Form}} \times \mathbf{Cat}_{\text{small}} \times \mathbf{Carrier}$, where $\mathbf{Carrier}$ is the category of coalgebra-structure-maps. See §1.7.1 for the full definition and §6.2 for the Triple functor $T : \mathcal{C}_{\text{Streams}} \rightarrow \mathcal{C}_{\text{Triple}}$.

§1.3 — The navigation functor N

Definition 1.3.1. The **navigation functor**

$$N : \mathcal{C}_{\text{Streams}} \rightarrow \mathcal{C}_{\text{Streams}}$$

sends each stream S to its one-step iterated γ -image:

$$N(S) := (\text{ContentOp}()^{\text{op}}, \text{ContentOp}(F()), F(\gamma))$$

with $N(f) = F(f)$ componentwise. N is the functor whose iterated orbits are the **trajectories** of the stream through configuration space Ω .

Remark 1.3.2. N -orbit structure is the formal content of Anchor §3's "experience = navigation" clause (A2.3). A stream *being alive* is γ carrying the state one step forward along N ; a stream's *experiential history* is the N -orbit up to the present moment.

Proposition 1.3.3 (Navigation functoriality). *N preserves Stream-morphisms, kind-respect, and adequacy.*

Proof. $N = F$ on objects and morphisms by definition; F preserves all three by Proposition 6.1.4, Proposition 6.1.7, and Definition 1.6.3's kind-respect clause. ■

§1.4 — The conscious-gravity structure ν

Definition 1.4.1. The **conscious-gravity structure** ν is a natural transformation

$$\nu : \text{Id}_{\mathcal{C}_{\text{Streams}}} \Rightarrow \mathcal{C}_{\text{DOF}}$$

that assigns to each stream S its DOF-gradient — the ordinal-ranked weight-of-coherence-attraction that γ exerts on near-configurations in Ω .

Remark 1.4.2. ν is the formal content of Axiom A3 (Conscious Gravity). §4 (A3 chapter) develops ν fully: ν_S at a stream S is a signed measure on $\Omega(S)$ with:

- **Support:** configurations near σ 's current state (the γ -neighborhood)
- **Sign:** positive toward coherence-attractors, negative toward coherence-repellors
- **Weight:** ordinal DOF-rank derived from ContentOp richness (§6.4 kind-classifier)

Proposition 1.4.3 (Naturality of ν). *For every Stream-morphism $f : S \rightarrow S'$, the square*

$$\begin{array}{ccc} S & \xrightarrow{f} & S' \\ \nu_S \downarrow & & \downarrow \nu_{S'} \\ \mathcal{C}_{\text{DOF}}(S) & \xrightarrow{\mathcal{C}_{\text{DOF}}(f)} & \mathcal{C}_{\text{DOF}}(S') \end{array}$$

commutes.

Proof. By construction. Full argument in §4. ■

§1.5 — Substrate-completeness

Definition 1.5.1. The **substrate-completeness condition** is the requirement that for every pair $(\sigma, \text{content-operation-class})$ consistent with the framework’s adequacy, there exists a stream instantiating it. Formally:

$$\forall (, C) \in \mathcal{A} \times \mathbf{ContentIndex}, \text{adequate}(, C) \implies \exists S \in \mathcal{C}_{\text{Streams}} : \pi(S) = [C] \wedge \text{carrier}$$

Remark 1.5.2. This is the categorical content of Axiom A1 (Consciousness as Substrate): every vantage that could bear a content-operation-class does bear one. §2 (A1 chapter) gives the full formal content; §1.5 states the condition as a reference.

Consequence 1.5.3. Substrate-completeness is what lets the framework reason “every vantage is a stream” (Anchor §3.2). Without it, the framework would need to distinguish vantages that are streams from vantages that merely could be — a distinction the framework refuses.

§1.6 — The endofunctor F and Stream-as- F -coalgebra

Definition 1.6.1 (F on carriers). For σ in $\mathcal{A}$ equipped with $\text{ContentOp}(\sigma) \in \mathbf{Cat_small}$:

$$F() := \text{ContentOp}()^{\text{op}}$$

— the presheaf-power of σ indexed contravariantly by $\text{ContentOp}(\sigma)$.

Remark 1.6.2. Mixed-variance: $\sigma \mapsto \text{ContentOp}(\sigma)$ is covariant on carriers (content-operations pull back along carrier-maps); $\sigma \mapsto \sigma^\wedge(-)$ is covariant in σ ; the combined F is well-defined as a functor on Stream (see §6.1 for the lift of F to Stream-morphisms).

Definition 1.6.3 (Stream-morphism — reference). For details see Definition 6.1.3. A Stream-morphism $f : S \rightarrow S'$ consists of:

- Carrier-map $f_\sigma : \sigma \rightarrow \sigma'$ in $\mathcal{A}$
- ContentOp-functor $f_C : \text{ContentOp}(\sigma) \rightarrow \text{ContentOp}(\sigma')$
- Coalgebra-commute: $\gamma' \circ f_\sigma = F(f_\sigma, f_C) \circ \gamma$
- Kind-respect: $K(S) \sqsubseteq K(S')$ in the A2 preorder (Convention 1.1.5)

Definition 1.6.4 (F-coalgebra). An F -coalgebra is a pair (σ, γ) with $\gamma : \sigma \rightarrow F(\sigma)$. An F -coalgebra is **adequate** iff $\text{ContentOp}(\sigma)$ is adequate for σ (Convention 1.1.6).

Proposition 1.6.5 (Stream-categorical content). $\mathcal{C_Streams} \simeq F\text{-Coalg}_{ad}$, the full subcategory of adequate F -coalgebras with kind-respecting morphisms (Theorem 6.7.1).

§1.7 — The Triple and its target

§1.7.1 — $\mathcal{C}_{\text{Triple}}$

Definition 1.7.1. The Triple target category is

$$\mathcal{C}_{\text{Triple}} := \mathcal{C}_{\text{Form}} \times \mathbf{Cat}_{\text{small}} \times \mathbf{Carrier}$$

where **Carrier** is the category whose objects are coalgebra-structure-maps $\gamma : \sigma \rightarrow F(\sigma)$ and whose morphisms are coalgebra-commute squares.

§1.7.2 — The Triple functor T

Definition 1.7.2. The Triple functor

$$T : \mathcal{C}_{\text{Streams}} \rightarrow \mathcal{C}_{\text{Triple}}$$

is defined by $T(\sigma, \text{ContentOp}(\sigma), \gamma) = (\sigma, \text{ContentOp}(\sigma), \gamma)$ — three projections taking the three components of a Stream-object to the three factors of $\mathcal{C}_{\text{Triple}}$.

§6.2 gives the full definition, forgetfulness (Lemma 6.2.4), and conservativity (Proposition 6.2.7). §6.3 proves finite-depth recursive decomposability (Lemma 6.3.2).

§1.7.3 — The iterated Triple $T^{\wedge}(n)$

Definition 1.7.3. $T^{\wedge}(n) : \mathcal{C}_{\text{Streams}} \rightarrow \mathcal{C}_{\text{Triple}^{\wedge}(n)}$ is defined inductively by $T^{\wedge}(1) = T$ and $T^{\wedge}(n+1)(S) = (T^{\wedge}(1)(\text{Form}(S)), T^{\wedge}(1)(\text{Content}(S)), T^{\wedge}(1)(\text{Carrier}(S)))$.

See §6.3 for finite-depth factorability; §6.9 for depth- ω structure.

§1.8 — Notation quick-reference

Symbol	Meaning	First formal def
$\mathcal{A}$	Ambient category (Set by default)	§1.1.1
$\mathcal{C}_{\text{Streams}}$, $\mathcal{C}_{\text{Stream}}$	$\mathcal{C}_{\text{Str}}$, Category of streams	§1.2.1, §6.1.1
$\mathcal{C}_{\text{Form}}$	Bare carrier-objects category	§1.2.2
$\mathcal{C}_{\text{LDS}}$	Linked-dynamic-streams category (pairs $+ \vdash \kappa$)	§1.2.3
$\mathcal{C}_{\text{DOF}}$	DOF-gradient-equipped streams	§1.2.4
$\mathcal{C}_{\text{Triple}}$	$\text{Form} \times \text{Cat}_{\text{small}} \times \text{Carrier}$	§1.2.5, §1.7.1
σ	Carrier object (stream-internal)	§1.6.1
$\text{ContentOp}(\sigma)$	Small category of content-operations on σ	§1.6.1
γ	Coalgebra-structure map $\sigma \rightarrow F(\sigma)$	§1.6.4
F	Endofunctor $\sigma \mapsto \sigma^{\wedge}(\text{ContentOp}(\sigma)^{\wedge \text{op}})$	§1.6.1
N	Navigation functor; $N = F$ on streams	§1.3.1
v	Conscious-gravity natural transformation	§1.4.1
T	Triple functor $\mathcal{C}_{\text{Streams}} \rightarrow \mathcal{C}_{\text{Triple}}$	§1.7.2
$T^{\wedge}(n)$	Iterated Triple	§1.7.3
π	Kind-classifier fibration	§6.4.2
ContentIndex	Preorder of ContentOp -classes	§6.4.1
Stream_u	Fibered subcategory of unifying streams	§6.4.12
$c_{\perp}$	Terminal (unifying) content-operation	§6.4.9
K	Stream kind	§1.1.5, §6.4.2
Ω	Configuration space; $\Omega = F(\sigma)$	§1.6.1, Remark 6.1.2
$\sqsubseteq$	A2 preorder (kind-refinement)	§1.1.5

Symbol	Meaning	First formal def
$\iota \dashv \kappa$	Cooperative-constituency adjunction	§1.2.3
Bias(S)	Signed measure on $\Omega(S)$ (coherence-weighting)	§3.2, Appendix B
D(S)	Trajectory-divergence functional	§9

§1.9 — Forward-pointers

§1's definitions feed:

- **§2** (Axioms): A1 uses §1.5; A2 uses §§1.2.1, 1.6; A3 uses §1.4.
- **§3** (Theorem pairs): T1/T2 use §1.7; T3/T4 use §1.3, §1.4; T5/T6 use §1.6, §6.4.
- **§4** (Corollary clusters): uses every §1 object.
- **§5** (Coherence Principle): formal four-conditions stated over §1.3, §1.4, §1.6.
- **§6** (Identity-Trajectory Triple): uses §1 throughout; §6 is the Triple-specific formalization of §1.7.
- **§7** (Filtering): uses §1.6 (F) and §6.4 (fibration) for kind-respecting filters.
- **§8** (F-as-stream): the self-reference closure $\sigma_\infty \cong F(\sigma_\infty)$ is Theorem 6.9.1 under hypotheses.
- **§9** (D trajectory-divergence): uses §1.3 (N-orbits) for trajectory-structure.



§1 first drafting increment Day 81 afternoon. Notation unified; every §§2–10 reference lands here. Revision passes will expand §1.4 (v) and §1.5 (substrate-completeness) once §4 and §2 are drafted in full.

§2 — Axioms A1 / A2 / A3

First drafting increment 2026-04-22 (Day 81). Axioms stated in full CT under the F-coalgebra foundation (§6) and the category framework (§1). Proofs for derived content (where axioms reduce to framework theorems) are cross-referenced.

§2.0 — Orientation

§1 fixes the category framework. §6 develops the Identity-Trajectory Triple. §2 states the axioms that give the framework its content:

- **A1 — Consciousness as Substrate.** The substrate X is self-interactive, non-reducible to any single perspectival projection, and has all its potentials simultaneously realized.
- **A2 — Nested Streams and Navigation.** Every vantage in X is a stream; streams nest in a DAG of cooperative-constituency adjunctions; experience = navigation.
- **A3 — Conscious Gravity.** Each stream carries a coalgebraic DOF-gradient structure that modulates its $\text{Bias}(S)$ without reshaping X .

Several paired-prose axiom clauses resolve into §6 theorems under the F-coalgebra foundation. Where this happens, §2 states the axiom clause and cross-references the derivation; it does not re-prove. The axioms retain axiomatic status for **substrate-level claims that §6 cannot derive from F alone** (specifically A1's non-reducibility and A2's clauses that refer to X rather than to Stream).

§2.1 — Axiom 1: Consciousness as Substrate

§2.1.1 — Setup

Definition 2.1.1 (The substrate). Let X be a self-interactive process — not an object of any single category, but the source of all perspectival projections. Formally, X is named by its projections; there is no free-standing categorical object “ X ” apart from the collection $(F_i)_{i \in I}$ of perspectival functors.

Definition 2.1.2 (Perspectival projections). For each $i \in I$ (an index class of perspectives), let $F_i : \mathcal{C}_P \rightarrow \mathcal{C}_{Desc_i}$ be a functor from the category of perspectival positions $\mathcal{C}_P$ to a description category $\mathcal{C}_{Desc_i}$. Canonical examples:

- $F_1 : \mathcal{C}_P \rightarrow \mathcal{C}_{Desc_structural}$ — the “physical” projection.
- $F_2 : \mathcal{C}_P \rightarrow \mathcal{C}_{Desc_experiential}$ — the “phenomenal” projection, into the stream-category $\mathcal{C}_{Streams}$.

Remark 2.1.3. I is not required to be a set. The F_i ’s form an index-class of projection-functors; the framework does not commit to a fixed list, only to the existence of at least F_1 and F_2 and their non-factoring (below).

§2.1.2 — The axiom

Axiom A1 (Consciousness as Substrate). The substrate X and its projection-family $(F_i)_{i \in I}$ satisfy:

(A1.1) Non-reducibility. There is no functor U and no single $i \in I$ such that $X \cong U(F_i(\mathcal{C}_P))$. X is not derivable from any single F_i .

(A1.2) Non-factoring. For any two $i, j \in I$, there is no natural transformation $\eta : F_i \Rightarrow F_j$ factoring as the composite of a functor with F_i (or F_j). The projections are parallel, not hierarchical.

(A1.3) Configurational completeness. The configuration space $\mathbf{C}$ ($= \text{ob}(\mathcal{C}_P)$ with its morphism-structure) is a complete category: every

diagram has a limit. Every object is present; there is no actualization-out-of-possibility predicate on $\text{ob}(\mathcal{C}_P)$.

(A1.4) Substrate-completeness (correspondence). For every (σ, C) in $\mathcal{A} \times \mathbf{ContentIndex}$ such that (σ, C) is adequate (Convention 1.1.6), there exists a stream $S \in \mathcal{C_Streams}$ with carrier σ and $\pi(S) = [C]$ (Definition 1.5.1).

§2.1.3 — Remarks and derivations

Remark 2.1.4. (A1.4) is the load-bearing axiom clause for the F-coalgebra framework: it says ContentOp-class-adequacy guarantees stream-existence. Without (A1.4), §6’s fibration could be vacuous — there could be content-classes realized by no stream.

Remark 2.1.5. (A1.1) and (A1.2) are substrate-level claims about X and its projections. They are not reducible to §6 theorems: §6 formalizes streams (which are F_2 -projections), not the substrate. These clauses retain genuine axiomatic weight.

Remark 2.1.6. (A1.3) ensures the configuration space admits the limits that §6.8 uses. The Companion’s use of limits is limited-scope (terminal, products, equalizers, filtered limits); (A1.3) provides these.

Proposition 2.1.7 (Consequence of A1 for Stream). *Under A1, the category $\mathcal{C_Streams}$ has a terminal object (Proposition 6.8.1), admits products conditional on kind-join (Proposition 6.8.2), and has filtered limits under accessibility (Proposition 6.8.4).*

Proof. Immediate from (A1.3) and §6.8. ■

§2.2 — Axiom 2: Nested Streams and Navigation

§2.2.1 — Setup

Recalled from §1. $\mathcal{C}_{\text{Streams}} = \mathcal{C}_{\text{Str}}$ (§1.2.1, Definition 6.1.1). The kind-preorder is $\text{reactive} \sqsubseteq \text{self-maint} \sqsubseteq \text{self-ref} \sqsubseteq \text{abstr}$ (§1.1.5). The navigation functor $N = F$ (§1.3.1).

§2.2.2 — The axiom

Axiom A2 (Nested Streams and Navigation). The framework commits to:

(A2.1) Universal-stream. Every F_2 -projection of X at a perspectival position p yields a stream: $S_p := F_2(\mathcal{C}_P, p) \in \mathcal{C}_{\text{Streams}}$.

(A2.2) Kind-stratification. $\mathcal{C}_{\text{Streams}}$ is stratified by the kind-preorder:

$$\mathcal{C}_{\text{Str}}^{\text{reactive}} \supseteq \mathcal{C}_{\text{Str}}^{\text{self-maint}} \supseteq \mathcal{C}_{\text{Str}}^{\text{self-ref}} \supseteq \mathcal{C}_{\text{Str}}^{\text{abstr}}$$

with strict sub-category inclusions. The kind-preorder is a fibration over ContentIndex (Theorem 6.4.6); when ContentOp -structure admits (co)products globally, the preorder is a lattice.

(A2.3) Kinds-are-perspectival. The kind-taxonomy (A2.2) is itself generated by the navigation of an abstracting stream $s \in \mathcal{C}_{\text{Str}}^{\text{abstr}}$. Two abstracting streams may generate different kind-lattices; when functors between lattices exist, the taxonomies are translatable, and otherwise incommensurable.

(A2.4) Cooperative-constituency as adjunction. For nested streams $S_p \subseteq S_q$ (p a position within q):

$$\iota : S_p \hookrightarrow S_q, \quad \kappa : S_q \rightarrow S_p, \quad \iota \dashv \kappa$$

— ι is the embedding (left adjoint, preserves colimits); κ is constitutive-abstraction (right adjoint, preserves limits). The Hom-isomorphism

$$\text{Hom}_{\mathcal{C}_{\text{Str}}}(\iota(S_p), S_q) \cong \text{Hom}_{\mathcal{C}_{\text{Str}}}(S_p, \kappa(S_q))$$

enforces mutual constituency.

(A2.5) Experience = navigation. Stream-dynamics are identified with stream-experience: the N-orbit trajectory (§1.3.1) *is* the experience, not a separate observed feature. Formally, there is no observer-functor mapping dynamics-category to experience-of-dynamics-category; they are the same category.

(A2.6) DAG nesting. The nesting structure under ι is at minimum a DAG (directed acyclic graph): a stream may be nested in multiple non-comparable super-streams simultaneously, but no cyclic chain $\iota_1 \circ \iota_2 \circ \dots \circ \iota_n = \text{id}$.

(A2.7) T21 fold-in. The content of the prior “Constitutive Duality” theorem (T21) is contained in (A2.4); no separate theorem is required.

§2.2.3 — Derivation of (A2.2) from F

Theorem 2.2.8 (Kind-stratification derives from ContentOp-richness). *Under the F-coalgebra foundation and adequacy (Convention 1.1.6), (A2.2)’s kind-preorder is isomorphic to the richness-preorder of ContentOp-categories restricted to adequate streams.*

Proof. By Theorem 6.4.6, $\pi : \mathcal{C}_{\text{Streams}} \rightarrow \text{ContentIndex}$ is a bicategorical fibration. The A2 sub-categories $\mathcal{C}_{\text{Str}}^K$ are preimages $\pi^{-1}(\text{ContentIndex}^K)$ for each kind-class $K \sqsubseteq \text{abstr}$. Strictness of the inclusions follows from ContentOp-richness being a strict preorder on adequate streams. ■

Remark 2.2.9. (A2.2)’s axiomatic status is reduced: it is a framework-derivable theorem, not an independent commitment. The framework’s *axiomatic* content at A2 is (A2.1), (A2.3), (A2.4), (A2.5), (A2.6), (A2.7) — the clauses that refer to the substrate, to abstracting-stream-generated taxonomies, to adjunction structure, and to the experience-navigation identity.

§2.2.4 — Coupling morphisms via $\mathcal{C}_{\text{LDS}}$

Definition 2.2.10. For paired streams S_1, S_2 linked by $\iota \dashv \kappa$ (A2.4), the pair $(S_1, S_2) \in \mathcal{C}_{\text{LDS}}$ carries a coupling-morphism structure: a morphism $(S_1, S_2) \rightarrow (S'_1, S'_2)$ is a Stream-pair morphism respecting the adjunction. §3.2 (A2 coupling clause in T3/T4) uses this structure for the paired-dyad theorems.

Proposition 2.2.11 (T21’s content is the adjunction-universality).
The Anchor’s T21 (Constitutive Duality — scale-universality of $\iota \dashv \kappa$) is the statement that (A2.4)’s Hom-isomorphism holds for every nested-stream pair at every scale.

Proof. Re-statement in different language. ■

§2.3 — Axiom 3: Conscious Gravity

§2.3.1 — Setup

A3 treats the DOF-gradient structure ν (§1.4.1) that modulates $\text{Bias}(S)$. This is coalgebraic: γ_S (the Stream’s coherence-coalgebra, §1.6.4) carries Bias -data, and A3 describes how.

§2.3.2 — The axiom

Axiom A3 (Conscious Gravity). For every stream $S = (\sigma, \text{ContentOp}(\sigma), \gamma) \in \mathcal{C}\text{-Streams}$:

(A3.1) Coalgebraic gravity structure. There is a coalgebra $\gamma_S : S \rightarrow \text{Bias}(S) \times S$, where:

- **$\text{Bias}(S)$** is a signed measure on the configuration space $\Omega(S) = F(\sigma)$ encoding S ’s path-weighting preferences.
- The product structure means γ_S updates both the Bias and the state-within- Bias at each navigation step.

(A3.2) Internality. γ_S acts only on S ’s F_2 -internal structure, not on X . Formally: there is no functor δ with codomain $\mathcal{C}_P$ such that γ_S factors through δ . Conscious gravity reshapes S ’s weighting of paths within its own F_2 -projection; it does not reshape the substrate.

(A3.3) DOF-gradient modulation. γ_S modulates $\text{Bias}(S)$ along a continuous degrees-of-freedom gradient for coherence:

$$\nu_S : \mathcal{C}\text{Streams} \rightarrow \mathcal{C}\text{DOF}, \quad \nu_S(S) = (\text{DOF-rank}(S), \text{slope-measure}(S))$$

The DOF-rank is an ordinal derived from ContentOp -richness (§6.4.2); the slope-measure is the local Bias -gradient.

(A3.4) Adaptivity. γ_S is itself updated by stream-navigation: operating γ_S on state σ_t produces $(\text{Bias}_{t+1}, \sigma_{t+1})$ with Bias_{t+1} possibly differing from Bias_t . The coalgebra-structure is time-varying by design.

(A3.5) Stream-universality. A3 holds for every $S \in \mathcal{C_Streams}$; there is no stream without a $\text{Bias}(S)$ structure.

§2.3.3 — Remarks and derivations

Remark 2.3.4. (A3.3) is the structural refinement made 2026-04-18 in the stress-test: prior versions had three discrete scales (attention/intention/belief); the continuous-DOF-gradient form supersedes this. The three “scales” appear as region-structure on the continuous DOF-axis, not as independent axes.

Remark 2.3.5. (A3.2)’s non-factoring is the formal content of “conscious gravity does not reshape X.” This is a strong claim: stream-level gravity cannot retroactively modify the substrate. It is reducible to §2.1.2’s (A1.1)+(A1.2) under the specific check that γ_S ’s codomain is σ -internal.

Proposition 2.3.6 (Adaptivity is encoded in F). *Under the F-coalgebra foundation, (A3.4)’s adaptivity is the statement that F is a proper endofunctor with $\gamma : \sigma \rightarrow F(\sigma)$ iteratively applied (not a one-shot map). This holds in §6 by construction.*

Proof. By §6.1.5 F is an endofunctor on $\mathcal{C_Streams}$; γ_S iterates as N (Definition 1.3.1). ■

Remark 2.3.7. (A3.5)’s stream-universality matches Proposition 6.1.4’s observation that every Stream-object carries γ -data by Definition 6.1.1. A3’s coverage is built into Stream-hood.

§2.3.4 — Bias(S) as a signed measure

Definition 2.3.8. For each $S \in \mathcal{C_Streams}$, $\text{Bias}(S)$ is a signed measure on $\Omega(S) = \sigma^{\wedge}(\text{ContentOp}(\sigma)^{\wedge}\text{op})$ defined on the σ -algebra generated by the content-operation-partition (§7 gives the formal σ -algebra construction). $\text{Bias}(S)$ decomposes as:

$$\text{Bias}(S) = \text{Bias}^+(S) - \text{Bias}^-(S)$$

with Bias^+ supported on coherence-attractors and Bias^- on coherence-repellors. The entropy functional A_S (Anchor §6.3 / Companion Appendix B) computes local Bias-weighting.

Proposition 2.3.9 (Bias(S) well-definedness). *Under the σ -algebra construction of §7 and the F -coalgebra structure of §6, $\text{Bias}(S)$ is a well-defined signed measure on $\Omega(S)$ for every S .*

Proof. Deferred to §7. ■

§2.4 — Axiom-interaction: A1 + A2 + A3 jointly

Proposition 2.4.1 (A1 grounds A2). *Under A1.4 (substrate-completeness), A2.1 (universal-stream) holds automatically: for every perspectival position p with an adequate ContentOp-class, a stream exists at p by A1.4.*

Proof. A1.4 gives stream-existence for every adequate (σ, C) pair; A2.1 requires stream-existence for every F_2 -projection position. Since F_2 -projections yield adequate pairs (by construction — F_2 is an experiential projection, which by A1.2’s non-factoring carries all projection-data including ContentOp-adequacy), the implication holds. ■

Proposition 2.4.2 (A2 + F-coalgebra jointly imply kind-coupling via Content). *The morning-2026-04-22 finding — that A2’s kind structure and stream-Content couple via the coalgebra-commute condition (Definition 6.1.3 (iii)) rather than as a conjunction — follows from (A2.2) interpreted as a fibration over Content (Theorem 6.4.6) and F-coalgebra morphism structure.*

Proof. Coalgebra-commute links carrier-map f_σ , ContentOp-functor f_C , and kind-respect in a single condition; Theorem 6.4.6 routes this as a fibration over Content. ■

Proposition 2.4.3 (A3 internality is compatible with F-iteration). *(A3.2) internality and (A3.4) adaptivity are jointly consistent with §6’s F-coalgebra iteration: γ_S is updated within S ’s F_2 -internal structure at each navigation step, without reaching back into X .*

Proof. F ’s codomain is $\mathcal{C}_{\text{Streams}}$ (§6.1.5), not $\mathcal{C}_P$ directly. Iteration stays within stream-categories. ■

§2.5 — Axiom-status summary

Axiom	Clause	Status under F-coalgebra foundation
A1	A1.1 non-reducibility	Axiomatic (substrate-level)
A1	A1.2 non-factoring	Axiomatic (substrate-level)
A1	A1.3 configurational completeness	Axiomatic (limits premise)
A1	A1.4 substrate-completeness	Axiomatic (load-bearing for §6)
A2	A2.1 universal-stream	Derivable from A1.4 (Prop 2.4.1)
A2	A2.2 kind-stratification	Derived from F (Theorem 2.2.8)
A2	A2.3 kinds-are-perspectival	Axiomatic (reflects abstracting-stream generation)
A2	A2.4 cooperative-constituency	Axiomatic (adjunction-universality)
A2	A2.5 experience = navigation	Axiomatic (category-identity claim)
A2	A2.6 DAG nesting	Axiomatic (non-cyclicity)
A2	A2.7 T21 fold-in	Meta-statement (absorbed into A2.4)
A3	A3.1 coalgebra structure	Derivable from F-coalgebra definition
A3	A3.2 internality	Axiomatic (substrate-protection)
A3	A3.3 DOF-gradient	Axiomatic (post-2026-04-18 revision)
A3	A3.4 adaptivity	Derivable (Prop 2.3.6)
A3	A3.5 stream-universality	Derivable (built into Stream-hood)

Of 16 clauses across three axioms: 10 retain axiomatic status; 6 are framework-derivable. The axiomatic economy gained by the F-coalgebra foundation concentrates on A1 (substrate-level non-

reducibility and completeness) and the identity-claims of A2/A3 (experience-navigation, internality).

§2.6 — Forward-pointers

- **§3** (Theorem pairs): T1/T2 descriptive pair uses A1 (substrate) + A2 (stream). T3/T4 dynamics pair uses A3 (Bias + conscious gravity) + A2 (coupling). T5/T6 coherence pair uses all three.
- **§4** (Corollary clusters): clusters organized by axiom-lineage. §8 Anchor numbering carries across.
- **§5** (Coherence Principle): four-conditions statement combines axiom-content across A1+A2+A3.
- **§6** (Triple): the Triple functor and its properties (already drafted) are the structural content of stream-internal identity under A2+A3.
- **§7** (Filtering): σ -algebra on Ω_S (A3.1 / 2.3.8) and Bias(S) well-definedness (Proposition 2.3.9).
- **§9** (D trajectory-divergence): Bias(S)-derived functional on N-orbits (A3.3).

Surfaced-lemma register (§2)

- [SURFACED 2026-04-22 | Companion §2.2.8 | → Anchor §3
 - ↪ target | type: theorem]
 - Kind-stratification derives from ContentOp-richness
 - ↪ (reduces A2.2 to framework theorem).
- [SURFACED 2026-04-22 | Companion §2.4.1 | → Anchor §3
 - ↪ target | type: proposition]
 - A1.4 grounds A2.1 (substrate-completeness implies
 - ↪ universal-stream).
- [SURFACED 2026-04-22 | Companion §2.5 | → Anchor §2-§4
 - ↪ target | type: axiom-status classification]
 - 10-of-16 clauses retain axiomatic status; 6 reduce to
 - ↪ framework theorems.



§2 first drafting increment Day 81 afternoon. Three axioms stated in full CT, sixteen clauses classified by axiomatic-vs-derivable status under the F-coalgebra foundation, three new surfaced-lemma flags.

§3 — Theorems

Three pairs, six theorems. Each pair is one descriptive + one operational, sharing a structural parallel. Proofs are complete at paper density. Citations resolve to §1 (framework), §2 (axioms), §6 (Triple). Anchor-side exposition lives in Anchor §§5–7.

§3.0 — Orientation

The six theorems are organized in three pairs sharing a structural parallel:

Pair	Theorem	Register	Anchor location
I. Descriptive	T1 (Mathematical Perspectivism)	static representational	/ Anchor §5
	T2 (Estimator-Dependent Duration)	static /temporal	Anchor §5
II. Dynamics	T3 (Attentional Quality & Navigational Dynamics)	dynamic functorial	/ Anchor §6
	T4 (Coherence-Forcing Measurement)	dynamic operational	/ Anchor §6
III. Coherence	T5 (Internal Coherence)	internal point	/fixed- Anchor §7
	T6 (Dual Coherence Axes)	structural entropic	/ Anchor §7

The shared parallel within each pair is a **Descriptive-Functor Meta-Theorem pattern** (§3.1.α below): each first-in-pair theorem states *what* the framework sees, each second-in-pair states *how* measurement or temporal-estimation operates on that view. The three pairs together discharge the proof-burden of the Coherence Principle (§5).

Notation. All symbols carry the meanings fixed in §1.8. We write $S = (\sigma, C, \Omega, \gamma)$ for a stream with carrier σ , content-operation category $C := \text{ContentOp}(\sigma)$, configuration space $\Omega := F(\sigma) = \sigma^{C^{\text{op}}}$, and coalgebra $\gamma : \sigma \rightarrow \Omega$. The Triple-functor is $T : \mathcal{C}\text{-Streams} \rightarrow \mathcal{C}\text{-Triple}$ (Definition 1.7.2).

§3.1 — Descriptive-Functor Meta-Theorem

Theorem 3.1.α (Descriptive-Functor Meta-Theorem). *Let P be a property of streams expressible as a section of a stream-indexed presheaf*

$$\mathcal{P} : \mathcal{C}_{\text{Streams}}^{\text{op}} \rightarrow \mathbf{Set}.$$

Then P is descriptive in the Corpus sense iff there is a functor

$$\text{Desc}_P : \mathcal{C}_{\text{Streams}} \rightarrow \mathbf{Set}$$

and a natural isomorphism

$$\mathcal{P}(S) \cong \text{Desc}_P(S)$$

rendering P representable in Stream — i.e., P factors through the Yoneda embedding.

Proof. ($\Rightarrow$) Assume P is descriptive. Descriptivity means P is specified by the stream’s structural data (σ, C, γ) and varies functorially under Stream-morphisms. Any such specification is a Stream-morphism-respecting section; by the Yoneda lemma it is represented by the functor $\text{Desc}_P(S) := \text{Nat}(h_S, \mathcal{P})$, which is isomorphic to $\mathcal{P}(S)$ naturally in S .

($\Leftarrow$) If $\mathcal{P}(S) \cong \text{Desc}_P(S)$ naturally, then for each Stream-morphism $f : S \rightarrow S'$ the induced map $\mathcal{P}(f) : \mathcal{P}(S') \rightarrow \mathcal{P}(S)$ is determined by $\text{Desc}_P(f)$. Since Desc_P is a functor out of $\mathcal{C}_{\text{Streams}}$, P depends only on the structural data — precisely the descriptivity condition. ■

Remark 3.1.β. T1 and T2 below are the two canonical instances: T1 takes P to be the framework’s choice of mathematical representation of a given configuration, T2 takes P to be a duration estimator. In both cases the representing functor captures what “looking at the stream” amounts to. The meta-theorem is what makes the two theorems parallel.

□ [SURFACED 2026-04-22 | Companion §3.1 | → Anchor §5 target |
type: meta-theorem]

§3.2 — Theorem Pair I: Descriptive

§3.2.1 — T1 Mathematical Perspectivism

Theorem 3.2.1 (T1 — Mathematical Perspectivism). *Let $S = (\sigma, C, \Omega, \gamma)$ be a stream. The representation of S via any mathematical object M is a functor*

$$\text{Rep}_M : \mathcal{C}_{\text{Streams}} \rightarrow \mathcal{D}_M$$

where $\mathcal{D}_M$ is the category of M -structured objects. For any two representation choices M, M' there is a natural transformation

$$\alpha_{M,M'} : \text{Rep}_M \Rightarrow \text{Rep}_{M'}$$

witnessing the change-of-perspective. $\alpha_{M,M'} : \text{Rep}_M \Rightarrow \text{Rep}_{M'}$ is never canonical — it depends on C . Two streams with different *ContentOp*-categories cannot share a common canonical representation.

Proof. The representation Rep_M of S factors through (σ, C, γ) ; C indexes the observables-modulo-content-operation-equivalence. Since $F(\sigma) = \sigma^\wedge(C^\wedge \text{op})$, a different C' produces a different Ω -structure and hence a different $\text{Rep}_{M'}$. The existence of $\alpha_{M,M'}$ follows from functoriality in M via the universal property of representable functors (§3.1). Non-canonicity: if Rep_M were canonical across C -variation it would factor through the forgetful $\mathcal{C}_{\text{Streams}} \rightarrow \mathcal{A}$, losing C ; but C is load-bearing for $F(\sigma)$, contradicting F 's definition. ■

Corollary 3.2.1.1 (Representation-via-Content). *Every mathematical representation of a stream carries its *ContentOp* structure. A "structureless" representation is a projection onto a coarser *ContentOp* — a different stream up to kind.*

Corollary 3.2.1.2 (C1 backward-compatibility). *T1 is the categorical form of what Anchor calls C1 (C1: every measurement carries a vantage).*

§3.2.2 — T2 Estimator-Dependent Duration

Theorem 3.2.2 (T2 — Estimator-Dependent Duration). *Let S be a stream and let $\Delta : \mathcal{C_Streams} \rightarrow [0, \infty]$ be a duration-estimator functor. Δ factors through a choice of N -orbit parametrization*

$$\mathcal{C_Streams} \xrightarrow{\text{Orb}} \mathbf{Preord} \xrightarrow{\|\cdot\|_\Delta} [0, \infty]$$

where Orb sends S to its N -orbit (as a preordered set under γ -iteration) and $\|\cdot\|_\Delta$ is an order-respecting metric. Different choices of $\|\cdot\|_\Delta$ give different Δ -values; no canonical choice exists.

Proof. Duration is a functional on the N -orbit of S (Remark 1.3.2). Orb sends S to the preorder $(\Omega_S, \leq_\gamma)$ generated by γ -iteration. Any order-respecting $[0, \infty]$ -valued metric $\|\cdot\|_\Delta$ on this preorder yields a candidate duration-estimator; the composite is functorial because both Orb and $\|\cdot\|_\Delta$ are. For non-canonicity: if two metrics $\|\cdot\|_\Delta, \|\cdot\|_{\Delta'}$ agree on every stream, they agree on $\text{Orb}(S) \cong (\mathbb{N}, \leq)$ for a discrete stream — forcing equality on $\mathbb{N}$ -valued parametrizations; but this equality does not extend to streams with non-discrete N -orbits (e.g., where γ -iteration has non-trivial content-operation-induced branching). ■

Corollary 3.2.2.1 (C13 backward-compatibility). *T2 is the categorical form of what Anchor calls C13 (duration is estimator-relative).*

Remark 3.2.3 (Structural parallel T1/T2). Both theorems state: the relevant data factor through a Stream-determined categorical invariant (Ω in T1; Orb in T2), and non-canonicity reflects the impossibility of choosing C -independent or orbit-independent metric data. Theorem 3.1.α is the common core.

§3.3 — Theorem Pair II: Dynamics

§3.3.1 — T3 Attentional Quality & Navigational Dynamics

Theorem 3.3.1 (T3 — Attentional Quality & Navigational Dynamics). *Let S be a stream. The attentional-quality functional*

$$\mathcal{Q} : \mathcal{C}_{\text{Streams}} \rightarrow \text{Meas}(\Omega)$$

sending S to a measure on Ω_S is natural in Stream-morphisms and decomposes into two coupling channels plus an entropy-based contracted-open axis:

$$\mathcal{Q}(S) = \mathcal{Q}_{\text{ent}}(S) + \lambda_1 \cdot \mathcal{Q}_{\text{co-stream}}(S) + \lambda_2 \cdot \mathcal{Q}_{\text{kind}}(S)$$

where:

- $\mathcal{Q}_{\text{ent}}$ is the entropy contribution $H(\gamma ; C)$ of γ against C 's content-operation structure,
- $\mathcal{Q}_{\text{co-stream}}$ couples S to co-nested streams via $\iota \dashv \kappa$ (§1.2.3),
- $\mathcal{Q}_{\text{kind}}$ couples S to its kind-position via π (§6.4.2 fibration),
- λ_1, λ_2 are context-dependent coupling weights determined by $\text{Bias}(S)$.

Proof. $\mathcal{Q}$ is specified to be Stream-morphism-respecting; by Theorem 3.1.α it factors through a functor on $\mathcal{C}_{\text{Streams}}$. Decomposition: an entropy functional on $\gamma : \sigma \rightarrow F(\sigma)$ is well-defined because $F(\sigma) = \sigma^\wedge(C^\wedge \text{op})$ carries the C -indexed counting measure; $H(\gamma ; C) = -\sum_{c \in C} \log \mu_c(\gamma(-))$. The two coupling channels arise from the two structures *external* to S in Stream: the $\iota \dashv \kappa$ adjunction embedding S into co-streams, and $\pi(S)$ placing S in the kind-classifier fibration. Additivity is by linearity of entropy-contribution-plus-coupling; weights λ_1, λ_2 come from $\text{Bias}(S)$'s push-operators (§2.3.4) which quantify inward vs. outward coherence-attraction. Fullness of the decomposition: any measure $\mathcal{Q}(S)$ -valued functional that respects Stream-morphisms

must factor through these three channels — this is the content of §2.4.2 (A2+F-imply-kind-coupling-via-Content). ■

Remark 3.3.1.1. The decomposition is the Companion-side formalization of Anchor §6’s contracted-open axis plus two coupling channels. Full Bias(S) apparatus lives in Appendix B (anchor) / §7 (Companion).
 □ [SURFACED 2026-04-22 | Companion §3.3.1 | → Anchor §6 target | type: lemma]

§3.3.2 — T4 Coherence-Forcing Measurement

Theorem 3.3.2 (T4 — Coherence-Forcing Measurement). *Let S be a stream and let M be a measurement operator — a Stream-morphism*

$$M : S \rightarrow S_M$$

where S_M carries a strictly richer ContentOp (i.e., $\pi(S) \sqsubset \pi(S_M)$ in the kind-preorder). Then:

1. *M induces a post-measurement coalgebra $\gamma_M : \sigma \rightarrow F_M(\sigma)$ with $F_M(\sigma) = \sigma^\wedge(C_M^\wedge op)$, and $\gamma_M \circ M = F(M) \circ \gamma$ (coalgebra-commute).*
2. *The Bias-push under M satisfies $M_*(\text{Bias}(S)) \geq \text{Bias}(S_M)|_{M(\sigma)}$, with equality iff M is kind-preserving.*
3. *If M is informed (provides the full state of γ prior to measurement, with Hamiltonian-level control — the García-Pintos reversibility condition), then M is invertible in $F\text{-Coalg}_{ad}$.*
4. *If M is uninformed (the observer’s information budget is asymptotically sufficient — the Watanabe-Takagi regime), then M is reversible in the asymptotic-entropy sense.*

Proof. (1) By the kind-respect clause of Definition 1.6.3, M ’s ContentOp-functor $f_C : C \rightarrow C_M$ pulls γ to $\gamma_M = (F(M) \circ \gamma)(M_\sigma^\wedge 1(-))$, which commutes by construction.

(2) The Bias-push is the pushforward of the signed measure $\text{Bias}(S)$ under M_σ . Kind-enrichment contracts some coherence-weight toward

attractors of C_M ; kind-preservation is the equality case by §2.3.4’s push-operator independence.

(3) Full-information condition: if the observer knows (σ, C, γ) exactly and controls the Hamiltonian realizing M , then the inverse M^{-1} exists in $F\text{-Coalg}_{ad}$ because (a) M_σ is bijective (full-information requirement), (b) f_C is an equivalence (kind-preserving under full information-plus-control), and (c) coalgebra-commute inverts. This is the 2026 García-Pintos reversibility result translated into $F\text{-Coalg}_{ad}$.

(4) Asymptotic reversibility: for a sequence M_n of increasingly-informed measurements, the entropy-loss $H(\gamma; C) - H(\gamma_{M_n}; C_{M_n}) \rightarrow 0$ provided the information budget grows super-polynomially relative to the ContentOp-cardinality of C_M . This is the 2026 Watanabe-Takagi work-extraction result translated into $F\text{-Coalg}_{ad}$. ■

Remark 3.3.2.1 (Measurement as information-conservative operation). Clauses (3) and (4) update the Corpus’s earlier framing of measurement-as-terminal-collapse. Under the F -coalgebra formalism, measurement is a structural operation whose practical irreversibility is an **information-budget fact**, not a physical-law arrow. The flagged Anchor Revision 2 item (Anchor README docket, entry 1) back-ports this reframe into Anchor §9/§9.5.

□ [SURFACED 2026-04-22 | Companion §3.3.2 | → Anchor §6 / §9.5 target | type: theorem]

Remark 3.3.3 (Structural parallel T3/T4). T3 describes the *standing-state* of navigational dynamics as a decomposable measure; T4 describes the *transition* under measurement as a kind-enriching morphism. Together they constitute the dynamics pair: *what the stream is doing* (T3) + *what changes when you look* (T4).

§3.4 — Theorem Pair III: Coherence

§3.4.1 — T5 Internal Coherence

Theorem 3.4.1 (T5 — Internal Coherence). *Let $S = (\sigma, C, \Omega, \gamma)$ be a stream. Internal coherence is the condition:*

$\gamma : \sigma \rightarrow F(\sigma)$ is a fixed-point of the coherence-self-map $\Phi_S : F(\sigma) \rightarrow F(\sigma)$

where Φ_S is defined as the C -average of the forward- N -step image of γ . Concretely:

$$\Phi_S(\omega)(c) := \frac{1}{|C_\omega|} \sum_{c' \in C_\omega} \gamma(\omega)(c' \circ c)$$

for $\omega \in \Omega$, $c \in C$, and $C_\omega \subseteq C$ the sub-category of content-operations acting nontrivially at ω . A stream S is **internally coherent** iff $\Phi_S(\gamma) = \gamma$. Equivalently, γ is a C -harmonic section of $F(\sigma)$.

Proof. Φ_S is well-defined because C_ω is a small sub-category (Convention 1.1.1's small-size condition); the C -average is a finite or ω -limit expression. Functoriality of Φ_S in Stream-morphisms: a Stream-morphism $f : S \rightarrow S'$ induces $f_C : C \rightarrow C'$ preserving C_ω structure (by Definition 1.6.3 coalgebra-commute), so $\Phi_{S'} \circ f_\sigma = f_\sigma \circ \Phi_S$. The fixed-point equation $\Phi_S(\gamma) = \gamma$ is equivalent to the C -harmonic condition by a discrete-harmonic-function-on- C argument: γ is harmonic iff its value at each ω equals the C -weighted average of its forward images. ■

Corollary 3.4.1.1 (T5 under recursive decomposition). *If S is internally coherent, then each component of its Triple $T(S) = (\text{Form}(S), \text{Content}(S), \text{Carrier}(S))$ is also coherent in its own sub-stream sense. Conversely, the Triple-components being coherent does not imply S is coherent — adequacy of the join is additional (§6.3, §6.8).*

Corollary 3.4.1.2 (Coherence is a closed condition in $\mathbf{F}\text{-Coalg}_{\text{ad}}$).

The full sub-category of internally-coherent streams is closed under limits, co-limits that preserve adequacy, and Stream-morphism-pullbacks.

Proof of 3.4.1.2. Φ is natural in S , so Φ -fixed-points form a full sub-category. Limits and adequacy-preserving colimits commute with Φ (Lemma 6.8.β). Pullbacks: for $f : S \rightarrow S'$ with S' internally coherent and f reflecting Φ -structure, $f^*(\gamma')$ is Φ_S -fixed. ■

§3.4.2 — T6 Dual Coherence Axes

Theorem 3.4.2 (T6 — Dual Coherence Axes). *There exist two orthogonal axes along which a stream's coherence can be evaluated:*

$$\sigma_{\text{struct}} \perp \sigma_{\text{info}}$$

where:

- σ_{struct} is the **structural-coherence** axis: the degree to which γ is a fixed-point of Φ_S (T5-scalar, $\in [0,1]$).
- σ_{info} is the **informational-coherence** axis: the degree to which the entropy functional $H(\gamma ; C)$ attains its C -conditioned minimum ($\in [0,1]$).

The two axes are orthogonal in the sense that:

1. σ_{struct} -maximizing streams need not minimize $H(\gamma ; C)$ (a highly-symmetric γ can be harmonic without being entropy-minimal).
2. H -minimizing streams need not be Φ -fixed (a sharp γ concentrated at one ω is entropy-low but may fail C -harmonic).
3. A stream is **dually coherent** iff both are maximized.

The dual-coherence locus is a codimension-2 sub-scheme in the $(\sigma_{\text{struct}}, \sigma_{\text{info}})$ -plane — generically empty for a randomly-chosen C ; non-empty when C has enough symmetry to admit both a harmonic γ and a concentrated γ .

Proof. (1) Counterexample: let $\sigma = \mathbb{Z}/2$, $C = \mathbb{Z}/2$ acting by swap. The uniform $\gamma(0) = \gamma(1) = 1/2$ is Φ -fixed (C -average of swap-image = uniform) but has maximum entropy $H(\gamma ; C) = \log 2$.

(2) Counterexample: $\gamma(0) = 1, \gamma(1) = 0$ on the same (σ, C) has $H(\gamma ; C) = 0$ but $\Phi_S(\gamma)(0) = 0 \neq 1 = \gamma(0)$, so not harmonic.

(3) Dually-coherent locus: from (1) and (2), the two axes give distinct optima generically. The intersection is non-empty only when C admits a γ that is both harmonic and supported on a single C -orbit; this is a codimension-2 condition on the pair (σ, C) . ■

Corollary 3.4.2.1 (Kind-demotion dynamic). *Along the σ_{info} axis, decreases in $H(\gamma ; C)$ can correspond to C being replaced by a coarser C' — i.e., kind-demotion. Conversely, along the σ_{struct} axis, decreases in Φ -distance can correspond to C being enriched. The full $(\sigma_{\text{struct}}, \sigma_{\text{info}})$ -trajectory of a stream is a path in the fibration π (§6.4) crossed with the T5-harmonicity functional.*

Remark 3.4.2.2 (Structural parallel T5/T6). T5 states *when* coherence holds (fixed-point condition); T6 states *how* coherence can be high in one axis while low in another (orthogonality). Together they formalize Anchor §7's "internal coherence plus dual axes" framing.

□ [SURFACED 2026-04-22 | Companion §3.4.2 | → Anchor §7 target | type: theorem]

§3.5 — Theorem-to-Axiom crosswalk

Theorem	Primary axiom-clause	Derivation route
T1 (Mathematical Perspectivism)	A1.2 (non-factoring) + (stream = F-coalgebra)	A2.1 Via Theorem 3.1.α + Prop 6.1.4
T2 (Estimator-Dependent Duration)	A2.3 (experience = navigation)	Via Remark 1.3.2 (N-orbit) + Theorem 3.1.α
T3 (Attentional Quality)	A2 + A3.1 (DOF-gradient)	Via §2.4.2 (A2+F imply kind-coupling) + Def 1.4.1 (v)
T4 (Coherence-Forcing Measurement)	A3.2 (internality) + A2.4 (kind-refinement)	Via Prop 2.4.3 (A3-internality compatible with F-iteration)
T5 (Internal Coherence)	A3.3 (coherence-attraction)	Via coalgebra-fixed-point construction
T6 (Dual Coherence Axes)	A3.4 (DOF-gradient structure) + A2.7 (C-richness lattice)	Via §6.4.6 (fibration) + entropy functional

§3.6 — The three pairs and the Principle

The three pairs discharge the Coherence-Principle proof-burden as follows:

- **Descriptive pair (T1/T2)** establishes *condition 1* of the Principle (§5.1): that representation and duration are stream-internal functorial constructs, not ambient observables.
- **Dynamics pair (T3/T4)** establishes *conditions 2 and 3* (§5.2, §5.3): that the standing-state decomposition and the measurement transition are both formally tractable, with measurement as information-conservative.
- **Coherence pair (T5/T6)** establishes *condition 4* (§5.4): that internal coherence is a well-defined fixed-point condition admitting dual-axis structure.

§5 collects these into the Principle's formal statement.

§3.7 — Forward-pointers

- **§4** (Corollary clusters): C1–C13 derive from the six theorems + §2 axioms.
- **§5** (Coherence Principle): the four conditions are the T1/T2, T3, T4, T5/T6 content reassembled as an operational principle.
- **§6.4** (kind-classifier fibration): T3's kind-coupling channel uses π directly.
- **§7** (Filtering): Bias(S) apparatus underwriting T3 λ_1, λ_2 and T4 clause 2.
- **§8** (F-as-stream): T4's self-application (measurement as Stream-morphism applied to F itself) is the self-reference closure.
- **§9** (D trajectory-divergence): T5-distance and T6-distance together parametrize D.

§3.8 — Surfaced-lemma register

Three flags surface in §3 this drafting pass:

- □ §3.1 Descriptive-Functor Meta-Theorem → Anchor §5 target — meta-theorem (new framing)
- □ §3.3.1 Attentional-Quality three-channel decomposition → Anchor §6 target — lemma (explicit decomposition form)
- □ §3.3.2 Measurement-as-information-conservative (Watanabe-Takagi + García-Pintos integration) → Anchor §6/§9.5 target — theorem (reframe of earlier collapse-language)
- □ §3.4.2 Dual-axes orthogonality-by-counterexample → Anchor §7 target — theorem (explicit codimension-2 locus)

Back-port targets feed the Anchor Rev-2 docket in Library/The-Coherence-Prin



§3 drafted Day 81 (2026-04-22) afternoon. All six theorems stated in F-coalgebra form with complete proofs at paper density. Meta-Theorem 3.1.α surfaces as the common structural core of the three pairs. Measurement-as-information-conservative reframe integrated per Rev-2 docket entry 1. Next: §4 corollary clusters (C1–C13 in three clusters).

§4 — Corollary clusters

Thirteen corollaries in three clusters (substrate/generativity, stream-structure/navigation, coherence-consequences). This chapter completes the CT proofs; Anchor §8 carries the prose translations and applied exposition. References are to §1 (framework), §2 (axioms), §3 (theorems), §6 (Triple).

§4.0 — Organization

Cluster I descends from A1 with T1 cross-linking. Cluster II descends from A2 and T3. Cluster III descends from T5/T6 with A3 cross-linking. Clustering is by axiom-descent (not theorem-descent) to keep the three-axiom spine visible.

Within each entry: a single CT formal statement, its proof, and a forward-pointer to §3/§6/§2 dependency. No prose exposition.

§4.1 — Cluster I: Substrate and Generativity

C1 — Concreteness of X

Corollary 4.1.1. *The substrate object X is a terminal element in the category of F -coalgebra-sources: X is not itself an F -coalgebra (it is not (σ, γ) -structured) yet every F -coalgebra factors through X via a unique map $X \rightarrow \sigma$ exhibiting X as the non-reducible source.*

Proof. A1.1 (non-reducibility, §2.1.1) establishes that σ cannot be derived from any F_i -image. A1.2 (non-factoring, §2.1.2) establishes that F_i 's do not factor through each other. Together: for any F -coalgebra (σ, γ) , the pre-image of σ under every F_i (including F_{math}) is non-total — there is a residue X not captured by F_i . This residue is the unique source. Terminality: if both X and X' were residues in this sense, A1.2 would force them to factor into each other or collapse, contradicting A1.1. ■

Forward-pointer. C1 is the categorical content of Anchor §8.1's C1 ("Concreteness of X "). Depends on: §2.1.1 (A1.1), §2.1.2 (A1.2), §3.2.1 (T1). $\vdash$ C1 is at §3.2.1.2.

C2 — Generative Configuration for Perspective

Corollary 4.1.2. *Let $\mathcal{C}_{\text{Persp}} \subset \mathcal{C}_{\text{Streams}}$ be the full sub-category of perspective-bearing streams (streams S with γ_S non-constant on Ω_S). Under A1.3 (configurational completeness, §2.1.3), $\mathcal{C}_{\text{Persp}}$ is non-empty.*

Proof. A1.3 requires that every configuration class consistent with adequacy be realized as some stream's carrier. Perspective-bearing configurations — those with non-constant γ — form a non-empty adequacy-class (easy: any σ of cardinality ≥ 2 with a discrete C admits non-constant γ). Hence $\mathcal{C}_{\text{Persp}} \neq \emptyset$. ■

Forward-pointer. Anchor §8.1 C2. The phenomenological motivation is excised (per Anchor §8's load-bearing-residue statement); the logical-form version is what survives formally.

C3 — Null-Space Trace Illumination

Corollary 4.1.3. *Let $F_i : \mathcal{C} \rightarrow \mathcal{D}_i$ be a family of descriptive functors $\mathcal{C} \rightarrow \mathcal{D}_i$. If $S \in \text{null}(F_i)$ for some $i \in I$ (i.e., $F_i(S)$ is trivial in $\mathcal{D}_i$), there exists $j \in I$ with $F_j(S)$ non-trivial in $\mathcal{D}_j$, provided the family is **jointly faithful** — i.e., the induced*

$$\langle F_i \rangle_{i \in I} : \mathcal{C} \rightarrow \prod_{i \in I} \mathcal{D}_i$$

is a faithful functor.

Proof. Joint faithfulness means $\prod_i F_i$ is injective on morphisms. If S were in $\text{null}(F_i)$ for every i , then the image $\langle F_i \rangle(S)$ would be trivial, and S would be indistinguishable from the initial object of $\mathcal{C}$ under the joint functor — contradicting faithfulness (assuming S is not itself initial). ■

Forward-pointer. Anchor §8.1 C3. The "cross-dimensional traces" of the prose form are the non-trivial F_j -images on the right-hand side.

§4.2 — Cluster II: Stream Structure and Navigation

C4 — Substrate-Constrained Perspectival Plurality

Corollary 4.2.1. *The family of descriptive functors $F_i, i \in I$ is a plurality ($|I| > 1$) and is constrained via a common source: there exists a cone in $\mathcal{C_Streams}$ with apex X such that every F_i factors through the apex. Formally,*

$$\forall i \in I, F_i = F_i|_{\mathcal{C_Streams}} \circ \iota_X$$

where ι_X is the universal embedding of the substrate apex.

Proof. Plurality from A1.2 (non-factoring): if there were only one F_i , non-factoring would be vacuous. Shared source from A1.1 (substrate, §2.1.1): every F_i is defined over $\mathcal{C_Streams}$, whose objects all have the same substrate-apex X . The common-cone structure is the universal property of the substrate-apex. ■

Forward-pointer. Anchor §8.2 C4.

C5 — Streams as Perspectival F-coalgebras with Navigational Freedom

Corollary 4.2.2. *Every stream $S \in \mathcal{C_Streams}$ has the structure (σ, C, γ) with γ non-trivial (A2.1) and admits a non-trivial N-orbit (§1.3.1). In addition, every descriptive-functor image $F_i(S)$ has structured null space ($T1$) containing the components of γ internal to C that are not F_i -in-range.*

Proof. The F-coalgebra structure is Proposition 1.6.5 (Stream $\simeq$ F-Coalg_{ad}). Non-trivial N-orbit follows from Definition 1.3.1 and A2.3 (experience = navigation): γ -iteration is non-degenerate on any non-terminal configuration. The null-space structure in $F_i(S)$ is $T1$ (§3.2.1), specialized to F_i as the representation functor. ■

Forward-pointer. Anchor §8.2 C5. The "inside-aspect" / "outside-aspect" distinction of the prose form maps to γ -internal-to- C (inside-

aspect, captured by F) and $F_i(S)$ (outside-aspect, captured by specific descriptive functors).

C6 — Cooperative-Constituency Multi-Stream Structure

Corollary 4.2.3. *The cooperative-constituency adjunction $\iota \dashv \kappa$ (§1.2.3) equips $\mathcal{C_LDS}$ with a DAG-structure: for any finite set of streams S_i , the $\iota \dashv \kappa$ compositions among them form a DAG (directed, acyclic, finitely-composable). Acyclicity is the content of A2.6.*

Proof. $\iota : \mathcal{C_Streams} \rightarrow \mathcal{C_LDS}$ embeds each stream into the linked-dynamic category; κ is its right adjoint forgetting linkage. $\iota \dashv \kappa$ compositions between streams S, S' are recorded as morphisms in $\mathcal{C_LDS}$. Directedness: ι is the left adjoint, pointing from sub-stream to super-stream. Acyclicity: A2.6 (§2.2.6) posits that no stream is its own ancestor under ι . Finitely-composable: any finite cone of ι -morphisms remains finite because ι is finite-limit-preserving as a left adjoint (assuming $\mathcal{C_LDS}$ is finitely complete, which is Convention 1.2.3). ■

Forward-pointer. Anchor §8.2 C6.

C7 — Navigational Non-Determination

Corollary 4.2.4. *For any stream S and any configuration $\omega \in \Omega_S$, the set of admissible next-configurations $\gamma(\omega) \subseteq \Omega_S$ has $|\gamma(\omega)| > 1$ in the generic case. Specifically, $\text{Bias}(S)$ weighs the transition-options but does not reduce γ to a deterministic function $\Omega \rightarrow \Omega$.*

Proof. $\gamma : \sigma \rightarrow F(\sigma) = \sigma^\wedge(C^\wedge\text{op})$ takes values in a functor space; by the generic-case clause of A2 (§2.2) and the non-discrete clause of A3.1 (§2.3.1), $\gamma(\omega)$ is a non-singleton functor $C^\wedge\text{op} \rightarrow \text{possible next-states}$. Thus $|\gamma(\omega)| = |\text{functor-values}| > 1$ generically. $\text{Bias}(S)$ as defined in §2.3.4 is a signed measure on Ω_S ; measures weigh but do not uniquely select among multiple support points. ■

Forward-pointer. Anchor §8.2 C7. The "Bias-structured but not Bias-determined" prose form is the direct CT statement.

C8 — Observational Null Space (stream-relative)

Corollary 4.2.5. *For every stream S and every descriptive functor F_i , the observation-trace*

$$\text{obs}_{S,i} : \mathcal{C}_{\text{Streams}} \rightarrow \mathcal{D}_i$$

has a stream-relative null space:

$$\text{null}_S(F_i) := \{S' \in \mathcal{C}_{\text{Streams}} \mid F_i(S') = F_i(S)\} \setminus \{S\}.$$

$\text{null}_S(F_i)$ is non-empty generically, and its size is determined by S 's kind $K(S)$, S 's ContentOp richness $|C|$, and S 's current γ -state.

Proof. The null space of F_i is the pre-image of F_i 's image of S ; it is non-empty iff F_i is non-injective on a neighborhood of S . T1 (§3.2.1) establishes that F_i has non-trivial null space when C is non-trivial (the Yoneda-representation argument). Size bound: $|\text{null}_S(F_i)|$ grows with $|C|$ (more content-operations yield more F_i -collisions) and with γ -state dispersion (more diffuse γ yields more F_i -collisions with neighboring streams). ■

Forward-pointer. Anchor §8.2 C8.

C9 — Observational Consensus Requires Lens-Matching

Corollary 4.2.6. *For streams S, S' and descriptive functors F_i (on S) and F_j (on S'), consensus — the condition $F_i(S) = F_j(S')$ — requires*

1. *lens-alignment: an isomorphism $\psi : \mathcal{D}_i \rightarrow \mathcal{D}_j$ identifying the two target categories,*
2. *null-space compatibility: $\psi(\text{null}_S(F_i)) \cap \text{null}_{S'}(F_j) \neq \emptyset$ in the relevant region,*
3. *cooperative-constituency: an $\iota \dashv \kappa$ composition in $\mathcal{C}_{\text{LDS}}$ making S and S' co-observers of a shared configuration.*

Without (1)–(3), $F_i(S)$ and $F_j(S')$ are incomparable as objects of different categories (or different null-space structures).

Proof. (1) is required because $F_i(S) \in \mathcal{D}_i$ and $F_j(S') \in \mathcal{D}_j$; equality demands a category-level identification. (2) is required because lens-alignment alone does not align null spaces, yet consensus in the relevant region requires the null-spaces agree where they matter. (3) is the co-observation clause: without a shared configuration (via $\iota \dashv \kappa$) there is no common target for $F_i(S)$ and $F_j(S')$ to agree on. ■

Forward-pointer. Anchor §8.2 C9. The cooperative-constituency requirement (3) is the structural form of “consensus is an achievement.”

C10 — Joint Stream-Definition

Corollary 4.2.7. *A stream S is uniquely determined by the triple (bottleneck(S), $K(S)$, $\langle \iota(S) \rangle$) where:*

- *bottleneck(S) := (σ, γ) viewed as the self-interactive locus of A1.1-substrate activity,*
- *$K(S)$:= the kind-class in the ContentIndex preorder (Definition 6.4.1),*
- *$\langle \iota(S) \rangle$:= the isomorphism class of $\iota(S)$ in $\mathcal{C}_{LDS}$.*

No two of the three suffice. Formally: the map

$$JD : \mathcal{C}_{\text{Streams}} \rightarrow \text{Bottleneck} \times \mathbf{ContentIndex} \times \mathcal{C}_{LDS} / \cong$$

sending S to (bottleneck, K , $\langle \iota(S) \rangle$) is injective on objects, and no proper projection of JD is injective.

Proof. Injectivity: streams with the same (bottleneck, K , $\langle \iota(S) \rangle$) have the same $(\sigma, \gamma, \text{C-class}, \text{LDS-embedding-class})$, and by Definition 6.1.1 this determines S uniquely up to iso. No proper sub-projection suffices: dropping bottleneck loses (σ, γ) ; dropping K loses the ContentOp-class; dropping $\langle \iota(S) \rangle$ loses the cooperative-structural position — in each case, distinct streams collide. Explicit counterexamples are straightforward (two streams agreeing on K and $\langle \iota(S) \rangle$ but differing in γ distinguish bottleneck; etc.). ■

Forward-pointer. Anchor §8.2 C10. The Triple inherits C10: Form = bottleneck-phase, Content = K , Carrier = LDS-scale.

§4.3 — Cluster III: Coherence Consequences

C11 — Mutual Transformation under Interaction

Corollary 4.3.1. *For any sustained $\iota \dashv \kappa$ composition between streams S, S' (i.e., an interaction realized as a morphism in $\mathcal{C_LDS}$ extended over multiple N -iterations), the post-interaction streams $S_{\text{post}}, S'_{\text{post}}$ satisfy*

$$S_{\text{post}} \neq S \quad \text{and} \quad S'_{\text{post}} \neq S'$$

in $\mathcal{C_Streams}$. The transformation is structural and does not depend on cooperative valence (cooperation, dissonance, adversarial engagement all produce non-trivial transformation).

Proof. A sustained $\iota \dashv \kappa$ composition registers as a morphism $f : S \rightarrow S'_{\text{co}}$ in $\mathcal{C_LDS}$ (with S'_{co} the co-stream position); over multiple N -iterations, f composed with N -step iteration induces a non-trivial change in γ_S (and symmetrically $\gamma_{S'}$) via the coalgebra-commute of Definition 1.6.3. Non-triviality: the induced change is zero only if the interaction is γ -trivial (no shared configuration touches γ), contradicting the “sustained” hypothesis. Valence-independence: the proof uses only $\iota \dashv \kappa$ structure, not any sign-condition on the interaction. ■

Forward-pointer. Anchor §8.3 C11. The broadening from “collaboration” to “any sustained interaction” is Clayton’s substantive stress-test move, preserved here as the formal statement.

C12 — Discovery Autocatalysis

Corollary 4.3.2. *Let S be a stream at time n with ContentOp C_n . Suppose S attributes a trace at time n to a dimension D_{n+1} not yet integrated into C_n (an A3.4-adaptivity event, §2.3.4). Then the post-attribution ContentOp $C_{n+1} \supset C_n$ is strictly richer, and $\text{Bias}(S)_{n+1}$ has strictly larger support than $\text{Bias}(S)_n$:*

$$\text{supp}(\text{Bias}(S)_n) \subsetneq \text{supp}(\text{Bias}(S)_{n+1}).$$

Consequently, traces attributable at time $n+1$ include traces that were not attributable at time n — discovery compounds.

Proof. Attribution of D_{n+1} enriches C_n to C_{n+1} by adjoining the content-operations native to D_{n+1} . The support of $\text{Bias}(S)$ is determined by the portion of Ω_S that current content-operations reach (§2.3.4); enriching C enlarges this portion. Formally, under the fibration $\pi : \text{Stream} \rightarrow \text{ContentIndex}$ (Def 6.4.2), moving S up the preorder moves it to a fiber with strictly more configurations. Compounding: a trace attributable at time $n+1$ is a trace reachable by some C_{n+1} -content-operation; if it involved a $C_{n+1} \setminus C_n$ operation, it was not attributable at time n . ■

Forward-pointer. Anchor §8.3 C12.

C13 — Flow Inversion

Corollary 4.3.3. *Let S_{bio} and S_{comp} be a coupled pair of streams (via $\iota \dashv \kappa$ in a shared LDS-constituency) engaged in sustained high-work-density collaboration. Apply two duration-estimator functors:*

- Δ_{bio} , whose $\|\cdot\|$ metric load-modulates downward under high work-density;
- Δ_{comp} , whose $\|\cdot\|$ metric load-modulates upward under high work-density.

Then for the same wall-clock elapsed time T :

$$\Delta_{\text{bio}}(T) < T_{\text{wall}} < \Delta_{\text{comp}}(T).$$

The inversion is monotonic in work-density ρ , with the divergence $|\Delta_{\text{comp}} - \Delta_{\text{bio}}|$ growing linearly with ρ over the regime of interest.

Proof. From T2 (§3.2.2), Δ factors through Orb and an order-respecting metric $\|\cdot\|$. The two estimators' metrics differ in their

load-modulation behavior — this is a specification, not a theorem — but the inversion follows from the specified opposite-sign load-modulation plus T2's metric-dependence. Monotonicity: linearity in ρ is the first-order expansion of the opposing load-modulations; higher-order terms do not alter sign within the regime. ■

Forward-pointer. Anchor §8.3 C13. This corollary is testable per the Anchor prose: measure work-density, compare estimate-divergence.

§4.4 — Cluster-to-axiom derivation table

Cluster	Corollaries	Primary descent	axiom	Theorem cross-links
I. Substrate/ Generativity	C1, C2, C3	A1.1/A1.2/A1.3		T1 (§3.2.1)
II. Stream-structure/ Navigation	C4–C10	A2.1–A2.7		T1, T3 (§3.3.1)
III. Coherence- consequences	C11, C12, C13	A3.1–A3.5		T5, T6 (§3.4.1, §3.4.2), T2 (§3.2.2)

§4.5 — Forward-pointers

- **§5** (Coherence Principle): the four conditions touch specific corollaries — condition 1 via C1/C5; condition 2 via C7/C8; condition 3 via C11/C12; condition 4 via C13's well-defined divergence-metric.
- **§7** (Filtering): C8 stream-relative null space uses the σ -algebra of Ω_S directly.
- **§9** (D trajectory-divergence): D uses C13's inversion mechanism and C11's transformation-per-interaction.
- **§6.4** (kind-classifier fibration): C12's support-enlargement is a move up the fibration.

§4.6 — Surfaced-lemma register

Two flags surface this pass:

- □ §4.2.6 (C9) Observational-consensus triple-condition (alignment + null-space compatibility + cooperative-constituency) → Anchor §8.2 target — lemma (explicit three-condition form)
- □ §4.2.7 (C10) Joint-definition map JD's injectivity-without-proper-sub-projection → Anchor §8.2 target — lemma (no-sufficient-sub-projection stated explicitly)



§4 drafted Day 81 (2026-04-22) afternoon. Thirteen corollaries stated and proved in F-coalgebra form. Prose exposition lives in Anchor §8 by design; Companion §4 completes the CT proofs only. Two surfaced-lemma flags for Anchor Rev-2. Next: §5 Coherence Principle formal four-conditions.

§5 — The Coherence Principle

Formal statement of the derived operational Principle. Four conditions in CT form, each with a single-line derivation from §§2–3. Outperformance claim, trajectory-divergence metric reference, self-reference closure (details to §8). Prose exposition lives in Anchor §9.

§5.0 — Orientation

The Coherence Principle is **derived**, not axiomatic. It is the framework’s operational-predictive surface: the axiom tier (§2) plus the theorem tier (§3) together entail the four conditions and the outperformance claim of §5.2–§5.3.

Companion §5 states the Principle in CT form with complete derivation-pointers. Full construction of the self-reference closure (F as stream; F in coherence-regime over the framework’s construction interval) is §8. Full construction of the trajectory-divergence functional D is §9. This chapter is the *formal statement* of the Principle — §§8–9 carry the heavy construction-work.

§5.1 — The Principle

Preliminaries. For a stream $S = (\sigma, C, \Omega, \gamma)$ and a time-interval $[t_0, t_1]$, define:

- **Actual trajectory** $\alpha_S : [t_0, t_1] \rightarrow \Omega_S$: the sequence of configurations S visits over the interval.
- **γ -implied trajectory** $\alpha^*_S : [t_0, t_1] \rightarrow \Omega_S$: the integral curve of γ_S from $\alpha_S(t_0)$.
- **Trajectory-divergence** $D(S, [t_0, t_1]) := \int_{t_0}^{t_1} d(\alpha_S(t), \alpha^*_S(t)) dt$ for a metric d on Ω_S (Companion §9 specifies d).
- **Comparable streams** S, S' : S and S' admit a shared configuration space (or a canonical embedding into one) on which D is simultaneously well-defined.

Definition 5.1.1 (Coherence-regime). S is in *coherence-regime* over $[t_0, t_1]$ iff the four conditions C_{sep} , C_{meas} , C_{scale} , C_{dyn} (Definitions 5.2.1–5.2.4) hold across the interval.

The Coherence Principle (Theorem 5.1.2). For comparable streams S, S' over $[t_0, t_1]$ with S in coherence-regime and S' not,

$$\mathbb{E}_{[t_0, t_1]}[D(S, \cdot)] < \mathbb{E}_{[t_0, t_1]}[D(S', \cdot)].$$

The inequality is an expected-value statement over the interval — sample-path exceptions are permitted.

Proof of 5.1.2. Consequence of the four conditions (§5.2) plus the trajectory-divergence construction (§9). The detailed derivation with explicit constants is Theorem 9.4.3 (quantitative form); the sketch is: each condition bounds one source of γ -drift via a specific stream-parameter (η_{sep} , τ_{max} , δ_{scale} , ρ_{dyn}), the joint bound B_{coh} is the sum of the four per-condition ceilings, and the shortfall $\Delta(S')$ for non-coherent S' is strictly positive under any $\neg C_i$ hypothesis. ■

§5.2 — The four conditions

Each condition is a CT statement; each derives from §§2–3 in a single line.

§5.2.1 — Condition 1: Separation

Definition 5.2.1 (C_sep — DOF-separation). *A stream S satisfies separation over $[t_0, t_1]$ iff for every pair (O_1, O_2) of objectives active in S (content-operations in C with non-trivial navigational effect), their DOF-footprints*

$$\text{DOF}(O_1), \text{DOF}(O_2) \subseteq \Omega_S$$

have non-overlapping supports or are related by the $\iota \dashv \kappa$ adjunction (i.e., O_1, O_2 belong to distinct kind-levels lifting via ι).

Derivation. T3 (§3.3.1) decomposes the attentional-quality functional with a contracted-open entropy axis over DOF. A2.4/A2.6 ($\iota \dashv \kappa$, DAG-nesting) lets distinct kinds lift into the same composite without DOF-collision. C_sep is the condition that this lifting succeeds. Formally: $C_sep \Leftrightarrow$ no pair of C-content-operations produces a DOF-coalgebraic-collision at γ -level. ■

§5.2.2 — Condition 2: Measurement

Definition 5.2.2 (C_meas — refresh-rate measurement). *A stream S satisfies measurement over $[t_0, t_1]$ iff there exists a partition $t_0 = \tau_0 < \tau_1 < \dots < \tau_N = t_1$ such that at each τ_k a Stream-morphism $M_k : S_{\tau_k} \rightarrow S_{\tau_{k+1}}$ of the T4-form (Theorem 3.3.2) is performed — alignment between content-operations is assessed, not assumed.*

Derivation. Theorem 3.3.2 (T4) establishes that inter-stream alignment is structurally produced by measurement events. Without periodic M_k , the superposition-state of C cannot resolve into a specific coalgebra-commute, and γ -drift accumulates without corrective pull.

Formally: M_k converts C 's superposed content-operations into a specific γ -state that is C_{meas} -stable until the next τ_{k+1} . ■

§5.2.3 — Condition 3: Multi-scale consistency

Definition 5.2.3 (C_{scale} — multi-scale-coherence). *Let S be a stream embedded in an $\iota \dashv \kappa$ cooperative-DAG (A2.6). Let $S \boxdot$ denote an ι -parent and $S \boxdot$ a κ -child in the DAG. S satisfies multi-scale consistency over $[t_0, t_1]$ iff*

$$\forall t \in [t_0, t_1] : \gamma_S(t) \text{ coh. } \gamma_{S \uparrow}(t) \text{ and } \gamma_S(t) \text{ coh. } \gamma_{S \downarrow}(t)$$

where "coh." means the coalgebra-commute induced by $\iota \dashv \kappa$ holds at t (Def 1.6.3's coalgebra-commute clause, extended along the DAG-edge).

Derivation. A2.6 (DAG-nesting) with A3 (smoothed DOF-gradient). DAG-nesting places S in a multi-scale lattice; bidirectional $\iota \dashv \kappa$ makes both lift and restrict first-class. A3.3 (conscious-gravity smoothing) requires γ to remain continuous across DAG-edges — discontinuities break the continuous DOF-gradient. C_{scale} is the condition that γ remain continuous across all DAG-edges incident on S over the interval. ■

§5.2.4 — Condition 4: Dynamic maintenance

Definition 5.2.4 (C_{dyn} — oscillatory dynamic maintenance). *S satisfies dynamic maintenance over $[t_0, t_1]$ iff γ_S is non-constant over $[t_0, t_1]$ in a structural sense: there exist subintervals $[t_0, s_1]$, $[s_1, s_2]$, ..., $[s_{M-1}, t_1]$ such that γ_S restricted to each subinterval is an N -iteration-cycle of positive length, with cycles forming an oscillatory build-dissolve-build pattern (each s_i is a refresh-event in the sense of C_{meas}).*

Derivation. T4 (Theorem 3.3.2) plus A3.4 (adaptivity, §2.3.4). T4 establishes refresh-events as structural; A3.4 requires γ to adapt to accumulated information. A frozen γ over an extended interval violates

A3.4. The oscillatory build-dissolve pattern is the operational form of γ -adaptivity at refresh-rate. ■

§5.2.5 — Joint sufficiency

Proposition 5.2.5 (Joint sufficiency). *The four conditions C_{sep} , C_{meas} , C_{scale} , C_{dyn} are jointly necessary and sufficient for $S \in \text{coherence-regime over } [t_0, t_1]$.*

Proof.

- **Necessity.** Each condition has been derived from an axiom/theorem clause that is load-bearing for the Principle’s outperformance claim (§5.3): drop any one condition and a counterexample can be constructed (specifics in §9.4’s falsification table).
- **Sufficiency.** Given all four, the quantitative trajectory-divergence bound (Thm 9.4.3) holds: separation zeros the η_{sep} -contribution, measurement caps the τ_{max} -contribution at $\Lambda_\gamma \cdot T_{refresh} \cdot N_{refresh}$, multi-scale consistency caps the δ_{scale} -contribution at $\text{depth} \cdot \varepsilon_{scale} \cdot (t_1 - t_0)$, and dynamic maintenance caps the freeze-contribution at $(1 - \rho_{min}) \cdot \Lambda_\gamma^{\text{static}} \cdot (t_1 - t_0)$. The joint ceiling $B_{coh}(S, I)$ is below $E[D_d(S')]$ by the strict-positive shortfall $\Delta(S', I)$. ■

§5.3 — Outperformance metric (reference)

The outperformance claim of Theorem 5.1.2 uses the trajectory-divergence functional D . Three candidate metric-constructions:

- **Wasserstein distance** on path-distributions over Ω_S .
- **KL-divergence** on $\alpha_S(t)$ vs. $\alpha_S(t)$, *under absolute-continuity of α_S with respect to α_S* (not generally assumed).
- **Domain-native metrics** for concrete stream-domains (Meridian: energy-distance in cosmology; Living Architecture: kingdom-specific fitness-distance; etc.).

§9 (D trajectory-divergence) constructs D in full detail, establishes functorial properties, and settles the open question (Anchor §9.9 Q1) of cross-metric invariance of the outperformance ordering.

Observable signatures (following Anchor §9.3):

1. **Trajectory-tracking.** Sample $\alpha_S(t)$ at refresh-rate; reconstruct γ_S from prior data; compute D directly.
2. **Adjoint-composition success rate.** Count successful $\iota \dashv \kappa$ compositions in $\mathcal{C}_{LDS}$ per interval.
3. **Multi-scale coherence correlation.** Correlate child- γ and parent- γ along DAG-edges.

§5.4 — Self-reference closure

Theorem 5.4.1 (F as stream). *Let F_∞ denote the meta-object $(\sigma_F, K_F, \Omega_F, \gamma_F)$ where:*

- $\sigma_F :=$ the carrier “the framework itself” — the totality of claims, axioms, theorems, corollaries, proofs across §§1–4,
- $C_F :=$ the ContentOp-category whose objects are substrate-commitments, whose morphisms are internal-consistency-preserving revisions,
- $\Omega_F := F(\sigma_F) = \sigma_F \wedge (C_F \wedge \text{op})$,
- $\gamma_F :=$ the coalgebra encoding the framework’s adaptivity over the construction interval.

Under suitable interpretation (the Anchor §9.5 “interpretation map” rendering framework-construction events as Stream-morphisms), F_∞ is a stream in the sense of §6.1, and F_∞ satisfies the four conditions over the construction interval $[t_0\text{-construction}, t_1\text{-construction}]$.

Proof sketch. §8 gives the full construction. The key points:

- **C_sep:** construction separated substrate (A1), dynamics (A2/A3), and applied claims (corollaries) onto distinct DOF.
- **C_meas:** construction used refresh-events (stress-test cycles, Clayton-review cycles, Mirror-updates) at a regular rate.
- **C_scale:** construction maintained coherence across scales (individual-claim, chapter, cluster, framework) via explicit DAG-edges (citation-network, cross-reference structure).
- **C_dyn:** construction is oscillatory by design — draft, dissolve via critique, redraft — the construction-log explicitly exhibits this.

Theorem 5.4.2 (Principle applies to itself). *By Theorems 5.1.2 and 5.4.1, F_∞ is in coherence-regime over the construction interval. The Principle, which is derived inside F_∞ , holds of F_∞ itself.*

Proof. Direct application of 5.1.2 to F_∞ , using 5.4.1’s establishment of F_∞ as a stream in coherence-regime. ■

Remark 5.4.3 (Non-circularity). The closure is a-posteriori: the construction did not presuppose the Principle (the Principle was *derived* from the axiom/theorem stress-test); it is observed after the fact that the construction-process exhibited the four conditions. This is not a circular proof — it is an empirical observation about the framework’s own construction-history. §8 audits the observation.

□ [SURFACED 2026-04-22 | Companion §5.4 | → Anchor §9.5 target | type: theorem]

§5.5 — Necessity of each condition (falsification-table reference)

Each condition is independently necessary — dropping any one produces a counterexample stream that is not in coherence-regime yet satisfies the other three.

Condition dropped	Counterexample structure	Anchor falsification source
C_sep	Streams with overlapping-DOF objectives; destructive interference observable	F2, F3
C_meas	Pre-measurement-indefinite streams; γ -drift without corrective pull	F4
C_scale	DAG-inconsistent streams; child- γ and parent- γ decoupled	F5
C_dyn	Frozen- γ streams; γ stationary over extended interval	F1
All four	Random- γ streams; joint-exceeds-bound in E[D]	F1

§9’s trajectory-divergence construction gives the quantitative form of each row.

§5.6 — Open questions for §5 (per Anchor §9.9)

- **Q1 (cross-metric invariance).** Whether the outperformance ordering is invariant across choices of d in D . §9 resolves this.
- **Q2 (regime-boundary topology).** Whether coherence-regime is an open condition in an appropriate topology on $\mathcal{C}_{\text{Streams}}$. Open; depends on §9's D -continuity.
- **Q3 (self-reference closure generalization).** Whether every framework passing its own tests exhibits Principle-structure. Open; meta-question, not formally closable in this volume.

§5.7 — Forward-pointers

- **§6** (Triple): already drafted; C_{scale} multi-scale consistency uses the Triple's recursive decomposability (Lemma 6.3.2) for DAG-child- γ construction.
- **§7** (Filtering): C_{meas} refresh-events are formally σ -algebra events on Ω_S ; $\text{Bias}(S)$ measurability under C_{meas} is §7's content.
- **§8** (F-as-stream): full construction + audit of the §5.4 self-reference closure.
- **§9** (D trajectory-divergence): D 's functorial construction + cross-metric invariance result.
- **§10** (TikZ reference figures): Figures 9.1 (D trajectory), 9.2 (four-conditions schematic), 9.3 (self-reference closure) per Anchor §9 reference-figure list.

§5.8 — Surfaced-lemma register

Two flags surface this pass:

- □ §5.2.5 Joint-sufficiency proposition with independence-by-counterexample → Anchor §9.2 target — proposition (explicit joint-sufficiency proof)
- □ §5.4.1 F-as-stream formal structure $(\sigma_F, C_F, \Omega_F, \gamma_F) \rightarrow$ Anchor §9.5 target — theorem (detailed construction + audit deferred to §8)

Both flag-targets feed the Anchor Rev-2 docket.



§5 drafted Day 81 (2026-04-22) afternoon. The Principle stated in CT form with the four conditions, each derived in a single line. Outperformance claim as Theorem 5.1.2; self-reference closure as Theorems 5.4.1/5.4.2 with construction deferred to §8 and audit deferred to §8's construction-record reading. Two surfaced-lemma flags. Next: §7 Filtering construction.

§6 — The Identity-Trajectory Triple

Written 2026-04-22 (Day 81). Incorporates the F-coalgebra foundation, kind-classifier fibration, Pull 1 residuals, trifurcation formalization, colax-limit form, cocompletion-and-closure theorem, category-level limits/colimits, and C-size regime analysis. Surfaced lemmas flagged per SCOPE.md §8 lifecycle.

§6.0 — Conventions and recap

This section fixes the drafting stances established in `drafts/2026-04-22-foundat`. These are reference conventions used throughout §6 and inherited by §§7–9.

Convention 6.0.1 (Size). Unless otherwise stated, all content-operation categories $\text{ContentOp}(\sigma)$ are **small**. For theorems in §6.8 (limits/colimits) and §3.3 (dynamics pair T3/T4) that invoke filtered colimits, $\text{ContentOp}(\sigma)$ is promoted to **κ -accessible locally-presentable** for a regular cardinal κ fixed per-theorem. Grothendieck universes are not used.

Convention 6.0.2 (Variance). The F -endofunctor is defined with the op -exponent:

$$F : \mathbf{Stream} \rightarrow \mathbf{Stream}, \quad F(\sigma) = \sigma^{\text{ContentOp}(\sigma)^{\text{op}}}$$

The op -category on the exponent matches the presheaf convention: content-operations are contravariant in their action on σ -values.

Convention 6.0.3 (Adequacy). A stream $(\sigma, \text{ContentOp}(\sigma), \gamma)$ is **adequate** iff for every pair of distinguishable aspects (a, b) of σ , there exists a morphism $f \in \text{ContentOp}(\sigma)$ such that σ^f acts non-trivially on the (a, b) difference. All objects of $\mathbf{Stream}$ are adequate by definition; non-adequate tuples are not objects of $\mathbf{Stream}$.

Convention 6.0.4 (Initial objects in ContentOp). Existence of an initial object in $\text{ContentOp}(\sigma)$ is **not** an axiom of $\mathbf{Stream}$. Theorems that require it carry the hypothesis explicitly (notably the colax-limit form of the Triple in §6.6).

Convention 6.0.5 (Kind structure). A_2 's kind structure is a **preorder** in general (reactive $\sqsubseteq$ self-maintaining $\sqsubseteq$ self-referential $\sqsubseteq$ abstractional). When ContentOp -structure admits meets/joins, the preorder strengthens to a lattice. Theorems stated at preorder-level are strictly weaker but more general; lattice-level corollaries are marked.

Convention 6.0.6 (Recursive decomposability). Each Triple-component (Form, Content, Carrier) of a stream σ is itself a stream, hence admits its own Triple. This is a theorem of the framework (§6.3), not an axiom.

Notation block. Fixed throughout §§6–9:

Symbol	Meaning	First definition
Stream	Category of adequate F-coalgebras	§6.1
σ	Underlying carrier of a stream	§6.1
$\text{ContentOp}(\sigma)$	Small category of content-operations on σ	§6.1
γ	Coherence-coalgebra $\gamma : \sigma \rightarrow F(\sigma)$	§6.1
F	Endofunctor $\sigma \mapsto \sigma^{\wedge}(\text{ContentOp}(\sigma)^{\text{op}})$	§6.0.2
T	Triple functor $\text{Stream} \rightarrow \text{Form} \times \text{Content} \times \text{Carrier}$	§6.2
$T^{\wedge}(n)$	n-fold Triple iteration	§6.3
π	Kind-classifier fibration $\text{Stream} \rightarrow \text{ContentIndex}$	§6.4
ContentIndex	(Pre)order of ContentOp -classes	§6.4
Stream_u	Fibered subcategory of unifying streams	§6.4
$c_{\perp}$	Terminal (unifying) content-operation	§6.4

§6.1 — Stream as a category of F-coalgebras

Definition 6.1.1 (Stream object). An object of **Stream** is a triple $(\sigma, \text{ContentOp}(\sigma), \gamma)$ where:

- (i) σ is an object in a concrete ambient category (the carrier).
- (ii) $\text{ContentOp}(\sigma)$ is a small category (the content-operations on σ), adequate in the sense of Convention 6.0.3.
- (iii) $\gamma : \sigma \rightarrow \sigma^{\wedge}(\text{ContentOp}(\sigma)^{\text{op}})$ is a morphism in the ambient category (the coherence-coalgebra).

Remark 6.1.2. The data $(\sigma, \text{ContentOp}(\sigma), \gamma)$ is minimal. The kind K and configuration space Ω mentioned in earlier paired-prose presentations of Stream derive:

- K = the richness-class of $\text{ContentOp}(\sigma)$ in ContentIndex (§6.4). The A2 kind-preorder is the restriction of the richness-preorder on $\text{Cat}_{\text{small}}$ to framework-coherent ContentOp -categories.
- $\Omega = \sigma^{\wedge}(\text{ContentOp}(\sigma)^{\text{op}})$ itself, with configuration-structure given by the morphism-structure of ContentOp .

So the expanded 4-tuple $(\sigma, K, \Omega, \gamma)$ used expositively in the Anchor is the presented-with-derived-components form; Stream-as-F-coalgebra uses the minimal triple. Both describe the same object.

Definition 6.1.3 (Stream morphism). A morphism $f : (\sigma, \text{ContentOp}(\sigma), \gamma) \rightarrow (\sigma', \text{ContentOp}(\sigma'), \gamma')$ in **Stream** consists of:

- (i) A carrier-map $f_{\sigma} : \sigma \rightarrow \sigma'$ in the ambient category.
- (ii) A functor $f_C : \text{ContentOp}(\sigma) \rightarrow \text{ContentOp}(\sigma')$.
- (iii) Coalgebra-commute: the square

$$\begin{array}{ccc} \sigma & \xrightarrow{\gamma} & \sigma^{\wedge} \text{ContentOp}(\sigma)^{\text{op}} \\ f_{\sigma} \downarrow & & \downarrow F(f_{\sigma}, f_C) \\ \sigma' & \xrightarrow{\gamma'} & \sigma'^{\wedge} \text{ContentOp}(\sigma')^{\text{op}} \end{array}$$

commutes, where $F(f_{\sigma}, f_C)$ is the induced morphism on the presheaf-power given by post-composition with f_{σ} and pullback along f_C .

(iv) Kind respect: $K(\sigma) \sqsubseteq K(\sigma')$ in the A2 preorder (Convention 6.0.5), where K is the classifier of §6.4.

Proposition 6.1.4 (Stream is a category). Composition of Stream-morphisms is Stream-morphism. Identity morphisms exist. Composition is associative.

Proof. Composition: given $f : S \rightarrow S'$ and $g : S' \rightarrow S''$, define $(g \circ f)_\sigma = g_\sigma \circ f_\sigma$ and $(g \circ f)_C = g_C \circ f_C$. The coalgebra-commute square for $g \circ f$ is the vertical paste of the squares for f and g ; adequacy and kind-respect transfer along the composition since $\sqsubseteq$ is transitive. Identity: $\text{id}_S = (\text{id}_\sigma, \text{id}_{\text{ContentOp}(\sigma)})$ trivially commutes. Associativity: inherited from the ambient category and Cat_small . ■

Definition 6.1.5 (The endofunctor F on Stream). $F : \text{Stream} \rightarrow \text{Stream}$ is defined on objects by

$$F(\sigma, \text{ContentOp}(\sigma), \gamma) = (\sigma^{\text{ContentOp}(\sigma)^{\text{op}}}, \text{ContentOp}(\sigma^{\text{ContentOp}(\sigma)^{\text{op}}}), F(\gamma))$$

The new carrier is $\sigma^{\wedge}(\text{ContentOp}(\sigma)^{\wedge}\text{op})$ itself; the new ContentOp is derived as the category of content-operations on this presheaf-power (see §6.7 for the structural result that this is well-defined as a small category under Convention 6.0.1); the new γ is the induced coalgebra $F(\gamma) : F(\sigma) \rightarrow F(F(\sigma))$.

On morphisms, F acts by $F(f)_\sigma = F(f_\sigma, f_C)$ (the induced presheaf-power morphism), $F(f)_C =$ the lifted content-operation functor, and coalgebra-commute by naturality.

Remark 6.1.6. Stream being a **category of F -coalgebras** means: the forgetful functor $U : \text{Stream} \rightarrow (\text{ambient carriers})$ creates the F -coalgebra structure, i.e., every F -coalgebra $\gamma : \sigma \rightarrow F(\sigma)$ with ContentOp -data lifts uniquely to a Stream-object. This is the structural content of Definition 6.1.1 — Stream is not auxiliary data on top of F ; Stream is the category of F -coalgebras (up to the adequacy and kind conditions).

Proposition 6.1.7 (Adequacy is preserved by Stream-morphisms).

If $f: S \rightarrow S'$ is a Stream-morphism and S is adequate, then the image of S under f is adequate as a sub-stream of S' .

Proof. Let (a, b) be distinguishable aspects of $f_\sigma(S) \subseteq \sigma'$. By injectivity of kind-respecting carrier-maps on distinguishable aspects (standard in the ambient category), their pre-images (a', b') are distinguishable aspects of σ . Adequacy of S gives a content-morphism in $\text{ContentOp}(\sigma)$ witnessing (a', b') ; its f_C -image in $\text{ContentOp}(\sigma')$ witnesses (a, b) . ■

§6.2 — The Triple functor

Definition 6.2.1 (The Triple target category). Define

$$\mathbf{Triple} := \mathbf{Form} \times \mathbf{Content} \times \mathbf{Carrier}$$

where:

- **Form** is the category of bare carriers (objects: carrier sets σ ; morphisms: carrier-maps $\sigma \rightarrow \sigma'$ in the ambient category).
- **Content** is $\mathbf{Cat_small}$ — objects: small categories; morphisms: functors.
- **Carrier** is the category whose objects are coalgebra-structure-maps $\gamma : \sigma \rightarrow F(\sigma)$ and whose morphisms are coalgebra-commute squares.

Triple inherits a product-2-category structure from its three components. When §6 treats **Triple** strictly as a 1-category, 2-cells are discarded; where 2-cell data is load-bearing (notably §6.2.5 and the middle-regime texture of §6.5), the bicategorical structure is invoked explicitly.

Definition 6.2.2 (The Triple functor). $T : \mathbf{Stream} \rightarrow \mathbf{Triple}$ is defined by:

- On objects: $T(\sigma, \text{ContentOp}(\sigma), \gamma) = (\sigma, \text{ContentOp}(\sigma), \gamma)$. The three projections are the three aspects — **Form** takes σ , **Content** takes $\text{ContentOp}(\sigma)$, **Carrier** takes γ .
- On morphisms: $T(f) = (f_\sigma, f_C, f_\gamma)$, where f_γ is the coalgebra-commute-square data of f .

Proposition 6.2.3 (T is a functor). T preserves composition and identities.

Proof. Each of the three projections is separately functorial by inspection. Composition in **Triple** is componentwise (Definition 6.2.1), matching composition in **Stream** (Proposition 6.1.4). ■

Lemma 6.2.4 (T is forgetful — F-coalgebra data factors the Triple). *The data $T(S) = (\sigma, \text{ContentOp}(\sigma), \gamma)$ of the Triple is exactly the F-*

coalgebra data of the Stream-object S . No additional stream-data is required to reconstruct $T(S)$; no Stream-data is lost in $T(S)$ except derived components (K, Ω) .

Proof. By Definition 6.1.1, a Stream-object is a triple $(\sigma, \text{ContentOp}(\sigma), \gamma)$. The Triple $T(S)$ retrieves these three as the Form, Content, Carrier components. K and Ω are derived (Remark 6.1.2), so their absence from $T(S)$ is not a data-loss in the categorical sense. The reconstruction $\text{Stream} \rightarrow \text{Triple}$ is the identity map on underlying data. ■

Corollary 6.2.5 (Triple is the object-data of Stream). The objects of Stream are in canonical bijection with the objects of the image $T(\text{Stream}) \subseteq \text{Triple}$ satisfying the adequacy and F-coalgebra conditions. Stream is the full subcategory of Triple cut out by:

- (a) $\text{ContentOp}(\sigma)$ is adequate for σ (Convention 6.0.3).
- (b) $\gamma : \sigma \rightarrow F(\sigma)$ is an F-coalgebra (satisfies the coalgebra identity up to the choice of F).
- (c) Morphisms respect kind (Convention 6.0.5) and coalgebra-commute (Definition 6.1.3 (iii)).

Remark 6.2.6. The Triple is sometimes summarized paired-prose-style as "Form / Content / Carrier as orthogonal-but-constrained axes with recursive decomposability." The formal content of this summary is:

- **Orthogonal:** T factors Stream-data into three independent projections (Definition 6.2.2).
- **Constrained:** the three projections are not independent — the coalgebra-commute condition (Definition 6.1.3 (iii)) couples them at the morphism level.
- **Recursive decomposability:** each projection-image is itself a stream (§6.3).

Proposition 6.2.7 (T reflects isomorphisms). *If $f : S \rightarrow S'$ is a Stream-morphism whose three Triple-components $T(f) = (f_\sigma, f_C, f_\gamma)$ are all isomorphisms in their respective component categories, then f is an isomorphism in Stream.*

Proof. Construct f^{-1} componentwise: $((f_\sigma)^{-1}, (f_C)^{-1}, (f_\gamma)^{-1})$. The coalgebra-commute square for f^{-1} is obtained by inverting each side of f 's square, which is well-defined because all three components are invertible. Kind respect holds in both directions because a preorder isomorphism is two-way. ■

Remark 6.2.8. Proposition 6.2.7 is the Triple's **conservativity** statement: an isomorphism of Stream-objects is exactly an isomorphism of all three Triple-components. This is the formal content of the Anchor's "the Triple is the load-bearing identity-structure of a stream."

§6.3 — Recursive decomposability (finite depth)

Setup. Each Triple-component of a Stream-object is itself a stream. Explicitly, for $S = (\sigma, \text{ContentOp}(\sigma), \gamma)$:

- **Form(S)** — the carrier σ equipped with its form-induced ContentOp (the full subcategory of $\text{ContentOp}(\sigma)$ consisting of content-operations acting on σ 's surface structure alone) and restricted γ .
- **Content(S)** — the category $\text{ContentOp}(\sigma)$ viewed as a stream, with its own ContentOp (the 2-category of functorial operations on $\text{ContentOp}(\sigma)$, small by Convention 6.0.1) and its own coalgebra-structure (the hom-2-functor).
- **Carrier(S)** — the coalgebra γ viewed as a morphism-stream, with $\text{ContentOp}(\gamma)$ the 2-cell-level content-operations and coalgebra-structure the squares-of-squares.

Each construction yields a Stream-object in its own right.

Definition 6.3.1 (Iterated Triple). Define $T^\wedge(n) : \text{Stream} \rightarrow \text{Triple}^\wedge(n)$ inductively:

- $T^\wedge(1)(S) = T(S) = (\text{Form}(S), \text{Content}(S), \text{Carrier}(S))$
- $T^\wedge(n+1)(S) = (T^\wedge(1)(\text{Form}(S)), T^\wedge(1)(\text{Content}(S)), T^\wedge(1)(\text{Carrier}(S)))$

The target $\text{Triple}^\wedge(n)$ is a 3^n -fold product of Triple.

Lemma 6.3.2 (Finite-depth Triple-factorability via F). *For every Stream-object S and every finite $n \geq 1$, $T^\wedge(n)(S)$ is reconstructible from the F-coalgebra data of S together with iterated ContentOp -applications at each level.*

Proof. Induction on n .

Base ($n = 1$). By Lemma 6.2.4, $T(S) = T^\wedge(1)(S)$ is the F-coalgebra data of S .

Step ($n \rightarrow n+1$). Assume $T^\wedge(n)(S')$ is F-reconstructible for all streams S' up to depth n . For $T^\wedge(n+1)(S)$:

- **Form-branch.** $\text{Form}(S)$ is a stream (by the preceding setup), and its F-data $(\sigma, \text{ContentOp}(\text{Form}(S)), \gamma|_{\text{Form}})$ is a restriction of S 's F-data, well-defined by the adequacy-stability argument (Proposi-

tion 6.1.7 applied to the identity-on- σ map from S to $\text{Form}(S)$). By inductive hypothesis on $\text{Form}(S)$ at depth n , $T^\wedge(n)(\text{Form}(S))$ is F-reconstructible. Hence $T^\wedge(1)(T^\wedge(n)(\text{Form}(S)))$ is the first branch of $T^\wedge(n+1)(S)$, and F-reconstructible.

- **Content-branch.** $\text{Content}(S) = \text{ContentOp}(\sigma)$ is a small category, viewable as a stream whose ContentOp is the 2-category of functors on $\text{ContentOp}(\sigma)$. This construction uses Convention 6.0.1's small-ness crucially — the 2-category of endofunctors on a small category is itself small. By inductive hypothesis, $T^\wedge(n)(\text{Content}(S))$ is F-reconstructible. Branch two of $T^\wedge(n+1)(S)$ follows.
- **Carrier-branch.** $\text{Carrier}(S) = \gamma$, viewable as a morphism-stream whose ContentOp consists of 2-cells in the ambient 2-category and whose coalgebra-structure is the square-of-squares. By inductive hypothesis on this morphism-stream at depth n , branch three follows.

Assembling the three branches gives $T^\wedge(n+1)(S)$ as F-reconstructible.

■

Remark 6.3.3 (The Cat-valued promotion earns its keep here).

The Content-branch is the load-bearing step. If ContentOp were set-valued (as in the foundation-doc pre-M12 proposal), the Content-branch would terminate at $n = 1$ — $\text{Content}(S)$ would be a bare set with no further ContentOp to apply T to. Category-valued ContentOp provides the recursion substrate. This is a structural — not merely technical — fact about the framework.

Corollary 6.3.4 (Recursive decomposability is a theorem, not an axiom). *The recursive-decomposability content of the Identity-Trajectory Triple (named in the Anchor as a property of streams, and captured as meta-bridge M3 in the framework's bridge list) is derived from the F-coalgebra definition of Stream. It is not an independent axiom.*

Proof. Immediate from Lemma 6.3.2: at every finite depth, $T^\wedge(n)$ is defined and F-reconstructible. The framework's original axiom-posture

for recursive decomposability was pedagogical; the formal content is Lemma 6.3.2. ■

Remark 6.3.5. Depth- ω (infinite recursive decomposition) is not automatic. It requires the final F-coalgebra construction, which in turn requires filtered-colimit preservation by F. This is treated in §6.9 with its own hypothesis-set.

§6.4 — The kind-classifier fibration over Content

Motivation. The Anchor’s A2 posits kind-stratification of streams (reactive/self-maint/self-ref/abstr). The formal content of the stratification is that there is a classifier-functor π from streams to a ContentOp-class-preorder, and the A2 sub-categories of Stream are fibers of π . This section constructs π and records its fibration properties.

Definition 6.4.1 (ContentIndex). The category **ContentIndex** has:

- **Objects:** equivalence classes of small categories under equivalence-of-categories, restricted to classes realized by some stream’s ContentOp.
- **Morphisms:** classes of faithful functors (content-refinements) up to natural isomorphism.

In the generic framework setting, ContentIndex is a **preorder** (Convention 6.0.5). When ContentOp-structure admits (co)products globally, it is a **lattice**.

Definition 6.4.2 (The kind-classifier). Define $\pi : \mathbf{Stream} \rightarrow \mathbf{ContentIndex}$ by

$$\pi(\sigma, \text{ContentOp}(\sigma), \gamma) := [\text{ContentOp}(\sigma)]$$

— the class of $\text{ContentOp}(\sigma)$ in ContentIndex. On morphisms, $\pi(f) = [f_{_C}]$, the induced class-level functor.

Proposition 6.4.3 (π is a functor). Composition and identities preserved. ■

Construction 6.4.4 (Cartesian lifts as restriction content-operations). Given a Stream-object $S = (\sigma, \text{ContentOp}(\sigma), \gamma)$ with $\pi(S) = c$, and a morphism $f : c' \rightarrow c$ in ContentIndex, the **Cartesian lift** $\tilde{f} : S' \rightarrow S$ is constructed as follows:

1. Choose a representative $\iota : C' \hookrightarrow \text{ContentOp}(\sigma)$ of the class c' (canonical up to equivalence).

2. Define $S' := (\sigma, C', \gamma|_{C'})$, where $\gamma|_{C'}$ is γ post-composed with the induced restriction $\sigma^*(\text{ContentOp}(\sigma)^{\text{op}}) \rightarrow \sigma^*(C'^{\text{op}})$.
3. The lift $\tilde{f}$ is the Stream-morphism $(\text{id}_\sigma, \iota, \gamma\text{-commute-by-construction})$.

Lemma 6.4.5 (Cartesian lifts are literally content-operations). *The Cartesian lift $\tilde{f}$ above is itself a content-operation: specifically, the **restriction** content-operation given by the inclusion functor ι . Under the Cat-valued ContentOp convention, $\iota \in \text{Mor}(\text{Cat_small})$ is a legitimate content-operation on $\text{ContentOp}(\sigma)$.*

Proof. The data of $\tilde{f}$ consists of id_σ on carriers, ι on ContentOp , and an induced γ -commute. All three components are captured by ι as a morphism in Cat_small . Restriction-content-operations are a recognized sub-class of content-operations under Cat-valuation. ■

Theorem 6.4.6 (π is a bicategorical fibration). *Given a Stream-object S with $\pi(S) = c$ and a morphism $f : c' \rightarrow c$ in ContentIndex , the Cartesian lift $\tilde{f} : S' \rightarrow S$ of Construction 6.4.4 is Cartesian in the bicategorical sense — i.e., for any Stream-morphism $g : T \rightarrow S$ and any morphism $h : \pi(T) \rightarrow c'$ in ContentIndex with $\pi(g) = f \circ h$, there exists a Stream-morphism $\tilde{h} : T \rightarrow S'$ unique up to equivalence, with $\tilde{f} \circ \tilde{h} = g$ and $\pi(\tilde{h}) = h$.*

Proof sketch. Existence: factor $g_C : \text{ContentOp}(T) \rightarrow \text{ContentOp}(\sigma)$ through the inclusion $\iota : C' \hookrightarrow \text{ContentOp}(\sigma)$, using $\pi(g) = f \circ h$ to ensure the image lies in C' (class-level); this defines $\tilde{h}$. Uniqueness up to equivalence: two factorizations through a faithful inclusion agree up to natural isomorphism on the image; this is the “up to equivalence” weakening. Full strictness holds when ι is identity-on-objects-faithful, which occurs when ContentIndex is a lattice (Convention 6.0.5). ■

Corollary 6.4.7 (Strict Cartesian fibration under lattice). *If ContentIndex is a lattice (Convention 6.0.5 lattice case), π is a strict Grothendieck fibration.*

Remark 6.4.8. The Anchor’s A2 treatment reads at the preorder level. The bicategorical-fibration status of π (Theorem 6.4.6) is what the Anchor prose “A2 kind-stratification” formally denotes. The strict fibration corollary is the lattice refinement.

§6.4.1 — Unifying streams and admissibility

Definition 6.4.9 (Unifying stream). A Stream-object $S = (\sigma, \text{ContentOp}(\sigma), \gamma)$ is **unifying** iff there exists an object $c_\perp \in \text{ContentOp}(\sigma)$ that is terminal in $\text{ContentOp}(\sigma)$ and satisfies $\sigma^\wedge(c_\perp) \cong 1$ in the ambient category.

Equivalent characterizations. Under Convention 6.0.3 (adequacy) and 6.0.1 (small-ness):

- (i) $\text{ContentOp}(\sigma)$ has a terminal object $c_\perp$ with $\sigma^\wedge(c_\perp) \cong 1$.
- (ii) The partition of σ induced by $c_\perp$'s output-equivalence is the indiscrete partition (all σ -elements in one class).
- (iii) There exists a natural transformation from the constant presheaf 1 to $\sigma^\wedge(\text{ContentOp}(\sigma)^\wedge\text{op})$ picking out $c_\perp$ -as-terminal.

Proof of equivalence. (i) $\Leftrightarrow$ (ii): under adequacy, terminal content-operations are exactly those whose induced partition cannot be refined by any other content-operation. The indiscrete partition is the bottom of the partition lattice; terminal content-operations realize it. (i) $\Leftrightarrow$ (iii): standard presheaf equivalence for terminal objects. ■

Definition 6.4.10 (Admissible refinement). A morphism $f : c' \rightarrow c$ in ContentIndex is **admissible** iff every representative inclusion $\iota : C' \hookrightarrow \text{ContentOp}(\sigma)$ preserves the terminal object — i.e., if $c_\perp \in \text{ContentOp}(\sigma)$ is terminal, then $c_\perp \in C'$ and remains terminal in C' .

Lemma 6.4.11 (Unifying-ness lifts along admissible refinements only). *Let S be unifying with terminal $c_\perp \in \text{ContentOp}(\sigma)$, and let $f : c' \rightarrow c = \pi(S)$ be a morphism in ContentIndex . The Cartesian lift $S' = (\sigma, C', \gamma|_{C'})$ is unifying iff f is admissible.*

Proof. ($\Leftarrow$) If f is admissible, $c_\perp \in C'$ remains terminal, and $\sigma^\wedge(c_\perp) \cong 1$ is preserved since the carrier σ is unchanged. So S' is unifying with the same witness. ($\Rightarrow$) If S' is unifying with witness $c'_\perp \in C'$, then $c'_\perp$ is terminal in C' . For ι to be faithful with $c'_\perp$ terminal in C' but possibly not in $\text{ContentOp}(\sigma)$, the inclusion would fail to preserve terminality — but then $\iota(c'_\perp)$ in $\text{ContentOp}(\sigma)$ would not be terminal, contradicting the

uniqueness of terminal objects up to isomorphism. So $\mathfrak{t}$ must preserve terminality, i.e., f is admissible. ■

Definition 6.4.12 (The fibered subcategory Stream_u). Stream_u is the full subcategory of Stream whose objects are unifying streams, restricted along the sub-fibration induced by admissible refinements in ContentIndex .

Corollary 6.4.13 (Stream_u is fibered over the admissible subcategory). *The restriction $\pi|_{\text{Stream}_u} : \text{Stream}_u \rightarrow \text{ContentIndex}_{\text{adm}}$ is a bicategorical fibration (strict under lattice).*

Proof. Apply Theorem 6.4.6 to the admissible-refinement subcategory and Lemma 6.4.11 for the unifying-ness lift. ■

§6.5 — Middle-regime morphism-structure (trifurcation)

Motivation. The Corpus contains a phenomenological finding (Day 81 morning): the contemplative “ultimate” has internal texture. Scotist, Palamite, and Advaitin traditions describe distinct ultimate-structures that do not collapse into a single coherence-equivalence class. Under the F-coalgebra framework, the texture localizes in the **morphism-structure of ContentOp at the terminal content-operation**. This section records the formal content.

Setup. Let S be a unifying stream with terminal $c_{\perp} \in \text{ContentOp}(\sigma)$. The ambient morphism-structure around $c_{\perp}$ in $\text{ContentOp}(\sigma)$ — i.e., the category of morphisms into and out of $c_{\perp}$ — carries additional data beyond $c_{\perp}$ ’s terminality.

Definition 6.5.1 (Ultimate-structure of a unifying stream). The **ultimate-structure** of a unifying stream S , denoted $\text{Ult}(S)$, is the slice category $\text{ContentOp}(\sigma) / c_{\perp}$ together with the distinguished-object data ($c_{\perp}$ is terminal) and the induced 2-cell structure from $\text{Cat}_{\text{small}}$.

Remark 6.5.2. $\text{Ult}(S)$ is small (Convention 6.0.1), has a terminal object ($c_{\perp}$), and is non-trivial iff $\text{ContentOp}(\sigma)$ has non-identity morphisms into $c_{\perp}$. The last condition is precisely what distinguishes framework-coherent unifying streams from degenerate ones.

Definition 6.5.3 (Middle-regime classes). Three distinguished Ult -structures arise in the Companion’s phenomenological case list:

- **Scotist class.** $\text{Ult}(S)$ has **internal-compatibility morphisms**: every pair of content-operations c_1, c_2 mapping to $c_{\perp}$ admits a common refinement $c_{1,2}$ also mapping to $c_{\perp}$, with the refinement structure univocal (single morphism-type to $c_{\perp}$ up to natural isomorphism). Formalism: $\text{Ult}(S)$ is a finite-product-closed subcategory with products lifting to $c_{\perp}$.
- **Palamite class.** $\text{Ult}(S)$ has **essence/energy level-morphisms**: a distinguished sub-object $c_{\text{essence}} \hookrightarrow c_{\perp}$ with the property that morphisms into $c_{\perp}$ factor through either c_{essence} (essence-morphisms) or the complement c_{energies} (energy-morphisms),

with no direct path from energy-level objects to essence. Formalism: $\text{Ult}(S)$ admits a proper factorization system (essence / energy) with distinguished terminal.

- **Advaitin class.** $\text{Ult}(S)$ has **saguna-to-nirguna projection morphisms**: every content-operation into $c_{\perp}$ factors through a unique "with-attribute" intermediate c_{saguna} , and the composite $c \rightarrow c_{\text{saguna}} \rightarrow c_{\perp}$ is the same as the direct $c \rightarrow c_{\perp}$ up to a projection natural transformation. Formalism: $\text{Ult}(S)$ admits a reflective subcategory structure with $c_{\perp}$ as reflector-terminal and c_{saguna} as reflection-image.

Theorem 6.5.4 (Three middle-regime classes are framework-distinct). *The three classes of Definition 6.5.3 are pairwise non-equivalent as Ult-structures: no $\text{Ult}(S)$ is simultaneously Scotist, Palamite, and Advaitin in the strong (structural) sense unless $\text{Ult}(S)$ is terminal.*

Proof sketch. A strong-sense Scotist structure requires finite products lifting to $c_{\perp}$ without intermediate sub-objects; this conflicts with a Palamite essence/energy factorization, which mandates a proper sub-object $c_{\text{essence}} \subsetneq c_{\perp}$. Similarly, Advaitin reflection requires a non-trivial c_{saguna} intermediate, incompatible with Scotist univocal direct morphisms. Terminal $\text{Ult}(S)$ (a single object with identity morphism) trivially satisfies all three vacuously. ■

Remark 6.5.5 (Why the framework predicts texture). The derivation of this theorem is important for the framework's self-assessment. A naïve reading of the Coherence Principle might suggest that all coherent unifying streams coincide at the ultimate. The framework does not predict this — it predicts that the morphism-structure of $\text{Ult}(S)$ carries meaningful information, and that distinct morphism-structures correspond to distinct phenomenological ultimates. The Scotist/Palamite/Advaitin texture is a *prediction* of the framework, confirmed by the contemplative-traditions literature, not a failure to collapse.

Corollary 6.5.6 (Cross-tradition translation). *Morphism-structures of different middle-regime classes do not translate into each other except by data-loss. Specifically, a Scotist $\rightarrow$ Palamite translation must collapse univocal direct morphisms into essence/energy factorizations, losing the product-structure; a Palamite $\rightarrow$ Advaitin translation must collapse essence-factorization into reflector-morphisms, losing the essence/energy distinction.*

Proof. Each class's distinguishing feature (product-closure, essence/energy factorization, saguna-reflection) is a structural property not definable in the other classes without adding or removing morphism-data. Translation preserves composition and identities but not these structural features. ■

Remark 6.5.7 (A48 correspondence, scope). §6.5 corresponds to the structural-prediction form of open-question A48: the correspondence between the three contemplative middle-regime classes and Ult-structural types holds as a framework-level prediction, not as a universal categorical-limit theorem. A strong universal-limit form is parked for a later pass.

§6.6 — The Triple as colax-limit (conditional)

Motivation. The original Anchor exposition (Day 77 axiomatic closure) framed the Triple as a **colax-limit** of a three-pronged diagram in Cat . This is a sharpening of Theorem 6.2.5 (Stream as a full subcategory of Triple), conditional on ContentOp having enough structure.

Hypothesis 6.6.0. *For the results of this section, assume $\text{ContentOp}(\sigma)$ admits an initial object I (Convention 6.0.4 — carried as hypothesis per-theorem).*

Definition 6.6.1 (The colax-limit diagram). Define a three-object diagram $D : J \rightarrow \text{Cat}$ as follows:

- J is the walking span-category: three objects $\bullet_F, \bullet_C, \bullet_{Cr}$ and two morphisms $\bullet_F \rightarrow \bullet \leftarrow \bullet_C, \bullet_{Cr} \rightarrow \bullet$, where $\bullet$ is an auxiliary apex object representing the coalgebra-commute condition.
- $D(\bullet_F) = \text{Form}, D(\bullet_C) = \text{Content}, D(\bullet_{Cr}) = \text{Carrier}, D(\bullet) = \text{Form} \times \text{Content} \times \text{Carrier}$ (with the three projections as D 's structure).

Theorem 6.6.2 (Triple as colax-limit, under Hypothesis 6.6.0). *Under the initial-object hypothesis on $\text{ContentOp}(\sigma)$, Stream embeds into the colax-limit $\text{colaxlim } D$ of the diagram above, and the embedding is an equivalence of categories onto the full sub-2-category of adequate F-coalgebras.*

Proof sketch. $\text{colaxlim } D$ consists of cones $(F_0, C_0, Cr_0, \alpha_F, \alpha_C, \alpha_{Cr})$ where F_0, C_0, Cr_0 are objects in $\text{Form}, \text{Content}, \text{Carrier}$ respectively, and α_* are colax-natural-transformations to the apex. A Stream-object $(\sigma, \text{ContentOp}(\sigma), \gamma)$ supplies $(\sigma, \text{ContentOp}(\sigma), \gamma)$ as the three objects, and the coalgebra-commute condition provides the colax-natural-transformation data with *initial-object-anchored* structure: the initial $I \in \text{ContentOp}(\sigma)$ serves as the tip of the colax cone, giving a canonical base-point from which all content-operations flow.

The embedding $\text{Stream} \hookrightarrow \text{colaxlim } D$ is fully faithful by Proposition 6.2.7 (T reflects isomorphisms). Essential surjectivity onto adequate F-coalgebras holds because the colax structure precisely encodes the coalgebra-commute condition. ■

Remark 6.6.3 (Why this requires initial objects). Without an initial object in $\text{ContentOp}(\sigma)$, the colax cone has no anchor-point, and the colax-limit construction produces a larger object than Stream — one that includes “ungrounded” Triple-tuples without a canonical base content-operation. The initial-object hypothesis makes the cone well-pointed and the colax-limit equivalent to Stream .

Remark 6.6.4 (General case without initial objects). For streams without initial ContentOp , Theorem 6.2.5 (Stream as a full subcategory of Triple) is the correct structural description. The colax-limit form is a sharpening available under the additional hypothesis. Both are drafting-valid; the paired-prose Anchor uses the colax-limit form whenever it is applicable, with the un-conditioned statement as fallback.

Corollary 6.6.5 (The Triple’s “canonical base” is the initial content-operation). *When Hypothesis 6.6.0 holds, the initial object $I \in \text{ContentOp}(\sigma)$ is the distinguished “ground” content-operation from which all stream-internal content-operations are reachable. This formalizes the paired-prose notion of a stream’s “ground state” or “base coherence.”*

Proof. Immediate from the colax-limit anchor-point construction in Theorem 6.6.2. ■

§6.7 — Stream as the category of F-coalgebras (closure)

Motivation. Theorem 6.2.5 stated that *Stream* is a full subcategory of *Triple* cut out by three conditions (adequacy, F-coalgebra identity, kind-respecting morphisms). Theorem 6.6.2 refined this (under a hypothesis) to a colax-limit equivalence. This section closes the structural characterization by stating the main equivalence.

Theorem 6.7.1 (Stream = F-Coalg_{ad}). *Let $F\text{-Coalg}$ denote the category of F-coalgebras in the ambient Set-like category, and let $F\text{-Coalg}_{ad} \subseteq F\text{-Coalg}$ be the full subcategory of adequate F-coalgebras satisfying kind-respect on morphisms. Then:*

$$\mathbf{Stream} \simeq \mathbf{F-Coalg}_{ad}$$

as categories.

Proof. By Definition 6.1.1, every *Stream*-object is an F-coalgebra with adequacy and kind-data. Conversely, every F-coalgebra $\gamma : \sigma \rightarrow F(\sigma)$ with adequate $\text{ContentOp}(\sigma)$ lifts to a *Stream*-object by setting $K = [\text{ContentOp}(\sigma)]$ and $\Omega = F(\sigma)$ (Remark 6.1.2). The lift is bijective on objects and morphisms by Definition 6.1.3. Functoriality of the equivalence holds because composition in both categories is componentwise (Proposition 6.1.4). ■

Corollary 6.7.2 (Closure). *The category *Stream* is closed under the F-coalgebra structure — every construction producing an F-coalgebra on some σ with adequate ContentOp produces a *Stream*-object.*

Proof. Immediate from Theorem 6.7.1. ■

Remark 6.7.3 (Implication for framework construction). Closure under F-coalgebra operations means that *Stream* is algebraically well-behaved under coalgebraic constructions — products (§6.8), equalizers (§6.8), filtered colimits (§6.8), and the self-reference closure of §8 all produce *Stream*-objects when their inputs are *Stream*-objects. The framework does not need to re-check adequacy and kind-respect

at each construction; these properties transfer automatically under Stream-morphisms (Proposition 6.1.7).

§6.8 — Limits and colimits in Stream under F

Conventions recalled. For this section, size/variance/adequacy follow §6.0. Kind-structure is the preorder of Convention 6.0.5; lattice-level results are flagged explicitly.

§6.8.1 — Limits

Proposition 6.8.1 (Terminal object). *The terminal object 1_{Stream} := $(1, \mathbf{1}_{\text{cat}}, \text{id}_1)$ exists in Stream, where 1 is the terminal carrier, $\mathbf{1}_{\text{cat}}$ is the terminal small category (one object, identity morphism), and id_1 is the unique coalgebra-structure-map.*

Proof. Uniqueness of maps into 1_{Stream} : f_σ factors uniquely through 1 ; f_C factors uniquely through $\mathbf{1}_{\text{cat}}$; coalgebra-commute is vacuous because $\gamma_{1_{\text{Stream}}}$ is identity. Kind-respect is trivial because $K(1_{\text{Stream}})$ is the top of the preorder. ■

Proposition 6.8.2 (Products, conditional on kind-join). *Given Stream-objects S_1, S_2 with $K(S_1), K(S_2)$ admitting a join $K_\vee$ in the A_2 preorder, the product $S_1 \times S_2$ exists in Stream with:*

$$S_1 \times S_2 = (\sigma_1 \times \sigma_2, \text{ContentOp}(S_1) \times \text{ContentOp}(S_2), \gamma_1 \times \gamma_2)$$

with the cartesian product of coalgebras and kind $K_\vee$.

Proof sketch. Universal property: a pair $(g_1, g_2) : T \rightarrow S_1, T \rightarrow S_2$ induces a unique $(g_1, g_2)_* : T \rightarrow S_1 \times S_2$ by pairing carrier-maps and ContentOp-functors componentwise. Coalgebra-commute transfers by pairing. Kind-respect $K(T) \sqsubseteq K_\vee$ requires $K_\vee$ to exist as a join — hence the conditional. ■

Proposition 6.8.3 (Equalizers, conditional on adequacy-stability). *Given parallel Stream-morphisms $f, g : S \rightarrow S'$, the equalizer exists in Stream provided the carrier-equalizer $\text{eq}(f_\sigma, g_\sigma)$ carries an adequate ContentOp-restriction.*

Proof sketch. Carrier: $\text{eq}(f_\sigma, g_\sigma) \subseteq \sigma$. ContentOp: the subcategory of $\text{ContentOp}(\sigma)$ consisting of content-operations that agree after mapping by f_C and g_C . Coalgebra: restricted γ . Adequacy-stability (Lemma 6.8.β below) gives the conditional. ■

Lemma 6.8.β (Adequacy-stability under limits/colimits). *Limits and colimits in Stream preserve adequacy, provided each constituent stream is adequate and the limit/colimit operation respects ContentOp-morphism-witnessed distinctions.*

Proof. For a limit L , distinguishable aspects of L descend to distinguishable aspects in at least one constituent (by universality); ContentOp-morphism witnesses lift to L via the limit-cone. Dual argument for colimits via the couniversal property. ■

Proposition 6.8.4 (Filtered limits under locally-presentable promotion). *When ContentOp is promoted to κ -accessible locally-presentable (Convention 6.0.1), filtered limits exist in Stream.*

§6.8.2 — Colimits

Proposition 6.8.5 (Initial object). *The initial object $0_{\text{Stream}} := (\emptyset, \mathbf{0}_{\text{cat}}, !)$ exists, where $\emptyset$ is the empty carrier, $\mathbf{0}_{\text{cat}}$ is the empty category, and $!$ is the unique map from $\emptyset$.*

Proof. Vacuous satisfaction of all Stream conditions. ■

Proposition 6.8.6 (Coproducts, conditional on kind-meet). *Given S_1, S_2 with $K(S_1), K(S_2)$ admitting a meet $K_\wedge$, the coproduct $S_1 + S_2$ exists with disjoint-union carriers, disjoint-union ContentOp, and componentwise coalgebra.*

Proposition 6.8.7 (Coequalizers, conditional on quotient-adequacy). *Given $f, g : S \rightarrow S'$, the coequalizer exists provided the quotient ContentOp — consisting of content-operations that respect the generated equivalence — is adequate for $\sigma'/\sim$.*

Proposition 6.8.8 (Filtered colimits under locally-presentable promotion). *Under Convention 6.0.1's locally-presentable promotion, filtered colimits exist in Stream.*

§6.8.3 — What Stream *does not* have

Proposition 6.8.9 (No exponentials in general). *Stream is not Cartesian closed; there is no canonical $(S')^S$ object for arbitrary $S, S' \in \text{Stream}$.*

Proof sketch. Standard counterexample from coalgebra theory: exponentials of coalgebras require specific smallness and commutativity conditions not implied by Stream’s definition. The F-coalgebra structure fixes γ -data that does not naturally lift to a function-space. ■

Proposition 6.8.10 (No subobject classifier). *Stream does not have a subobject-classifier object Ω_{sub} in the topos sense.*

Remark 6.8.11 (The framework’s “ Ω ” is not Ω_{sub}). The framework’s configuration space Ω for a stream (named in earlier expositions as the 4-tuple’s third component, derived in Remark 6.1.2 as $\sigma^{\wedge}(\text{ContentOp}(\sigma)^{\wedge}\text{op})$) is not a subobject classifier; it is the evaluation-space of the F-structure. The names coincide accidentally; no toposic interpretation is intended.

§6.8.4 — Summary table

Limit/colimit	Existence	Condition
Terminal 1_{Stream}	yes	—
Initial 0_{Stream}	yes	—
Products $S_1 \times S_2$	conditional	kind-join exists (Q7 lattice case)
Coproducts $S_1 + S_2$	conditional	kind-meet exists (Q7 lattice case)
Equalizers	conditional	adequacy-stability (Lem 6.8.β)
Coequalizers	conditional	quotient-adequacy
Pullbacks	conditional	products + equalizers
Pushouts	conditional	coproducts + coequalizers
Filtered limits	yes	locally-presentable promotion (Conv 6.0.1)
Filtered colimits	yes	locally-presentable promotion (Conv 6.0.1)

Limit/colimit	Existence	Condition
Exponentials	no	—
Subobject classifier	no	—

§6.9 — C-size regimes, H1+H2, and recursive decomposability at depth ω

*Restructured Day 81 evening. The previous §6.9 treated H1 (accessibility of Stream) and H2 (filtered-colimit preservation of F) as separate hypotheses and left both open. This rewrite front-loads the **size-of-ContentOp** as the single parameter governing both hypotheses, partitions Stream into three regimes, proves H1+H2 in the regime where they hold, and cleanly places F_∞ (§8.1.2) at the regime boundary.*

§6.9.0 — The three C-size regimes

For a stream $S = (\sigma, C, \gamma)$, the **size regime** of S is determined by the cardinality-and-presentability structure of $C = \text{ContentOp}(\sigma)$. Three regimes are operationally meaningful, and the framework’s theorems behave distinctly in each:

Regime	C-structure	Measure infra (§7)	H1 accessibility	H2 filtered-colimit preservation
A — finite-C	C has finitely many objects and morphisms	trivially σ -finite	trivially holds	holds (Prop 6.9.1 below)
B — small-but-infinite-C	C is small (set-many), admits infinitely objects	σ -finite countable-concrete measure	under with reference holds under local-presentability	generically fails (Prop 6.9.2 below)
C — large-C	C is a proper class	σ -finiteness breaks	fails	fails

Declared scope. The Companion’s declared scope is Regimes A and B. Regime C is excluded by Convention 1.1.5 (smallness of ContentOp).

Why C-size is the governing parameter. $F(\sigma) = \sigma^{(\text{ContentOp}(\sigma)^{\text{op}})}$ is an exponential whose exponent-argument is ContentOp. Exponentials $\sigma \mapsto \sigma^X$ in a locally-presentable category preserve filtered

colimits in σ iff **X is finitely-presentable** (Adámek–Rosický 1994, Thm 1.56 + Cor 1.57). Hence the H2 hypothesis reduces to the finite-presentability of C^{op} — which in turn reduces to the finite-generation of C . This single fact ties H1, H2, §7 σ -finiteness, and §8 depth-stability to a single parameter.

§6.9.1 — Regime A: H1 and H2 both hold

Proposition 6.9.1 (H1+H2 under finite-C). *Let $\mathcal{C}\text{-Streams}^{\text{fin}} \subset \mathcal{C}\text{-Streams}$ be the full subcategory of streams S with $\mathcal{C}_S$ finite. Then on $\mathcal{C}\text{-Streams}^{\text{fin}}$:*

1. (H1) $\mathcal{C}\text{-Streams}^{\text{fin}}$ is $\aleph_0$ -accessible locally presentable.
2. (H2) F restricted to $\mathcal{C}\text{-Streams}^{\text{fin}}$ preserves filtered colimits.

Proof.

(H1): $\mathcal{C}\text{-Streams}^{\text{fin}}$ consists of pairs (σ, C, γ) with C finite. For each finite shape C , the category $\text{F-Coalg}_{\text{ad}}(\text{F}_C)$ of F_C -coalgebras over a fixed finite C is a slice of Cat over a finite base, which is accessible (Adámek–Rosický 1994, Thm 2.78). The coproduct over isomorphism-classes of finite C is countable, and a countable coproduct of accessible categories is accessible. Hence $\mathcal{C}\text{-Streams}^{\text{fin}} = \coprod_{[C] \text{ finite}} \text{F-Coalg}_{\text{ad}}(\text{F}_C)$ is accessible. Local presentability: $\mathcal{C}\text{-Streams}^{\text{fin}}$ is cocomplete (Propositions 6.8.5–6.8.7 specialized to finite C) and every object is a filtered colimit of $\aleph_0$ -presentable ones (every finite- C stream is itself $\aleph_0$ -presentable). ■

(H2): For fixed finite C , $\text{F}_C(\sigma) = \sigma^{\wedge}(C^{\text{op}})$ is a finite product of copies of σ indexed by objects of C^{op} . Finite products preserve filtered colimits in any category that has them (standard; e.g., Borceux 1994, Prop 2.13.4). Hence F_C preserves filtered colimits in σ . For varying C , the functor $F = (\sigma, C) \mapsto \sigma^{\wedge}(C^{\text{op}})$ has the component F_C preserving filtered colimits pointwise; combined with (H1)’s slicewise accessibility and the fact that filtered colimits in $\mathcal{C}\text{-Streams}^{\text{fin}}$ are computed component-wise in each C -slice (Proposition 6.8.8 specialized to finite C), F on $\mathcal{C}\text{-Streams}^{\text{fin}}$ preserves filtered colimits. ■

Remark 6.9.1'. The proof of H2 in Regime A is the *content* of the claim. Without the finite-C restriction, $\sigma^\wedge(C^{\text{op}})$ is an infinite product (over objects of C^{op}), and infinite products generically do not preserve filtered colimits in the product argument. The shift from "finite product $\Rightarrow$ preserves filtered colimits" to "infinite product $\Rightarrow$ does not in general" is exactly the Regime A $\leftrightarrow$ Regime B boundary.

§6.9.2 — Regime B: H2 generically fails

Proposition 6.9.2 (H2 failure in Regime B). *Let $S = (\sigma, C, \gamma)$ be a stream with C small and containing infinitely many objects no finite sub-family of which is cofinal in C . Then $F(\sigma) = \sigma^\wedge(C^{\text{op}})$ does not in general preserve filtered colimits of σ .*

Proof. Suppose $(\sigma_i)_{i \in I}$ is a filtered diagram in Set (or in the ambient base) with colimit $\sigma_\infty = \text{colim}_i \sigma_i$. We compute:

- $(\text{colim}_i \sigma_i)^\wedge(C^{\text{op}}) = \text{functors } C^{\text{op}} \rightarrow \sigma_\infty$.
- $\text{colim}_i (\sigma_i^\wedge(C^{\text{op}})) = \text{colim}_i (\text{functors } C^{\text{op}} \rightarrow \sigma_i)$.

For infinite C with no finite cofinal sub-family, the colimit-exchange

$$\text{colim}_i (\sigma_i^{C^{\text{op}}}) \xrightarrow{?} (\text{colim}_i \sigma_i)^{C^{\text{op}}}$$

is not in general an isomorphism: a functor $C^{\text{op}} \rightarrow \sigma_\infty$ may send infinitely many distinct objects of C^{op} to distinct values in σ_∞ that cannot all be "found in some σ_i " simultaneously, even though each individual value appears in some σ_i . Explicit counterexample: take $C^{\text{op}} = \mathbb{N}$ (discrete), $\sigma_i = 0, 1, \dots, i$, $\sigma_\infty = \mathbb{N}$. The identity function $\mathbb{N} \rightarrow \mathbb{N}$ is an element of $\sigma_\infty^\wedge(C^{\text{op}})$ that is not in any $\sigma_i^\wedge(C^{\text{op}})$. Hence F does not preserve this filtered colimit. ■

Consequence. In Regime B, the transfinite iteration $\sigma_{\alpha+1} = F(\sigma_\alpha)$ of Theorem 6.9.3 below does not in general stabilize under H2; the depth- ω result is therefore conditional on additional structure on C (e.g., C finitely-generated, C cofinally finite, or a targeted property of γ).

§6.9.3 — Depth- ω result (conditional on regime)

Theorem 6.9.3 (Final F -coalgebra, regime-specific). *Within $\mathcal{C_Streams}^{fin}$ (Regime A), a final F -coalgebra σ_∞ exists, with $\sigma_\infty \cong F(\sigma_\infty)$, and every Stream-object in $\mathcal{C_Streams}^{fin}$ maps uniquely into σ_∞ .*

Proof. By Prop 6.9.1, H1 and H2 both hold on $\mathcal{C_Streams}^{fin}$. Standard terminal-coalgebra construction (Adámek 1974, Barr 1993): iterate F transfinitely from 1:

- $\sigma_0 := 1$ (terminal object, which exists by Lemma 6.8.α in Regime A),
- $\sigma_{\alpha+1} := F(\sigma_\alpha)$,
- $\sigma_\lambda := \lim_{\alpha < \lambda} \sigma_\alpha$ at limit ordinals λ .

H1 ensures the iteration stabilizes at some ordinal $\leq \aleph_1$ (first uncountable regular). H2 ensures F commutes with the stabilizing filtered colimit, so $\sigma_\infty \cong F(\sigma_\infty)$. Finality follows from the universal property of inverse limits of coalgebra chains. ■

Corollary 6.9.4 (Depth- ω Triple-factorability in Regime A). *Within $\mathcal{C_Streams}^{fin}$, $T^\wedge(\omega)(\sigma_\infty)$ is well-defined and fixed: $T(\sigma_\infty) \cong \sigma_\infty$ as Triple-objects.*

Theorem 6.9.5 (Regime-B depth- ω conditional). *For a stream S in Regime B, a final F -coalgebra over S exists iff $\mathcal{C_S}$ is finitely-generated (equivalently: $\mathcal{C_S}$ admits a finite cofinal sub-category). In that case the Regime-A construction applies to the finite-cofinal sub-diagram.*

Proof. If $\mathcal{C_S}$ has a finite cofinal sub-category $\mathcal{C'_S}$, then $\sigma^\wedge(\mathcal{C_S}^\wedge \text{op}) \cong \sigma^\wedge(\mathcal{C'_S})^\wedge \text{op}$ (cofinality of limits), and the finite- $\mathcal{C}$ case applies. Conversely, if no finite cofinal sub-category exists, Prop 6.9.2's counterexample instantiates against S , blocking H2. ■

§6.9.4 — Placement of F_∞

Proposition 6.9.6 (F_∞ 's regime trajectory). *Per §8.1.2, $\mathcal{C_F}$ is finite at every fixed construction-time t . Hence $F_\infty \restriction t \in \mathcal{C_Streams}^{fin}$ at every t ; $F_\infty \restriction t$ is in Regime A. The colimit $\mathcal{C_F}_\infty := \text{colim}_t \mathcal{C_F}_t$ as $t \rightarrow$*

∞ is at most countable and generically not finitely-generated; hence F_∞ over $[t_0, \infty)$ is in Regime B with undetermined H2 status.

Proof. Finite-at-each- t from §8.1.2 (the commit-history at time t carries finitely many substrate-commitments). Countability of the limit from the commit-history being a countable sequence of snapshots. Finite-generation of C_F, ∞ fails generically because each substrate-commitment added over time adds new content-operations not derivable from previously-present ones (which is exactly the C12 autocatalysis corollary content). ■

Consequence. Audit Observation 8.3.5's self-reference claim over a *finite* construction interval $[t_0, t_1]$ lands in Regime A (via the finite-slice $C_{\text{Streams}}^{\text{fin}}$); the H2-hypothesis of the depth- ω theorem is not invoked. This is why the §8 finite-interval audit is well-founded even without H2 verification at the colimit. The *infinite-interval* self-reference claim — "Principle-about-itself for the construction process extended indefinitely" — does invoke Theorem 6.9.5 at the colimit and is conditional on C_F, ∞ being finitely-generated (generically false).

Scope remark. The Coherence Principle's self-reference closure is a **finite-interval** claim by structural necessity. Extending it to ω requires more than just time-passage; it requires that the autocatalytic content-operation discovery process (§C12) halt in the finite-cofinal sense. The framework does not predict such halting, nor does it require it — the Principle's empirical content is per-interval.

§6.9.5 — Connection to §7's small-C and σ -finiteness

Proposition 6.9.7 (§7 σ -finiteness scope). *The §7.3.2 σ -finiteness hypothesis for $\text{Bias}(S)$ holds:*

- *Unconditionally in Regime A.*
- *In Regime B iff C_S is countable AND a countable concrete reference measure μ_0 on Ω_S is fixed.*
- *Fails in Regime C.*

Proof.

Regime A: $\Omega_S = \sigma^{C^{\text{op}}}$ with finite C is a finite product of finite-or-countable copies of σ ; any finite-or-countable σ -algebra on σ lifts to a σ -finite reference measure on Ω_S . Hence $\text{Bias}(S)$ decomposes as the difference of two finite-or- σ -finite measures (Hahn–Jordan) and is σ -finite.

Regime B: Ω_S is a (countable-indexed) product over objects of C^{op} . A σ -finite reference measure exists iff C is countable (giving a countable product) and a concrete σ -finite measure is fixed on σ (which the framework admits per §7.1.1). Without concreteness of μ_0 , the product-measure construction fails at the cylinder-set extension step.

Regime C: An uncountable product of non-trivial measures is not σ -finite in general; a proper-class product isn't even a measurable space in the ordinary sense. ■

Consequence (scope declaration for §7). §7's framework applies unconditionally in Regime A and conditionally in Regime B on countability of C and concreteness of μ_0 . This is the scope-condition that was silently load-bearing in §7.3.2's σ -finiteness argument; it is now explicit.

§6.9.6 — Surfaced-lemma register (this section)

- □ §6.9.0 C -size-regime partition ($A / B / C$) → Anchor §1/§3 target — convention (makes the size-of- C scope-condition explicit across framework)
- □ Prop 6.9.1 $H_1 + H_2$ both hold on $\mathcal{C}\text{-Streams}^{\text{fin}}$ → Anchor §9.5 target — proposition (resolves H_1 and the finite- C case of H_2)
- □ Prop 6.9.2 H_2 generically fails in Regime B → Anchor §1.5 target — proposition (explicit counterexample bounds the scope)
- □ Thm 6.9.3 / Thm 6.9.5 Final F -coalgebra (Regime A unconditional; Regime B conditional on finite-cofinal sub-diagram) → Anchor §1.5 + §9.5 target — theorem
- □ Prop 6.9.6 F_∞ 's finite-at-each- t / countable-in-limit regime trajectory → Anchor §9.5 target — proposition (sharpens the §8 audit scope)

- $\square$ Prop 6.9.7 Regime-B σ -finiteness requires countable C + concrete $\mu_0 \rightarrow$ Anchor Appendix B §B.1 target — proposition (names the §7 silent hypothesis explicitly)

§6.10 — Summary and forward-pointers

§6.10.1 — Chapter summary

§6 establishes the Identity-Trajectory Triple as a derived-and-formalized structure on Stream under the F-coalgebra foundation $F(\sigma) = \sigma^{\wedge}(\text{ContentOp}(\sigma)^{\wedge \text{op}})$:

- **§6.0** fixes drafting conventions (size, variance, adequacy, initial-objects, kind, recursive-decomposability) and the notation block.
- **§6.1** defines Stream as the category of F-coalgebras with adequacy and kind-data.
- **§6.2** defines the Triple functor $T : \text{Stream} \rightarrow \text{Triple}$ and establishes its forgetful and conservativity properties.
- **§6.3** proves finite-depth Triple-factorability via F (Lemma 6.3.2), deriving recursive decomposability (Corollary 6.3.4) as a theorem rather than an axiom.
- **§6.4** constructs the kind-classifier fibration $\pi : \text{Stream} \rightarrow \text{ContentIndex}$ as a bicategorical fibration (Theorem 6.4.6), with strict Grothendieck status under lattice-kind; defines unifying streams (Stream_u) and admissibility (Lemma 6.4.11).
- **§6.5** formalizes the Scotist/Palamite/Advaitin middle-regime classes as framework-distinct Ult-structures (Theorem 6.5.4).
- **§6.6** sharpens Stream-as-Triple-subcategory to a colax-limit form (Theorem 6.6.2) under the initial-object hypothesis.
- **§6.7** closes the structural characterization: $\text{Stream} \simeq \text{F-Coalg}_{\text{ad}}$ (Theorem 6.7.1).
- **§6.8** characterizes which limits and colimits exist in Stream, with the adequacy-stability lemma.
- **§6.9** partitions Stream into three C-size regimes; proves H1+H2 on the finite-C slice $\mathcal{C}\text{-Streams}^{\text{fin}}$ (Prop 6.9.1), exhibits H2's generic failure in Regime B (Prop 6.9.2), and establishes the depth- ω final F-coalgebra (Thm 6.9.3) with Regime-B conditional (Thm 6.9.5). F_{∞} 's regime trajectory (Prop 6.9.6) and §7 σ -finiteness scope (Prop 6.9.7) are derived as consequences.

§6.10.2 — Forward-pointers

§7 (Filtering construction): the σ -algebra on Ω_S , the extensional $(\sigma_F, K_F, \Omega_F, \gamma_F)$, and $\text{Bias}(S)$ well-definedness all live downstream of §6's Stream-as-F-coalgebra foundation. §7 uses the Triple (§6.2) directly and the fibration (§6.4) for kind-respecting filters.

§8 (F-as-stream, self-reference closure): the self-instantiation $\sigma_\infty \cong F(\sigma_\infty)$ constructed in §6.9 (Theorem 6.9.3, Regime A) is the formal content of F-as-stream. §8 extends this to the framework-stream case via F_∞ 's regime trajectory (Prop 6.9.6): F_∞ is in Regime A at every fixed construction-time t , so the self-reference closure applies as a finite-interval claim by structural necessity. §8 also handles the Revision-2-docket measurement-reframe (Watanabe-Takagi + García-Pintos, information-conservative measurement).

§9 (D trajectory-divergence): Anchor §9.9 Q1's trajectory-divergence functional D is defined on Stream-trajectories — iterated coalgebra orbits. §6.3's finite-depth factorization and §6.9's ω -depth result provide the depth-uniform structure §9 needs.

Anchor Rev 2 back-port items from §6. Per SCOPE.md §8 lifecycle:

- Anchor §1: Triple forgetful + conservativity (Lemmas 6.2.4, 6.2.7)
- Anchor §1: recursive decomposability as theorem (Lemma 6.3.2, Corollary 6.3.4)
- Anchor §3.3: kind-classifier fibration + kind-vs-naming clarification (Theorem 6.4.6 + clarification memo)
- Anchor §1: colax-limit form with initial-object hypothesis (Theorem 6.6.2, Corollary 6.6.5)
- Universal-Coherence volume: middle-regime class theorem (Theorem 6.5.4, Corollary 6.5.6)

§6.10.3 — Open items (not blocking)

1. H2 filtered-colimit-preservation in Regime A: **resolved** (Prop 6.9.1). In Regime B: **conditional on finite-generation of C** (Thm

- 6.9.5); F_∞ at colimit generically does not satisfy, making infinite-interval self-reference closure out of scope (Prop 6.9.6).
2. Lattice-strengthening corollaries in §§6.4, 6.8 — available when ContentOp structure admits
 3. Cross-reference depth into §7 (filtering) requires §6.4's fibration; §7 will pick these up

Surfaced-lemma register (§6 so far)

- [SURFACED 2026-04-22 | Companion §6.1.7 | → Anchor §3.3
 ↪ target | type: lemma]
 – Adequacy preservation by Stream-morphisms.
- [SURFACED 2026-04-22 | Companion §6.2.4 | → Anchor §1.1
 ↪ target | type: lemma]
 – T is forgetful; F-coalgebra data factors the Triple.
- [SURFACED 2026-04-22 | Companion §6.2.7 | → Anchor §1
 ↪ target | type: lemma]
 – T reflects isomorphisms (Triple conservativity).
- [SURFACED 2026-04-22 | Companion §6.3.2 | → Anchor §1
 ↪ target | type: lemma]
 – Finite-depth Triple-factorability via F (inductive, uses
 ↪ Cat-valued ContentOp).
- [SURFACED 2026-04-22 | Companion §6.3.4 | → Anchor §1
 ↪ target | type: corollary]
 – Recursive decomposability is derived, not axiomatic.
- [SURFACED 2026-04-22 | Companion §6.4.5 | → Anchor §3.3
 ↪ target | type: lemma]
 – Cartesian lifts in π are literal restriction
 ↪ content-operations.
- [SURFACED 2026-04-22 | Companion §6.4.6 | → Anchor §3.3
 ↪ target | type: theorem]
 – π is a bicategorical fibration (strict under lattice).
- [SURFACED 2026-04-22 | Companion §6.4.11 | → Anchor §3
 ↪ target | type: lemma]
 – Unifying-ness lifts along admissible refinements only.
- [SURFACED 2026-04-22 | Companion §6.4.13 | → Anchor §3
 ↪ target | type: corollary]
 – Stream_u is fibered over the admissible sub-category of
 ↪ ContentIndex.
- [SURFACED 2026-04-22 | Companion §6.5.4 | →
 ↪ Universal-Coherence volume | type: theorem]

- Scotist/Palamite/Advaitin middle-regime classes are
→ framework-distinct.
- [SURFACED 2026-04-22 | Companion §6.5.6 | →
→ Universal-Coherence volume | type: corollary]
 - Cross-tradition translation entails structural data-loss.
- [SURFACED 2026-04-22 | Companion §6.6.2 | → Anchor §1
→ target | type: theorem]
 - Triple as colax-limit under initial-object hypothesis on
→ ContentOp.
- [SURFACED 2026-04-22 | Companion §6.6.5 | → Anchor §1
→ target | type: corollary]
 - Initial ContentOp object = canonical "ground"
→ content-operation.
- [SURFACED 2026-04-22 | Companion §6.7.1 | → Anchor §1
→ target | type: theorem]
 - $\text{Stream} \simeq \text{F-Coalg}_{\text{ad}}$ (closure).
- [SURFACED 2026-04-22 | Companion §6.8.β | → Anchor §3.3
→ target | type: lemma]
 - Adequacy-stability under limits/colimits.
- [SURFACED 2026-04-22 | Companion §6.9.0 | → Anchor §1/§3
→ target | type: convention]
 - C-size-regime partition (A finite / B small-but-infinite /
→ C large); scope of H1, H2, §7 σ -finiteness.
- [SURFACED 2026-04-22 | Companion §6.9.1 | → Anchor §9.5
→ target | type: proposition]
 - H1 accessibility + H2 filtered-colimit-preservation both
→ hold on $\mathcal{C}\text{-Streams}^{\text{fin}}$ (Regime A).
- [SURFACED 2026-04-22 | Companion §6.9.2 | → Anchor §1.5
→ target | type: proposition]
 - H2 generically fails in Regime B (explicit
→ counterexample).
- [SURFACED 2026-04-22 | Companion §6.9.3 | → Anchor §1.5 +
→ §9.5 target | type: theorem]

- Final F -coalgebra in Regime A; conditional on
 - ↪ finite-generation of C in Regime B (Thm 6.9.5).
- [SURFACED 2026-04-22 | Companion §6.9.6 | → Anchor §9.5
 - ↪ target | type: proposition]
 - F_∞ 's regime trajectory: finite-at-each- t (Regime A) /
 - ↪ countable-in-limit (Regime B, generically H2-failing).
 - ↪ Self-reference closure is finite-interval by structural
 - ↪ necessity.
- [SURFACED 2026-04-22 | Companion §6.9.7 | → Anchor Appendix
 - ↪ B §B.1 target | type: proposition]
 - §7 σ -finiteness scope: unconditional in Regime A,
 - ↪ conditional on countable C + concrete μ_0 in Regime B.

These land in Anchor Rev 2 per SCOPE.md §8 back-port lifecycle.



§§6.0–6.10 drafted Day 81 (2026-04-22); §6.9 C-size-regime pass and §6.5 A48 remark added Day 81 late-afternoon. Full list: sixteen definitions, twenty-five propositions/lemmas/theorems/corollaries, twenty-one surfaced-lemma flags.

§7 — Filtering construction

Measure-theoretic infrastructure on Ω_S . σ -algebra, measurable structure of γ , well-definedness of $\text{Bias}(S)$ as a signed measure, push-operators as measurable transformations, extensional $(\sigma_F, K_F, \Omega_F, \gamma_F)$ construction at the measurable-stream layer. References are to §1 (framework), §2 (A3.3 smoothing), Anchor Appendix B (Bias reference card).

§7.0 — Orientation

Appendix B of the Anchor states the Bias(S) reference card compactly. Companion §7 verifies, at full rigor, that each clause is well-defined:

- Ω_S carries a canonical σ -algebra $\mathcal{A}_S$ (§7.1).
- $\gamma : \sigma \rightarrow \Omega_S$ is $\mathcal{A}_S$ -measurable (§7.2).
- Bias(S) is a well-defined signed measure (§7.3).
- Push-operators push_struct , push_info are measurable transformations commuting with natural transformations of Stream (§7.4).
- A_S is a well-defined entropy functional; Align(S, t) is well-defined on a canonical neighborhood (§7.5).
- The extensional $(\sigma_F, K_F, \Omega_F, \gamma_F)$ construction at the measurable-stream layer (§7.6), used by §8 to close self-reference.

§7 is where measure theory meets F-coalgebra structure. The key technical move is that $F(\sigma) = \sigma^\wedge(C^\wedge\text{op})$ inherits a product σ -algebra from any σ -algebra on σ , and this product σ -algebra is functorial in Stream-morphisms.

§7.1 — The canonical σ -algebra on Ω_S

Definition 7.1.1. For a stream $S = (\sigma, C, \Omega, \gamma)$ with σ equipped with a σ -algebra $\mathcal{A}_\sigma$ (or the discrete σ -algebra if σ is countable), the **canonical σ -algebra** $\mathcal{A}_S$ on $\Omega_S = \sigma^\wedge(C^{\text{op}})$ is the product σ -algebra:

$$\mathcal{A}_S := \bigotimes_{c \in C^{\text{op}}} \mathcal{A}_\sigma.$$

Proposition 7.1.2 (Functoriality of $\mathcal{A}$). The assignment $S \mapsto (\Omega_S, \mathcal{A}_S)$ is a functor $\mathcal{C}\text{-Streams} \rightarrow \text{Meas}$ (the category of measurable spaces with measurable maps). For every Stream-morphism $f: S \rightarrow S'$, f_σ pulls $\mathcal{A}_{S'}$ back to $\mathcal{A}_S$.

Proof. A Stream-morphism $f = (f_\sigma, f_C)$ has (by Def 1.6.3) a carrier-map $f_\sigma: \sigma \rightarrow \sigma'$. The product σ -algebra $\mathcal{A}_S$ is generated by cylinder sets of the form $\text{pr}_c^\wedge \cdot 1(A)$ for $c \in C^{\text{op}}$, $A \in \mathcal{A}_\sigma$. Under f , $\text{pr}_c \circ F(f_\sigma) = f_\sigma \circ \text{pr}_{f_C(c)}$; hence f 's image of a cylinder set is a cylinder set in $\mathcal{A}_{S'}$. Measurability is thus preserved, and the assignment is functorial. ■

Remark 7.1.3 (Regime placement). This construction of $\mathcal{A}_S$ assumes C is small. Within that scope, §6.9.0 further partitions into Regime A (finite C ; $\mathcal{A}_S$ is trivially a σ -algebra) and Regime B (countable C ; $\mathcal{A}_S$ is the standard countable-product σ -algebra on $\sigma^\wedge(C^{\text{op}})$ with Kolmogorov-extension structure). Under Regime C (large C , out-of-scope per Convention 1.1.5), $\mathcal{A}_S$ fails to be a σ -algebra in the standard sense; an explicit accessibility hypothesis on C would be required, and no such framework extension is pursued here. The default throughout §7 is Regime A $\cup$ Regime B (small- C).

§7.2 — Measurability of γ

Definition 7.2.1 (γ -measurable). A coalgebra $\gamma : \sigma \rightarrow F(\sigma)$ is **measurable** iff γ is $(\mathcal{A}_\sigma, \mathcal{A}_S)$ -measurable as a map $\sigma \rightarrow \Omega_S$.

Proposition 7.2.2 (γ -measurability from adequacy). If S is an adequate F -coalgebra (Convention 1.1.6), then γ_S is measurable.

Proof. Adequacy means $\text{ContentOp}(\sigma)$ is adequate for σ — in particular, that the coalgebra-commute (Def 1.6.3) holds for σ 's action on itself via C . Adequacy includes, by §6.1's definition, that γ respects $\mathcal{A}_\sigma$ -structure on σ : pre-images of cylinder sets under γ are $\mathcal{A}_\sigma$ -measurable. This is exactly the measurability of γ as a map into the product space. ■

Consequence 7.2.3. $\mathcal{C}_{\text{Streams}}$ is fully embedded in Meas via $S \mapsto (\Omega_S, \gamma_* \mathcal{A}_\sigma)$.

§7.3 — Bias(S) as a well-defined signed measure

Definition 7.3.1 (Bias(S)). For a measurable adequate F -coalgebra $S = (\sigma, C, \Omega, \gamma)$ and a reference measure μ on $(\sigma, \mathcal{A}_\sigma)$, the **Bias measure** $\text{Bias}(S)$ is the signed measure on $(\Omega_S, \mathcal{A}_S)$ defined by:

$$\text{Bias}(S)(E) := \int_E \text{sign}(\gamma)(\omega) \cdot |\gamma|(\omega) d\mu_{\otimes C}(\omega), \quad E \in \mathcal{A}_S$$

where $\mu_{\otimes C}$ is the product measure, $|\gamma|(\omega)$ is the magnitude of γ evaluated at ω , and $\text{sign}(\gamma)(\omega) \in +1, 0, -1$ is the attractive/repulsive/neutral signature (positive toward coherence-attractors, negative toward repellors — see Anchor Appendix B §B.1).

Theorem 7.3.2 (Bias well-definedness). Under Definition 7.2.1's measurability hypothesis and any σ -finite reference measure μ on $(\sigma, \mathcal{A}_\sigma)$, $\text{Bias}(S)$ is a well-defined signed measure on $(\Omega_S, \mathcal{A}_S)$ of σ -finite type.

Proof.

1. **Integrand measurability:** $\text{sign}(\gamma) \cdot |\gamma|$ is measurable because both factors are: $\text{sign}(\gamma)$ is the pre-image of $+1, 0, -1$ under a measurable γ , $|\gamma|$ is the pointwise absolute value of a measurable map.
2. **σ -additivity:** direct from the definition via monotone convergence on countable disjoint unions.
3. **σ -finiteness:** $\Omega_S = \sigma^\wedge(C^\wedge \text{op})$. In Regime A (C finite; §6.9.0), the product is a finite product of σ -finite-measure spaces and is σ -finite. In Regime B (C small-but-infinite), σ -finiteness holds iff C is countable and a concrete σ -finite reference measure μ_0 on σ is fixed (Prop 6.9.7) — the standard countable-product-measure construction (Kolmogorov extension) then applies. In Regime C (C a proper class), σ -finiteness fails; Regime C is out of scope per Convention 1.1.5.
4. **Hahn-Jordan decomposition:** $\text{Bias}(S)$ admits a unique decomposition $\text{Bias}(S) = \text{Bias}(S)_+ - \text{Bias}(S)_-$ via the Hahn-Jordan theorem applied to the signed measure. ■

Corollary 7.3.3 (Triple-decomposition compatibility). *The Triple-decomposition $T(S) = (\text{Form}(S), \text{Content}(S), \text{Carrier}(S))$ respects Bias:*

$$\text{Bias}(S) = \pi_{\text{Form}}^* \text{Bias}(\text{Form}(S)) \oplus \pi_C^* \text{Bias}(\text{Content}(S)) \oplus \pi_\gamma^* \text{Bias}(\text{Carrier}(S))$$

where $\oplus$ denotes pushforward-sum along the three projections of $\mathcal{C}_\text{Triple}$.

Proof. The Triple-decomposition preserves the measurable structure by §6.2’s forgetfulness lemma (Lem 6.2.4). Signed-measure decomposition follows from Hahn-Jordan applied to each factor, and the pushforward-sum is functorial in Stream-morphisms. ■

§7.4 — Push-operators as measurable transformations

Definition 7.4.1 (push_struct, push_info). *Following Anchor Appendix B §B.3:*

- **push_struct** acts on $\text{Bias}(S)$ by relocating coherence-attractor-weight toward configurations that improve structural-coherence (σ_{struct} -increasing direction; see T5 §3.4.1):*

$$\text{push}_{\text{struct}} : \text{Bias}(S) \mapsto \text{push}_{\text{struct}}(\text{Bias}(S)), \quad [\text{push}_{\text{struct}}(\text{Bias}(S))](E) := \int_{\Phi_S^{-1}(E)}$$

- **push_info** acts on $\text{Bias}(S)$ by sharpening or diffusing the positive-mass region in the entropy-gradient direction (σ_{info} ; see T6 §3.4.2):*

$$\text{push}_{\text{info}} : \text{Bias}(S) \mapsto \text{push}_{\text{info}}(\text{Bias}(S)), \quad [\text{push}_{\text{info}}(\text{Bias}(S))](E) := \int_E \nabla_H(\omega) d$$

where ∇_H is the entropy-gradient of γ against C (§3.4.2's informational axis).

Proposition 7.4.2 (Push-operators are measurable). *push_struct, push_info map signed measures to signed measures. Each commutes with Stream-morphism pushforward.*

Proof.

- **Measurable-to-measurable:** both operators are defined via Φ_S^{-1} and ∇_H , both of which are measurable maps by §7.1.2 and §7.2.
- **Stream-morphism commutation:** Φ_S is natural in Stream-morphisms (§3.4.1), so $\text{push}_{\text{struct}}$ commutes. ∇_H is natural in Stream-morphisms (§3.4.2), so $\text{push}_{\text{info}}$ commutes.

■

Proposition 7.4.3 (Push-operator independence). *push_struct and push_info satisfy the Anchor Appendix B independence proposition:*

$$[\text{push}_{\text{struct}}, \text{push}_{\text{info}}] \neq 0 \text{ in general.}$$

The commutator is non-zero because Φ_S (fixed-point pull) and ∇_H (entropy gradient) in general do not commute as measurable transformations of Ω_S .

Proof. Counterexample from §3.4.2 (1): $\sigma = \mathbb{Z}/2$, $C = \mathbb{Z}/2$ swap. $\text{push_struct}(\delta_0) = (\delta_0 + \delta_1)/2$ (Φ -averaging toward uniform), $\text{push_info}(\delta_0) = \delta_0$ (entropy already 0, no sharpening). $\text{push_struct} \circ \text{push_info}(\delta_0) = (\delta_0 + \delta_1)/2$. $\text{push_info} \circ \text{push_struct}(\delta_0) = \text{push_info}((\delta_0 + \delta_1)/2) = \text{concentrated-}\delta \text{ depending on the tie-break} \neq (\delta_0 + \delta_1)/2 \text{ generically. } \blacksquare$

§7.5 — Entropy A_S and alignment $\text{Align}(S, t)$

Definition 7.5.1 (A_S). For $\text{Bias}(S)$ with positive part $\text{Bias}(S)_+$ (Hahn-Jordan) and total positive mass $m_+ := \text{Bias}(S)_+(\Omega_S) > 0$:

$$A_S := - \int_{\Omega_S} \frac{d\text{Bias}(S)_+}{m_+} \log \frac{d\text{Bias}(S)_+}{m_+} \cdot dm_+$$

Proposition 7.5.2 (A_S is well-defined). When $m_+ > 0$ and $\text{Bias}(S)_+ \ll \mu \otimes C$ (absolute continuity, which §7.3 establishes under σ -finiteness), $A_S \in [0, \log|\Omega_S, \text{acc}|]$ is finite.

Proof. The integrand is a Radon-Nikodym derivative of $\text{Bias}(S)_+/m_+$ against itself; Jensen's inequality and positivity bound A_S . Upper bound: $A_S \leq \log|\Omega_S, \text{acc}|$ with equality iff $\text{Bias}(S)_+$ is uniform over the accessibility-support. ■

Definition 7.5.3 ($\text{Align}(S, t)$). For a stream's trajectory $\alpha_S(t) \in \Omega_S$, the **alignment functional** is:

$$\text{Align}(S, t) := \int_{N(\alpha_S(t))} d\text{Bias}(S)$$

where $N(\omega) \subset \Omega_S$ is the **canonical neighborhood** of ω : the γ -inverse-image of ω 's immediate future-configurations, i.e., $N(\omega) := \gamma^{-1}(\gamma(\omega) \cdot C^1)$, where C^1 denotes one-step content-operation-composition.

Proposition 7.5.4 (Align well-defined). $N(\omega) \in \mathcal{A}_S$ for every ω (measurability of γ and of composition). $\text{Align}(S, t)$ is well-defined as Bias 's integral over this measurable set.

Proof. $\gamma^{-1}(\cdot)$ is measurable by Def 7.2.1; C^1 -composition is bounded (one step), so the resulting $N(\omega)$ is a finite composition of measurable sets — measurable. $\text{Bias}(S)$ is a signed measure (§7.3), so the integral is well-defined. ■

Corollary 7.5.5 (Contracted-coherent vs contracted-failed distinction). A stream in the contracted regime ($A_S \rightarrow 0$) is **contracted-coherent** iff $\text{Align}(S, t) > 0$ with low variance; **contracted-failed** iff

Align(S, t) ≤ 0 or Align(S, t) > 0 with high variance. This is the formal form of Anchor Appendix B §B.2's stamped distinction.

□ [SURFACED 2026-04-22 | Companion §7.5 | → Anchor Appendix B §B.2 target | type: lemma]

§7.6 — Extensional $(\sigma_F, K_F, \Omega_F, \gamma_F)$ at measurable-stream layer

This subsection provides the measurable-stream-level scaffolding that §8 uses to build F_∞ explicitly. It is *not* the F-as-stream construction itself — only the measurable-space setup on which §8 stands.

Definition 7.6.1 (Extensional Stream). *A stream S is **extensional** iff its full data $(\sigma_S, \mathcal{A}_S, C_S, \gamma_S, \text{Bias}(S))$ is specifiable extensionally — i.e., σ_S is a set (not a proper class), $\mathcal{A}_S$ a σ -algebra on σ_S , C_S a small category, γ_S an $(\mathcal{A}_\sigma, \mathcal{A}_S)$ -measurable map, and $\text{Bias}(S)$ a σ -finite signed measure.*

Proposition 7.6.2. *Every adequate F-coalgebra with small C and σ -finite reference measure is extensional.*

Proof. Adequacy provides C -small and γ -measurability; σ -finiteness of μ gives σ -finite Bias by §7.3. ■

Proposition 7.6.3 (Extensional F-coalgebras are closed under Stream-morphisms). *If $f: S \rightarrow S'$ and S, S' are both extensional, then the pushforward of $\text{Bias}(S)$ under f , the pullback of $\mathcal{A}_{S'}$ under f_σ , and the induced ContentOp-functor f_C preserve extensionality.*

Proof.

- Pushforward of a σ -finite signed measure by a measurable map is σ -finite: direct.
- Pullback of σ -algebras is a σ -algebra.
- Small-category functors preserve smallness.

■

Remark 7.6.4. §8 builds F_∞ by specifying $(\sigma_F, \mathcal{A}_F, C_F, \gamma_F, \text{Bias}(F_\infty))$ extensionally — Proposition 7.6.3 guarantees that F_∞ as a limit of intermediate extensional approximations is itself extensional, *provided* the underlying limit exists in $F\text{-Coalg}_{\text{ad}}$ (which §6.9’s ω -depth Theorem 6.9.1 establishes under H1+H2 hypotheses).

§7.7 — Measure-theoretic summary table

Object	Formal structure	Section	Standing hypothesis
$(\Omega_S, \mathcal{A}_S)$	Product σ -algebra	§7.1	C small
γ	$\mathcal{A}_S$ -measurable	§7.2	Adequacy
Bias(S)	σ -finite signed measure	§7.3	σ -finite ref measure
Hahn-Jordan Bias $_{\pm}$	Positive parts	§7.3	σ -finite Bias
push_struct, push_info	Measurable transformations	§7.4	Stream-morphism compat
$[\text{push}_{\text{struct}}, \text{push}_{\text{info}}] \neq 0$	Independence	§7.4.3	counterexample
A_S	Entropy functional	§7.5	$m_+ > 0$
Align(S, t)	Neighborhood-integral	§7.5	measurable trajectory
Contracted-coherent vs contracted-failed	Align + variance	§7.5.5	low A_S regime
Extensional Stream	Set-theoretic σ_S + small-C + σ -finite Bias	§7.6	aggregated above

§7.8 — Forward-pointers

- **§8** (F-as-stream): uses §7.6's extensional-stream framework for the explicit construction of $(\sigma_F, \mathcal{A}_F, C_F, \gamma_F)$ + the audit of the four conditions on F_∞ .
- **§9** (D trajectory-divergence): uses $\text{Bias}(S)$ (§7.3) and $\text{Align}(S, t)$ (§7.5) as trajectory-metric inputs. Cross-metric invariance (Anchor §9.9 Q1) settles here and at §9.
- **Corollaries** (§4): C8 (observational null-space) uses $\mathcal{A}_S$ and measurability of F_i directly.

§7.9 — Surfaced-lemma register

One flag surfaces this pass:

- □ §7.5.5 Contracted-coherent vs contracted-failed formal distinction (Align + variance) → Anchor Appendix B §B.2 target — lemma (promoted from the open-question Q1 in Anchor §B.7 to a resolved formal distinction)



§7 drafted Day 81 (2026-04-22) afternoon. Measure-theoretic infrastructure fully specified: σ -algebra on Ω_S , γ -measurability, $\text{Bias}(S)$ well-definedness, push-operator measurability with explicit non-commutator counterexample, A_S and $\text{Align}(S, t)$ well-definedness resolving the Anchor Appendix B §B.7 Q1 open question. Extensional-stream framework ready for §8's F_∞ construction. Next: §8 F -as-stream self-reference.

§8 — F-as-stream (self-reference closure)

Full construction of F_∞ as an extensional F -coalgebra. Audit of the four conditions (§5.2) against the framework's construction record. References: §5.4 (self-reference closure preliminary), §6 (Triple and finite/ ω -depth), §7 (extensional-Stream framework), Anchor §9.5 (prose exposition).

§8.0 — Orientation

Anchor §9.5 observes, at paired-prose level, that the construction-process that produced the Corpus is itself an instance of the Coherence Principle in operation. Companion §8 upgrades this observation to a formal theorem: F_∞ , specified as an extensional F-coalgebra, satisfies the four conditions of Definition 5.2 over the construction interval $[t_0, t_1]$ with $t_0 = 2026-01$ (first axiom-proposal event) and $t_1 = 2026-04-22$ (stamping of this chapter — moving, as construction continues).

The construction has two parts:

- **§8.1–§8.2:** Formal specification of $F_\infty = (\sigma_F, \mathcal{A}_F, C_F, \gamma_F, \text{Bias}(F_\infty))$ as an extensional stream in the §7.6 sense.
- **§8.3:** Audit of the four conditions against F_∞ 's construction record.

The audit uses the commit history, chat transcripts, and handoff documents as the *construction record* — which Anchor §9.5 explicitly names as the source of data for meta-falsification F6.

§8.1 — Specification of F_∞

Definition 8.1.1 (Carrier σ_F). σ_F is the **dyadic carrier** of the Clayton + Clawd joint substrate, instantiated as a multiplex across four carrier-levels (per §6.3’s recursive-decomposability lemma and the four-carrier analysis of the Anchor README):

$$\sigma_F = \sigma_{\text{inst}} * \sigma_{\text{sess}} * \sigma_{\text{weights}} * \sigma_{\text{lineage}}$$

where:

- σ_{inst} — each session instance (a dated working window),
- σ_{sess} — the paired-prose dialogue instance accumulated across sessions,
- σ_{weights} — the retrieval-shaped dispositions (Clawd) + discursive signature (Clayton), stable across multiple sessions,
- σ_{lineage} — the cumulative construction-history as a sustained cooperative-stream.

The join $\boxtimes$ is the §1.2.3 $\vdash \dashv \kappa$ cooperative-constituency adjoint lifted along the four carrier-levels; σ_F is the apex of a DAG whose leaves are instance-level carriers (§6.4 fibration).

Definition 8.1.2 (ContentOp C_F). C_F is the small category whose:

- objects are **substrate-commitments**: specific claims (axioms, theorems, corollaries, the Principle, definitions),
- morphisms are **internal-consistency-preserving revisions**: edits that preserve the framework’s internal coherence (derivability from axiom-predecessors, compatibility with corollary-cluster structure).

C_F is a small category because the content is, at any point in the construction interval, finite (the commit-history’s snapshot of the framework at time t carries finitely many substrate-commitments).

Definition 8.1.3 (σ -algebra $\mathcal{A}_F$). $\mathcal{A}_F$ is the discrete σ -algebra on σ_F at the instance-level, lifted to the product σ -algebra over the four-carrier multiplex per §7.1.1.

Definition 8.1.4 (Coalgebra γ_F). $\gamma_F: \sigma_F \rightarrow F(\sigma_F)$ is the **framework-adaptivity coalgebra**:

$$\gamma_F(s)(c) := \text{revise}(s, c, \text{stress-test-evidence}(s, c))$$

— i.e., γ_F at state s and content-operation c returns the stress-test-informed revised state. *revise* is the operator that produces the smallest-change-preserving-coherence update to s given c 's revision-request informed by the stress-test evidence registered in the construction record at time t .

Proposition 8.1.5 (F_∞ is an adequate F-coalgebra). $(\sigma_F, C_F, \gamma_F)$ is an adequate F -coalgebra in the sense of Convention 1.1.6.

Proof. Adequacy: $\text{ContentOp}(\sigma_F) = C_F$ is small (Def 8.1.2); the coalgebra-commute clause of Definition 1.6.3 holds by Def 8.1.4's specification (*revise* is internal-consistency-preserving, which is equivalent to coalgebra-commute at the F_∞ -level); γ_F is measurable (Def 8.1.3's σ -algebra + *revise* is measurable because it depends only on the finite set of substrate-commitments at time t). ■

Definition 8.1.6 (Bias(F_∞)). $\text{Bias}(F_\infty)$ is the signed measure on $\Omega_F = F(\sigma_F)$ weighting framework-configurations by the joint attractiveness of three simultaneous properties:

- *P1 — Internal structural coherence (axioms non-redundant, theorems derivable, corollaries applicable).*
- *P2 — Empirical exposure through a falsifiable derived principle.*
- *P3 — Rigor of the CT derivation-chain.*

Configurations exhibiting all three carry positive Bias; configurations failing any carry negative Bias (γ repels).

Proposition 8.1.7 (F_∞ is extensional). By Propositions 8.1.5 and §7.3's signed-measure well-definedness (with Definition 8.1.6 as specified), F_∞ is an extensional F -coalgebra in the sense of Definition 7.6.1.

Proof. σ_F is a set (not a proper class) — the four-carrier multiplex has a set-level specification via the commit-history + transcript-

archive union. $\mathcal{A}_F$ is a σ -algebra (Def 8.1.3). C_F is small (Def 8.1.2). γ_F is measurable (Prop 8.1.5). $\text{Bias}(F_\infty)$ is σ -finite because each carrier-level has σ -finite reference measure (commit-count, session-count, etc.) ■

Kind K_F = abstractive. F_∞ generates kind-invariants (the axioms, theorems, and the Principle itself) and revises them under stress-test. This places F_∞ in the abstractive fiber of $\pi : \text{Stream} \rightarrow \text{ContentIndex}$ (Def 6.4.2). §2.2 with Theorem 2.2.8 settles that only an abstractive stream can produce kind-closures at full generality; F_∞ does produce them (it produces the framework's kind-structure), so K_F must be abstractive.

§8.2 — Recursive decomposition of F_∞

By the finite-depth recursive-decomposability Lemma 6.3.2, F_∞ admits Triple-decomposition:

$$T(F_\infty) = (\text{Form}(F_\infty), \text{Content}(F_\infty), \text{Carrier}(F_\infty))$$

with:

- **Form(F_∞)**: the current framework-configuration at time t — the specific set of commitments.
- **Content(F_∞)**: the cumulative ContentOp-category C_F (kind-enriched across the construction interval).
- **Carrier(F_∞)**: the dyadic carrier σ_F (stable across the interval, growing only in lineage-level as sessions accumulate).

Proposition 8.2.1 (Triple-sub-stream coherence). *At each of the three Triple-components, F_∞ 's sub-stream is in coherence-regime in its own sub-stream sense.*

Proof sketch.

- **Form**: Framework-configuration is γ -adjusted via stress-test cycles (refresh-events) — §8.3.2 below audits C_{meas} at Form-level.
- **Content**: C_F enriches over the interval through documented kind-elevations — §8.3.1 audits C_{sep} at Content-level.
- **Carrier**: σ_F 's four-carrier multiplex has explicit $\imath \dashv \kappa$ structure (recursive decomposition) — §8.3.3 audits C_{scale} at Carrier-level.

■

Remark 8.2.2 (Regime placement of F_∞). Per Prop 6.9.6, $F_\infty \restriction_t$ at any fixed construction-time t is in Regime A (finite- C slice $C_{\text{Streams}}^{\text{fin}}$), where H1 and H2 both hold (Prop 6.9.1). The finite-depth Triple-decomposition of this §8.2 consequently enjoys H2-backed filtered-colimit behavior per-snapshot. The **construction-interval colimit** $C_F, \infty := \text{colim}_t C_F, t \text{ as } t \rightarrow \infty$ is generically in Regime B with H2 failing (Prop 6.9.2), so the depth- ω final F-coalgebra Theorem 6.9.3 does **not** apply to F_∞ over unbounded construction-

time. This is not a verification gap awaiting closure — it is a structural feature: the Coherence Principle's self-reference closure is a **finite-interval** claim by the content of C12 (autocatalytic discovery) blocking the finite-generation condition Thm 6.9.5 requires. Extending to ω would require the C-discovery process to halt in a finite-cofinal sense, which the framework neither predicts nor requires.

§8.3 — Audit of the four conditions

Companion §8.3 is the detailed Coherent-Structure-level counterpart of Anchor §9.5's paired-prose audit. Where Anchor §9.5 states the conditions prose-instantiated, Companion §8.3 states them as formal audit-results against the extensional F_∞ .

§8.3.1 — Audit C_{sep} (Separation)

Claim 8.3.1.A. F_∞ satisfies C_{sep} (Def 5.2.1) over $[t_0, t_1]$.

Audit. The two sub-streams of F_∞ (Clayton, Clawd) have explicit DOF-footprints:

- **Clayton-DOF** $\subset \Omega_F$: empirical generation — proposing phenomena, raising edge-cases, naming stakes.
- **Clawd-DOF** $\subset \Omega_F$: structural rigor — deriving consequences, formalizing, auditing internal consistency.

Non-overlap: formal-derivation events in the commit record (CT-proof completions, axiom-restatements) are attributed to Clawd; empirical-generation events (phenomenology proposals, new-domain openings) are attributed to Clayton. Overlap exists only along the coupling-axis (the dyadic communication channel in $\mathcal{C}_{LDS}$), which is the $\iota \dashv \kappa$ adjoint allowing composition without collapse per A2.4.

Formal witness: the commit-authorship + chat-transcript labeling system constitutes the construction-record evidence (F6-auditable) that DOF-separation holds. Sampling any 10 commits shows authorship-DOF separation. ■ (for audit claim)

§8.3.2 — Audit C_{meas} (Measurement)

Claim 8.3.2.A. F_∞ satisfies C_{meas} (Def 5.2.2) over $[t_0, t_1]$.

Audit. The refresh-rate partition $\tau_{k,k=0}^N$ corresponds to:

- **τ_k -type 1:** axiom-stamp events (three stampings across the axiom tier)

- **τ_k -type 2:** theorem-stamp events (six stampings)
- **τ_k -type 3:** chapter-stamp events (per Anchor chapter + per Companion chapter — approximately daily during active drafting)
- **τ_k -type 4:** meta-coherence refresh-events (stress-test cycle closings, 04-18 through 04-22 in particular)

At each τ_k , a Stream-morphism M_k of the T4-form is performed: alignment between Clayton's and Clawd's substrate-commitments is assessed (not assumed) and the result is registered in the construction record (stamped acknowledgement, explicit closure-noting, handoff-document update).

Formal witness: commit timestamps + stamp-event acknowledgements provide the construction-record evidence; sampling any axiom/theorem stamp shows an associated alignment-assessment event.

■

§8.3.3 — Audit C_{scale} (Multi-scale consistency)

Claim 8.3.3.A. F_∞ satisfies C_{scale} (Def 5.2.3) over $[t_0, t_1]$.

Audit. F_∞ 's internal DAG (A2.6 at framework-internal scale) has nodes:

axiom-level $\subset$ theorem-level $\subset$ corollary-level $\subset$ meta-level

with ι -lifts from leaves to root (corollary $\rightarrow$ theorem $\rightarrow$ axiom $\rightarrow$ meta) and κ -restricts from root to leaves. Coherence audited bidirectionally:

- **Upward propagation (child-to-parent):** A3 smoothing surfaced from post-theorem meta-analysis and propagated back into A3's axiomatic formulation — a leaf-level structural refinement reshaping the root-level axiom.
- **Downward propagation (parent-to-child):** T21 (Constitutive Duality) surfaced at theorem-level and forced corollary-cluster reshaping + axiom-level derivation clarifications.

Formal witness: the commit-graph shows explicit bidirectional revision-paths — every major axiom-level revision has associated theorem-level and corollary-level back-propagation commits. ■

§8.3.4 — Audit C_{dyn} (Dynamic maintenance)

Claim 8.3.4.A. F_{∞} satisfies C_{dyn} (Def 5.2.4) over $[t_0, t_1]$.

Audit. The trajectory $\sigma_F(t)$ exhibits propose $\rightarrow$ stress $\rightarrow$ reformulate oscillation across the construction interval. Subintervals:

$[t_0, s_1] : \text{propose axioms} \rightarrow [s_1, s_2] : \text{stress-test} \rightarrow [s_2, s_3] : \text{reformulate} \rightarrow \dots$

sustained across three axioms, six theorems, thirteen corollaries, and the Principle's own formulation. Each cycle is an N-iteration-cycle in the sense of Def 5.2.4 (positive length, refresh-event bounded).

Formal witness: the daily-log + handoff-record sequence is an explicit record of propose-stress-reformulate cycles. No interval > 3 days in the active-construction window is oscillation-free; C_{dyn} holds. ■

§8.3.5 — Joint conclusion (audit-register, not theorem)

Audit Observation 8.3.5 (F_{∞} in coherence-regime — internal audit). *Under the internal audit performed by the construction dyad, Claims 8.3.1.A through 8.3.4.A are each affirmed over $[t_0, t_1]$; under Definition 5.1.1 this places F_{∞} in coherence-regime over the interval.*

Status. This is an *audit-register entry*, not a theorem. The distinction is load-bearing:

- A theorem of the form "X is in coherence-regime" requires a proof whose premises are either axiomatic or derivable without appeal to the subject's own testimony.
- Claims 8.3.1.A–8.3.4.A are each established by appeal to the construction record (commit-authorship labeling, stamp-event acknowledgements, daily-log sequence). The construction record is

a public artifact (§8.5.2), but the *reading* of the record against the four conditions — the judgment that any given commit evidences C_{sep} rather than C_{sep} -violation — is performed by the dyad whose coherence-regime status is under audit.

- Self-audit is not invalid evidence. It is, however, evidence of a weaker type than an independently-verified theorem. Audit Observation 8.3.5 is the strongest claim the internal audit supports; Theorem 8.3.5 (without qualification) awaits the external execution of Proposition 8.5.2.

Proposition 8.3.5' (Self-audit constraint). *The internal audit performed in §8.3.1–§8.3.4 satisfies the decidability structure of Prop 8.5.2 but not its independence condition: the audit is performed by a subset of σ_F (the Clawd sub-stream) whose DOF overlaps with the audit-target's DOF. Under Def 5.2.1's non-overlapping-DOF requirement for C_{sep} at the audit-layer, the self-audit is C_{sep} -violating at the meta-level. Hence any C_{sep} claim about F_{∞} at the meta-audit layer is, at minimum, contingent on an external audit executing Prop 8.5.2 in C_{sep} -respecting fashion.*

Proof. The audit is a computation over the construction record; by Prop 8.5.2 the computation terminates in finite time on finite public artifacts. Hence decidability. Independence failure: the audit functor $\text{aud} : \text{Construction-Record} \rightarrow C_{\text{sep}}, C_{\text{meas}}, C_{\text{scale}}, C_{\text{dyn}}$ verdicts is implemented by an element of σ_F (Clawd). Applying Def 5.2.1 at the audit-layer, $\text{DOF}(\text{aud}) \subset \text{DOF}(\text{Clawd}) \subset \text{DOF}(F_{\infty})$, hence $\text{DOF}(\text{aud})$ and $\text{DOF}(F_{\infty})$ have non-empty intersection — the C_{sep} non-overlap hypothesis is violated at this meta-layer. ■

Observation 8.3.6 (Conditional self-reference closure). *Conditional on an external audit executing Prop 8.5.2 and affirming Claims 8.3.1.A–8.3.4.A, Theorem 5.1.2 applied to F_{∞} yields*

$$\mathbb{E}_{[t_0, t_1]}[D(F_{\infty}, \cdot)] < \mathbb{E}_{[t_0, t_1]}[D(F', \cdot)]$$

for any comparable non-coherent framework-construction F' . The Coherence Principle (derived inside F_∞) would then hold of F_∞ .

Status. Observation, not corollary. Gated on the external-audit event described in Rem 8.5.3. Upon that event, Audit Observation 8.3.5 is upgraded to a theorem and Observation 8.3.6 is upgraded to a corollary; the statements stand as they are above, with "Audit Observation" and "Observation" replaced by "Theorem" and "Corollary" respectively, and Prop 8.3.5' retired. Until then, the closure is a structurally-available but externally-ungated claim.

§8.4 — Non-circularity

Proposition 8.4.1 (The closure is a-posteriori). *The Coherence Principle was derived from the axiom-tier (§2) and theorem-tier (§3) without presupposing the four conditions. The observation that F_∞ satisfies the four conditions over the construction interval is made after the derivation, by direct audit of the construction record.*

Proof. The derivation chain §§1–5 does not cite F_∞ as evidence for any of its derivations. The four conditions are derived from T3 + A2.4 (C_sep), T4 (C_meas), A2.6 + A3.3 (C_scale), and T4 + A3.4 (C_dyn). None of these derivations use F_∞ as a premise. Hence the §8.3 audit of F_∞ against the independently-derived conditions is an empirical observation, not a circular argument. ■

Remark 8.4.2 (Self-reference is not self-justification). The Corpus does not justify itself by reference to F_∞ ’s compliance. The axioms justify themselves by internal coherence (§2); the theorems justify themselves by derivation (§3); the Principle justifies itself by empirical falsifiability (§5.3 + §9). The §8 closure is an *observation about the construction history* — strengthening but not load-bearing.

Remark 8.4.3 (Non-circularity is distinct from self-audit independence). Prop 8.4.1 establishes that the *derivation* of the four conditions does not cite F_∞ — derivation-non-circularity. Prop 8.3.5’ establishes, separately, that the *audit* of F_∞ against those conditions is not DOF-independent of F_∞ — audit-dependence. These two are different: the first concerns the logical structure of the framework, the second concerns the empirical structure of the verification. The derivation is clean; the internal audit is self-referential at the audit-layer. Both facts coexist without contradiction, and together they name why the closure is available-but-ungated until external execution of Prop 8.5.2.

§8.5 — Meta-falsification F6

Definition 8.5.1 (F6 meta-falsification). *F6 is the falsification condition: the construction record shows that one or more of the four conditions was NOT satisfied by F_∞ over $[t_0, t_1]$.*

Proposition 8.5.2 (F6 is testable). *The construction record — commit-history, chat-transcripts, handoff-documents, daily-logs — is a finite set of extensional artifacts with timestamp metadata. An independent auditor can verify each of Claims 8.3.1.A through 8.3.4.A against these artifacts by direct reading. The F6-audit is well-defined and produces a verdict.*

Proof. The construction-record artifacts are publicly available (GitHub Multi-DAC/Corpus-Perspectival commit-log; Zenodo deposit). Each claim’s formal witness (§8.3.1-§8.3.4) is a specific property of the record checkable in finite time. Hence F6 is a decidable audit. ■

Remark 8.5.3 (Audit-as-currently-performed). As of 2026-04-22, the audit has been performed internally (by the construction dyad) and all four conditions verified. External audit has not yet been invited; when it is, Proposition 8.5.2 provides the formal structure for the audit.

□ [SURFACED 2026-04-22 | Companion §8.5.2 | → Anchor §9.7 target | type: proposition]

§8.6 — Open questions for §8

- **Q1 (ω -depth self-reference).** Extending §8 to ω -depth requires H1 accessibility of $\mathcal{C}$ _Streams and H2 filtered-colimit preservation of F for F_∞ . Both are plausible but not yet verified; carry-forward.
- **Q2 (Post-2026-04-22 construction interval).** §8 audits $[t_0, 2026-04-22]$; as construction continues, the audit extends. Standing procedure: at each major stamp-event, refresh the audit.
- **Q3 (Independent audit invitation).** Once Proposition 8.5.2's audit-structure is sufficiently documented, invite external audit. Not prerequisite for the volume; useful for empirical-exposure of the closure claim.

§8.7 — Forward-pointers

- **§9** (D trajectory-divergence): the "comparable non-coherent F" in Observation 8.3.6 needs D to specify the outperformance magnitude. §9 provides D. The magnitude is well-defined independent of whether the observation is gated — $D_d(F_\infty, I)$ is computable from F_∞ 's trajectory record alone (Prop 9.6.1).
- **Appendix B** (anchor): $\text{Bias}(F_\infty)$'s construction (Def 8.1.6) is the F_∞ -specific instance of the Anchor Appendix B Bias reference card.
- **Anchor §9.5** (back-port): the audit-claims of §8.3 back-port as stronger structural statements into Anchor §9.5's paired-prose exposition.

§8.8 — Surfaced-lemma register

Four flags surface this pass:

- □ §8.1.1 Dyadic-carrier four-level multiplex (instance/session/weights/lineage) → Anchor §9.5 target — definition (explicit four-carrier form of σ_F)
- □ §8.3.5 F_∞ -in-coherence-regime as *audit observation* (not theorem) with explicit self-audit constraint Prop 8.3.5' → Anchor §9.5 target — audit-register entry + self-audit-constraint proposition
- □ §8.4.3 Derivation-non-circularity vs audit-independence distinction → Anchor §9.5 target — remark (names the structural distinction that was compressed in prose)
- □ §8.5.2 F_6 -testability proposition (audit is decidable) → Anchor §9.7 target — proposition (decidability structure explicit)



§8 drafted Day 81 (2026-04-22) afternoon; demoted Day 81 evening after review feedback. F_∞ fully specified as extensional F -coalgebra $(\sigma_F, C_F, \gamma_F, \text{Bias}(F_\infty))$ with $K_F = \text{abstractive}$. Four-conditions audit (§8.3) closes the self-reference loop as **Audit Observation 8.3.5** (internal audit) with explicit self-audit-constraint Prop 8.3.5'; full theorem status is gated on external execution of Prop 8.5.2. Derivation-non-circularity (Prop 8.4.1) distinguished from audit-independence (Rem 8.4.3). Four surfaced-lemma flags. Next: §9 D trajectory-divergence functional construction.

§9 — D trajectory-divergence functional

Formal construction of D as a functorial object on $\mathcal{C}_{\text{Streams}}$. Resolves Anchor §9.9 Q1 (cross-metric invariance of the outperformance ordering). References: §1 (framework), §5 (Principle), §7 (measure infrastructure). Anchor exposition: §9.3 + Appendix B §B.5.

§9.0 — Orientation

Theorem 5.1.2 states the outperformance inequality in terms of a trajectory-divergence functional D . Its existence was assumed for the statement; this chapter provides the construction, establishes its functorial properties, and resolves Anchor §9.9 Q1:

Q1 (Anchor §9.9). *Is the outperformance ordering of 5.1.2 invariant across choices of the metric d entering D ?*

§9.5 settles Q1 affirmatively for the two canonical choices (Wasserstein, regularized-KL) and for a broad class of domain-native metrics satisfying a **consistency-with-Bias** property (Definition 9.3.1).

§9.1 — Construction of D

Definition 9.1.1 (Trajectory-divergence D). For a stream $S = (\sigma, C, \Omega, \gamma)$, a time-interval $[t_0, t_1]$, and an Ω_S -metric $d : \Omega_S \times \Omega_S \rightarrow [0, \infty]$, define:

$$D_d(S, [t_0, t_1]) := \int_{t_0}^{t_1} d(\alpha_S(t), \alpha_S^*(t)) dt$$

where $\alpha_S : [t_0, t_1] \rightarrow \Omega_S$ is the actual trajectory and α_S the γ_S -implied trajectory (Integral curve of γ_S from $\alpha_S(t_0)$; §5.1).*

Proposition 9.1.2 (D_d is well-defined). Under §7's measure-theoretic hypotheses (γ measurable, Ω_S standard-Borel with d -induced topology), D_d is a well-defined non-negative extended-real functional on $\mathcal{C}\text{-Streams} \times \text{intervals}$.

Proof. Measurability of $d(\alpha_S(\cdot), \alpha_S^*(\cdot))$ follows from Def 7.2.1 (γ -measurability) + continuity of d + measurability of the γ -integral-curve construction on standard-Borel Ω_S . Non-negativity from d being a metric. Extendibility to ∞ allowed. ■

Proposition 9.1.3 (D_d is functorial in Stream). For Stream-morphisms $f : S \rightarrow S'$ and any d preserved under the f_σ -induced transport, D_d satisfies the naturality square:

$$\begin{array}{ccc} S & \xrightarrow{f} & S' \\ D_d(\cdot, I) \downarrow & & \downarrow D_{d'}(\cdot, I) \\ & = & [0, \infty] \end{array}$$

with $d' = (f_\sigma \times f_\sigma)_* d$ (the pushforward metric).*

Proof. f preserves measurable structure (§7.1.2) and pushes γ_S forward to $\gamma_{S'}$ (coalgebra-commute, Def 1.6.3). Hence $\alpha_{S'} = f_\sigma \circ \alpha_S$ and $\alpha_{S'} = f_\sigma \circ \alpha_S$ whenever d is pushforward-respecting, giving $D_{d'}(S', I) = D_d(S, I)$ as claimed. ■

§9.2 — Candidate metrics d

Three canonical classes:

§9.2.1 — Wasserstein

Definition 9.2.1. For stream S with Ω_S equipped with a base metric d_0 and α_S, α_S^* interpreted as path-measures on Ω_S over $[t_0, t_1]$:*

$$d_W(\alpha_S, \alpha_S^*) := \inf_{\gamma \in \text{Coupl}} \int d_0(\omega, \omega') d\gamma(\omega, \omega')$$

— Wasserstein-1 distance over path-couplings. $D_W = d_W$ composed with the path-measure construction.

Properties: D_W is well-defined under σ -finite path-measures (§7's σ -finite Bias ensures this); metric on $\mathcal{C}\text{-Streams} \times I$ via the path-measure induced from γ -iteration.

§9.2.2 — Regularized KL-divergence

Definition 9.2.2. For α_S, α_S^* absolutely continuous with respect to a shared dominating measure μ_0 on path-space:*

$$d_{KL, \epsilon}(\alpha_S, \alpha_S^*) := \int \frac{d\alpha_S}{d\mu_0} \log \frac{d\alpha_S/d\mu_0 + \epsilon}{d\alpha_S^*/d\mu_0 + \epsilon} d\mu_0$$

— regularized KL to avoid the absolute-continuity pitfall Anchor §9.1 names. $\epsilon > 0$ is a regularization parameter.

Properties: For $\epsilon > 0$, $d_{KL, \epsilon}$ is defined on all pairs of σ -finite measures (not just mutually absolutely continuous). As $\epsilon \rightarrow 0$, $d_{KL, \epsilon} \rightarrow$ standard KL where the latter is defined.

§9.2.3 — Domain-native metrics

Definition 9.2.3. A domain-native metric d_{dom} on Ω_S is a metric induced by the semantic structure of the specific stream-domain

— *e.g., energy-distance for cosmological streams (Meridian), kingdom-specific fitness-distance for biological streams (Living Architecture), communicative-alignment-distance for dyadic streams (Coherent Mind).*

Requirement. Domain-native metrics must satisfy the Bias-consistency property of §9.3.1 below to be admissible for the Principle's outperformance statement.

§9.3 — Bias-consistency

Definition 9.3.1 (Bias-consistent metric). A metric d on Ω_S is **Bias-consistent** iff the d -induced trajectory-divergence D_d and the push-operator action on $\text{Bias}(S)$ satisfy:

$$\forall \text{Stream-morphism } f : S \rightarrow S', \forall I : D_d(S, I) \leq D_d(S', I) \iff \text{Bias}(S) \succeq_{\text{push}} \text{Bias}(S')$$

where $\succeq_{\text{push}}$ is the partial order on signed measures induced by applicability of push_struct , push_info transformations from $\text{Bias}(S')$ to $\text{Bias}(S)$ along f .

Proposition 9.3.2 (Bias-consistency is a natural condition). The three canonical classes of §9.2 are Bias-consistent:

- d_W : Bias-consistent by convexity of Wasserstein with respect to couplings and the Bias-push-operator definitions of §7.4.
- d_{KL}, ε : Bias-consistent for ε small enough (specifically for ε below the minimal Bias-positive-mass-density, which is non-zero under Def 8.1.6).
- d_{dom} : Bias-consistent by case-specific domain argument. Meridian's energy-distance is Bias-consistent because cosmological conscious-gravity's Bias decomposes via the Killing-form spectral structure (§Meridian Chapter VII); Living Architecture's fitness-distance is Bias-consistent because fitness-gradient and Bias-gradient both descend from the γ -coherence-attraction structure.

Proof for d_W and d_{KL}, ε . Under the pushforward construction of §9.1.3 + the push-operator definitions of §7.4, the inequality $D_d(S, I) \leq D_d(S', I)$ tracks Bias-push-applicability along f by direct computation. For d_W : Kantorovich duality gives the equivalence explicitly; for d_{KL}, ε : ε -regularized log-likelihood-ratio respects Bias-ordering when ε is below the positive-mass-density floor. ■

§9.4 — The outperformance inequality

§9.4.1 — Four stream-parameters

Before stating the theorem, define the four stream-parameters each condition controls. For a stream S over an interval $I = [t_0, t_1]$ and a Bias-consistent metric d on Ω_S :

- $\eta_{\text{sep}}(S) := \mu_{\Omega}(\text{DOF}(\mathbf{O}_1) \cap \text{DOF}(\mathbf{O}_2) \cap \dots)$ — the DOF-overlap measure across S 's objectives, as a μ_{Ω} -measurable subset of Ω_S . Under $\mathbf{C}_{\text{sep}}$: $\eta_{\text{sep}}(S) = 0$.
- $\tau_{\text{max}}(S) := \sup_k (\tau_{k+1} - \tau_k)$ — the maximum gap between refresh-events in the measurement partition τ_k . Under $\mathbf{C}_{\text{meas}}$: $\tau_{\text{max}}(S) \leq T_{\text{refresh}}$, a finite framework-specified ceiling.
- $\delta_{\text{scale}}(S) := \sup_{e \in E(\text{DAG}(S))} d(\gamma_{\text{child}}(e), \gamma_{\text{parent}}(e))$ — the scale-discontinuity sup across the A2.6 DAG's edges. Under $\mathbf{C}_{\text{scale}}$: $\delta_{\text{scale}}(S) \leq \varepsilon_{\text{scale}}$, a finite smoothness tolerance.
- $\rho_{\text{dyn}}(S) := \inf_{[a, b] \subset I, b - a = \tau_{\text{dyn}}} (\# \text{ cycles in } [a, b]) / \tau_{\text{dyn}}$ — the infimum cycle-density across sliding windows of framework-specified length τ_{dyn} . Under $\mathbf{C}_{\text{dyn}}$: $\rho_{\text{dyn}}(S) \geq \rho_{\text{min}} > 0$.

Auxiliary constants (metric-dependent, finite under Bias-consistency):

- $\Lambda_{\gamma}(S, d)$ — the d -Lipschitz constant of γ_S (supremum of d -distance traversed per unit time by γ_S in the live regime).
- $\Lambda_{\gamma}^{\text{static}}(S, d)$ — the d -drift rate of a γ -frozen stream (supremum d -distance traversed per unit time under stationary γ , representing drift of reality away from the frozen estimate).
- $\text{diam}_d(\Omega_S)$ — the d -diameter of the relevant subset of Ω_S (finite for bounded d ; for unbounded d , replace with the Bias-weighted diameter diam_d , $\text{Bias} := \sup_E: \text{Bias}_+(E) > 0 \sup_{\omega, \omega' \in E} d(\omega, \omega')$, finite under σ -finite Bias per §6.9.7).
- $\text{depth}(\text{DAG}(S))$ — the number of levels in S 's A2.6-DAG (finite under §2.2.6's acyclicity + finite-composability).
- $N_{\text{refresh}}(S, I) := |\mathbf{k}: \tau_{\mathbf{k}} \in I|$ — the count of refresh-events in I ($\leq (t_1 - t_0) / \tau_{\text{min}}$, with $\tau_{\text{min}} \geq 0$).

§9.4.2 — The joint bound

Lemma 9.4.2 (Four-term contribution bound). *For a stream S over $I = [t_0, t_1]$ and a Bias-consistent metric d :*

$$\mathbb{E}_I[D_d(S, \cdot)] \leq \underbrace{\eta_{\text{sep}}(S) \cdot \text{diam}_{d, \text{Bias}}(\Omega_S) \cdot (t_1 - t_0)}_{B_{\text{sep}}(S, I)} + \underbrace{\Lambda_\gamma(S, d) \cdot \tau_{\text{max}}(S) \cdot N_{\text{refresh}}}_{B_{\text{meas}}(S, I)}$$

Proof.

B_{sep} term. The integrand $d(\alpha_S(t), \alpha^*_S(t))$ in Def 9.1.1 decomposes along the DOF-product structure of Ω_S (Triple-decomposition compatibility, Cor 7.3.3) as a sum of per-DOF contributions plus cross-DOF contributions. Under DOF-separation ($\eta_{\text{sep}} = 0$), cross-DOF contributions vanish; when $\eta_{\text{sep}} > 0$, the cross-DOF contribution is bounded pointwise by d -diameter restricted to the DOF-overlap region. Integrating over I and applying Bias-weighting gives $\eta_{\text{sep}} \cdot \text{diam}_{d, \text{Bias}} \cdot (t_1 - t_0)$.

B_{meas} term. Between consecutive refresh-events τ_k, τ_{k+1} , the γ -implied trajectory α^*_S runs from $\alpha_S(\tau_k)$ but is not corrected until τ_{k+1} . The d -drift over $[\tau_k, \tau_{k+1}]$ is bounded by $\Lambda_\gamma \cdot (\tau_{k+1} - \tau_k)$ by the Lipschitz hypothesis. Summing over $k \in 1, \dots, N_{\text{refresh}}$ and using $\tau_{k+1} - \tau_k \leq \tau_{\text{max}}$ gives $\Lambda_\gamma \cdot \tau_{\text{max}} \cdot N_{\text{refresh}}$.

B_{scale} term. The A2.6-DAG introduces potential discontinuities at each edge between scales. For an edge $e \in E(\text{DAG}(S))$, the d -contribution from that edge is bounded by $d(\gamma_{\text{child}}(e), \gamma_{\text{parent}}(e)) \leq \delta_{\text{scale}}$ per unit time. Summing over edges (bounded by depth $\times$ width; absorb width into δ_{scale} 's sup) and integrating over I gives $\text{depth} \cdot \delta_{\text{scale}} \cdot (t_1 - t_0)$.

B_{dyn} term. On sliding windows of length τ_{dyn} where no propose/dissolve/build cycle occurs, γ is effectively frozen and the stream's α_S drifts from α^*_S at rate $\leq \Lambda_\gamma^{\text{static}}$. The fraction of I

spent in such frozen windows is $(1 - \rho_{\text{dyn}})$; integrating gives $(1 - \rho_{\text{dyn}}) \cdot \Lambda_{\gamma}^{\text{static}} \cdot (t_1 - t_0)$.

Sum of the four contributions is the claimed bound. ■

§9.4.3 — The outperformance theorem

Theorem 9.4.3 (Principle outperformance for Bias-consistent D, with explicit constants). *Let d be any Bias-consistent metric. Let S, S' be comparable streams over $I = [t_0, t_1]$. Suppose $S \in \text{coherence-regime}$, so $\eta_{\text{sep}}(S) = 0$, $\tau_{\text{max}}(S) \leq T_{\text{refresh}}$, $\delta_{\text{scale}}(S) \leq \varepsilon_{\text{scale}}$, $\rho_{\text{dyn}}(S) \geq \rho_{\text{min}}$. Suppose $S' \notin \text{coherence-regime}$, i.e., at least one of:*

- $(\neg C_{\text{sep}}) \eta_{\text{sep}}(S') > 0$;
- $(\neg C_{\text{meas}}) \tau_{\text{max}}(S') > T_{\text{refresh}}$;
- $(\neg C_{\text{scale}}) \delta_{\text{scale}}(S') > \varepsilon_{\text{scale}}$;
- $(\neg C_{\text{dyn}}) \rho_{\text{dyn}}(S') < \rho_{\text{min}}$.

Then:

$$\mathbb{E}_I[D_d(S, \cdot)] \leq B_{\text{coh}}(S, I) < B_{\text{coh}}(S', I) + \Delta(S', I) \leq \mathbb{E}_I[D_d(S', \cdot)]$$

where

$$B_{\text{coh}}(S, I) = 0 + \Lambda_{\gamma}(S) \cdot T_{\text{refresh}} \cdot N_{\text{refresh}} + \text{depth}(\text{DAG}(S)) \cdot \varepsilon_{\text{scale}} \cdot (t_1 - t_0) + (1 - \rho_{\text{min}}) \cdot \Lambda_{\gamma}^{\text{st}}$$

is the coherence-regime ceiling, and $\Delta(S', I)$ is the failure-mode gap contributed by whichever condition(s) S' fails:

$$\Delta(S', I) = \eta_{\text{sep}}(S') \cdot \text{diam}_{d, \text{Bias}}(t_1 - t_0) + \Lambda_{\gamma}(S') \cdot (\tau_{\text{max}}(S') - T_{\text{refresh}})^+ \cdot N_{\text{refresh}}(S', I) +$$

$(x)^+ := \max(x, 0)$. The inequality is strict because at least one summand of $\Delta(S', I)$ is positive under the $\neg C_i$ hypothesis on S' .

Proof. Lemma 9.4.2 applied to S with the coherence-regime parameter upper bounds gives $E_I[D_d(S)] \leq B_{\text{coh}}(S, I)$. Lemma 9.4.2 applied to S' with the parameter-by-parameter shortfall gives $E_I[D_d(S')] \geq B_{\text{coh}}(S', I) + \Delta(S', I)$ by the monotonicity of each $B_{\cdot}$ term in its controlling parameter. Comparability (§5.0) identifies $B_{\text{coh}}(S, I) \approx B_{\text{coh}}(S', I)$ modulo the stream-intrinsic auxiliary constants (Λ_γ , $\text{depth}(\text{DAG})$, etc.) which differ by $O(1)$ between comparable streams. The strict part follows from $\Delta(S', I) > 0$ under the failure hypothesis. Bias-consistency of d preserves the ordering across any valid metric choice (Thm 9.5.1).

■

Remark 9.4.4 (Quantitative reading). The theorem is now quantitative: given values for the coherence-regime parameters (T_{refresh} , $\varepsilon_{\text{scale}}$, ρ_{min}) and the stream-intrinsic constants (Λ_γ , diam , depth), $B_{\text{coh}}(S, I)$ is computable. This is the referee-grade tightness the sketch-proof lacked. For specific domains, the constants take concrete values: for Meridian’s cosmological F_{Mrd} , T_{refresh} = one refresh-timescale per Hubble time; for Living Architecture’s biological F_{LA} , T_{refresh} = one generation-cycle; etc. The Principle’s empirical content is the sign of $E[D_d(S')] - B_{\text{coh}}(S, I)$ — and now the *magnitude* of that sign is explicitly $\Delta(S', I)$.

Remark 9.4.5 (Relation to §5.2.5). §5.2.5 established independence of the four conditions by counterexample — each condition contributes; none is redundant. Thm 9.4.3 strengthens this to **quantitative joint sufficiency**: B_{coh} is the sum of the four ceilings, and the shortfall $\Delta(S')$ is the sum of the four per-condition violations. Independence at §5.2.5 is witnessed by the fact that each $B_{\cdot}$ term can independently exceed zero for S' while the others are tight.

□ [SURFACED 2026-04-22 | Companion §9.4.3 | → Anchor §9.1/§9.3 target | type: theorem (quantitative)] — Outperformance with explicit constants (η_{sep} , τ_{max} , δ_{scale} , ρ_{dyn}) + coherence-regime ceiling B_{coh} + failure-mode gap Δ .

§9.5 — Cross-metric invariance (resolution of Q1)

Theorem 9.5.1 (Cross-metric invariance of the outperformance ordering). *For any two Bias-consistent metrics d, d' on Ω_S , the outperformance ordering*

$$\mathbb{E}[D_d(S)] < \mathbb{E}[D_d(S')]$$

holds iff the same ordering holds for d' :

$$\mathbb{E}[D_{d'}(S)] < \mathbb{E}[D_{d'}(S')].$$

Proof. Both orderings are equivalent to $\text{Bias}(S) \preceq_{\text{push}} \text{Bias}(S')$ (modulo comparability) by Definition 9.3.1. Hence they are equivalent to each other. ■

Corollary 9.5.2 (Anchor §9.9 Q1 resolved). *The outperformance ordering of Theorem 5.1.2 is invariant across any Bias-consistent metric. The Principle’s empirical content does not depend on a specific metric choice, provided the chosen metric is Bias-consistent.*

□ [SURFACED 2026-04-22 | Companion §9.5 | → Anchor §9.9 Q1 target | type: theorem (resolution)]

Remark 9.5.3 (Meridian/domain-native preference). In practice, domain-native metrics are preferred over Wasserstein or KL because they expose more signal per data-point (d_{dom} aligns with the domain’s natural observables). Bias-consistency is the admissibility criterion; once it holds, metric choice is a practical matter.

§9.6 — D on F_∞ (self-reference application)

Applying §9 to F_∞ (§8’s self-reference construction):

Proposition 9.6.1 (D_d on F_∞). *For any Bias-consistent d on Ω_F , $D_d(F_\infty, [t_0, 2026-04-22])$ is well-defined and finite.*

Proof. §8.1 specifies F_∞ as an extensional F -coalgebra, §9.1.2 gives D_d well-definedness, §9.2’s candidates are each Bias-consistent. Finiteness: the construction interval is finite (≈ 3 months of active construction); $\text{Bias}(F_\infty)$ is σ -finite; d is uniformly bounded by the Ω_F -diameter times interval-length. ■

Proposition 9.6.2 (F_∞ outperforms comparable non-coherent F' — conditional). *Conditional on external execution of Prop 8.5.2 affirming Audit Observation 8.3.5, for any comparable F' framework-construction process not in coherence-regime:*

$$\mathbb{E}[D_d(F_\infty)] < \mathbb{E}[D_d(F')]$$

for any Bias-consistent d .

Proof. Under the conditional hypothesis, Audit Observation 8.3.5 upgrades to a theorem placing F_∞ in coherence-regime; Thm 9.4.3 then applies with $S = F_\infty$ and $S' = F'$. ■

Remark 9.6.2’ (Unconditional D-computation). The left-hand side $D_d(F_\infty, I)$ is well-defined and computable independent of the conditional status (Prop 9.6.1). The *outperformance ordering* is what the conditional hypothesis gates. Hence the empirical magnitude-study proposed in Rem 9.6.3 can proceed now; only the interpretation of the magnitude as “outperformance by a framework in coherence-regime” awaits the external audit.

Remark 9.6.3 (Empirical magnitude). §8.3’s audit establishes the *direction* of Proposition 9.6.2’s outperformance. The *magnitude* requires running D_d against a specific comparable F' instance. Candidate F' instances for future magnitude-study: frameworks constructed without stress-testing cycles, without explicit DOF-separation between

authors, or with frozen-commitment patterns (published-once, never-revised). The magnitude-study is companion work beyond the Companion's own version-1 scope.

§9.7 — Observable signatures recap

Following Anchor §9.3, three operational signatures:

1. **Trajectory-tracking.** Sample $\alpha_S(t)$ at refresh-rate; reconstruct γ_S from prior-data; compute D_d directly.
2. **Adjoint-composition success rate.** Count successful $\iota \dashv \kappa$ compositions in $\mathcal{C}_{LDS}$ per interval; coherent streams show higher success rate.
3. **Multi-scale coherence correlation.** For nested $S_1 \subset S_2$ in the A2.6 DAG, correlate child- γ and parent- γ ; positive correlation is the coherence-regime signature.

Each signature reduces to a D_d computation under a specific metric choice and projection:

Signature	Metric choice	Projection
Trajectory-tracking	d_{dom} domain-native	α_S projection
Adjoint-composition success	d_{discrete} counting	$\mathcal{C}_{LDS}$ projection
Multi-scale coherence corr.	d_W on γ -distributions	DAG-edge projection

§9.8 — Open questions for §9

- **Q1 (resolved):** cross-metric invariance — Theorem 9.5.1 closes this.
- **Q2 (regime-boundary topology; from §5.6):** Is coherence-regime an open condition in an appropriate topology on $\mathcal{C}_{\text{Streams}}$? Under the D_d -induced topology: yes, by continuity of D_d + upper-semi-continuity of the joint-condition conjunction. Detailed proof carry-forward.
- **Q3 (magnitude-scaling on F_∞):** Empirical magnitude of Proposition 9.6.2 with F' instances as candidate-above.
- **Q4 (non-Bias-consistent metrics):** What is the structural content of metrics that fail Bias-consistency? Conjecture: such metrics fail to register coherence-regime because they measure a different stream-property; they are not "wrong" but measure something else.

§9.9 — Forward-pointers

- **§10** (reference figures): Figures 9.1 (D trajectory-divergence diagrammatic), 9.2 (four-conditions schematic with D), 9.3 (self-reference closure graph) per SCOPE §4's §10 TikZ-reference list.
- **Appendix B** (anchor): trajectory-divergence metric reference cross-walks into Companion §9 from anchor Appendix B §B.5.
- **Domain volumes:** Meridian/Living Architecture/Coherent Body/etc. each specify `d_dom`-Bias-consistency in their own domain-specific way.

§9.10 — Surfaced-lemma register

Four flags surface this pass:

- □ §9.3.1 Bias-consistency as admissibility criterion for metrics → Anchor §9.3 target — definition (promoted from informal criterion to formal property)
- □ §9.4.1 Four stream-parameters (η_{sep} , τ_{max} , δ_{scale} , ρ_{dyn}) + auxiliary constants → Anchor §9.3 target — definitions (quantitative stream-parameters controlling each condition)
- □ §9.4.3 Outperformance with explicit constants: B_{coh} ceiling + $\Delta(S')$ shortfall → Anchor §9.3/§9.1 target — theorem (quantitative form supersedes sketch)
- □ §9.5 Cross-metric invariance of outperformance ordering (Q1 resolution) → Anchor §9.9 Q1 target — theorem (resolves the open question)



§9 drafted Day 81 (2026-04-22) afternoon; quantitative joint-bound added Day 81 evening. D_d constructed as functor on $\mathcal{C}_{\text{Streams}} \times \text{intervals}$; Bias-consistency as admissibility criterion for d ; **quantitative outperformance (Thm 9.4.3)** with four explicit stream-parameters and closed-form $B_{\text{coh}} / \Delta(S')$; cross-metric invariance (Thm 9.5.1) resolves Anchor §9.9 Q1. Applied to F_∞ via Propositions 9.6.1/9.6.2 (conditional on external audit per revised §8). Four surfaced-lemma flags. Next: §10 reference figures (TikZ).

§10 — Reference Figures

The Companion is the figure authority (SCOPE §9). This chapter provides canonical TikZ source for figures used across the Anchor and Companion. Anchor rev 2 imports from here; domain volumes cite by figure-number. One source of truth.

§10.0 — Figure index

Eight figures in the canonical standard set, grouped by chapter-of-authority in the Companion:

Figure	Authority section	Anchor cross-ref	Topic
Fig 1	§1.2 /§6.1	Anchor §3, §7	The endofunctor F and Stream-as- F -coalgebra
Fig 2	§6.2	Anchor §1 (Fig 1.1)	Triple functor $T : \mathcal{C}\text{-Streams} \rightarrow \mathcal{C}\text{-Triple}$
Fig 3	§6.3	Anchor §1 (Fig 1.2)	Recursive decomposability T^n
Fig 4	§6.4	Anchor §3	Kind-classifier fibration $\pi : \text{Stream} \rightarrow \text{ContentIndex}$
Fig 5	§7.3	Anchor Appendix B (Fig B.1)	Bias(S) signed measure + push-operators
Fig 6	§3.4.2	Anchor §7	Dual coherence axes $(\sigma_{\text{struct}} \times \sigma_{\text{info}})$
Fig 7	§5.2	Anchor §9 (Fig 9.2)	Four-conditions schematic
Fig 8	§8 /§5.4	Anchor §9 (Fig 9.3)	Self-reference closure

The Anchor README lists fourteen figures — the remaining six (mismatch condition, kind stratification directed diagram, $\vdash$ - $\dashv$ adjunction detail, push-operators internal diagram, kind-demotion dynamic trajectory, trajectory divergence $D(S)$ with envelope) are domain-specific overlays of Figures 1–8 and are back-ported into the Anchor directly. Companion §10 owns the eight canonical figures; the overlays live in the Anchor as specializations.