	0x2a62fc0. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) getStringArray(<< unsorted.dat >>, linearray, 2000)	
	0x2a63200. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) printf(<< The unsorted.dat file is empty. Good bye. >>)	
	0x2a632c0. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) exit(0)	
	0x2a63430. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) stringBubble(linearray, n)	
	0x2a635f0. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) writeStringArray(<< sorted.dat >>, linearray, n)	
	0x2a63740. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) fopen(<< who.dat >>, << r >>)	
	0x2a63948. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) perror(<< fopen >>)	
/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c	0x2a63a08. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) exit(1)	
	0x2a63b98. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) fopen(<< answers.dat >>, << w >>)	
	0x2a63da0. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) perror(<< fopen >>)	
	0x2a63e60. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) exit(1)	
	0x2a66690. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) stringBinary(linearray, n, who)	
	0x2a66800. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) fprintf(fda, << %d >>, where)	
	0x2a66950. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) fclose(fdw)	
	0x2a66a00. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) fclose(fda)	
	/home/labaccount/11-2-17/mlsa/IG/example/hmc10 Call Gra	aph

0x2a5fa10. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
fopen(filename, << r >>)

0x2a5fa10. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
perror(<< fopen >>)

0x2a5fb00. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
exit(1)

0x2a61550. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
fclose(fdu)

0x2a61b10. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
fopen(filename, << w >>)

0x2a61d18. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
perror(<< fopen >>)

0x2a61dd8. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
exit(1)

0x2a62170. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c)
fprintf(fdu, << %s >>, table[])

0x2a622b0. (/home/labaccount/11-2-17/mlsa/IG/example/hmc10/hmc10.c) fclose(fdu)