



LambdaProof Certification Program Specification

Conformance & Compliance Framework

Version: 1.0

Effective Date: January 8, 2026

Administered By: LambdaProof Certification Working Group

License: CC-BY 4.0 (Specification) / Apache 2.0 (Test Suite)


Executive Summary


The LambdaProof Certification Program establishes a rigorous, transparent, and fair process for validating that implementations conform to the Constitutional Core specifications. Certification provides ecosystem participants with assurance that certified products interoperate correctly, enforce CSL ethical constraints, and maintain the privacy guarantees promised by the Lambda-Constitution.^[1]

The program does not grant permission—anyone may implement LambdaProof freely. Certification provides **verified attestation** that an implementation meets published standards.

Part I: Program Architecture

1.1 Certification Tiers





1.2 Domain-Specific Certifications


In addition to general tiers, domain-specific certifications validate compliance with sector requirements:

Domain	Designation	Additional Requirements
Healthcare	ΔProof-Health	HIPAA mapping, consent PLIC validation, PHI handling audit
Financial Services	ΔProof-Finance	KYC/AML workflow verification, transaction audit trail

AI/Agent Systems	Λ Proof-Agent	Capability token enforcement, tool adapter security
IoT/Embedded	Λ Proof-Device	Low-power implementation review, firmware attestation
Government	Λ Proof-Gov	FedRAMP alignment, sovereignty requirements

Domain certifications require Tier 2 (Verified) as prerequisite.

1.3 Certification Hierarchy



Part II: Conformance Test Suite

2.1 Test Suite Structure

The conformance test suite validates implementation correctness across all protocol layers:

```
lproof-conformance/  
├─ core/  
│ └─ identity/  
│   └─ prime-salt-generation.test.ts
```

```
| | | └─ commitment-construction.test.ts
| | | └─ drift-calculation.test.ts
| | | └─ session-binding.test.ts
| | └─ csl/
| | | └─ neutrality-operator.test.ts
| | | └─ beneficence-operator.test.ts
| | | └─ silence-clause.test.ts
| | | └─ commutation-invariant.test.ts
| | └─ prime-gate/
| | | └─ primality-verification.test.ts
| | | └─ epoch-calculation.test.ts
| | | └─ gate-state-transitions.test.ts
└─ protocol/
  └─ root-contract/
    | | └─ interface-compliance.test.ts
    | | └─ state-transitions.test.ts
    | | └─ error-handling.test.ts
  └─ archivum/
    | | └─ event-schema.test.ts
    | | └─ hash-chaining.test.ts
    | | └─ merkle-checkpoints.test.ts
    | | └─ verification-proofs.test.ts
  └─ capability-tokens/
    | | └─ token-structure.test.ts
    | | └─ signature-verification.test.ts
    | | └─ binding-validation.test.ts
    | | └─ expiry-enforcement.test.ts
  └─ adapters/
    | | └─ enforcement-gate.test.ts
    | | └─ replay-protection.test.ts
    | | └─ parameter-binding.test.ts
└─ interop/
  └─ reference-implementation.test.ts
  └─ cross-implementation.test.ts
  └─ version-compatibility.test.ts
└─ vectors/
  └─ golden-inputs.json
  └─ golden-outputs.json
  └─ edge-cases.json
└─ harness/
```

```
├─ test-runner.ts
├─ report-generator.ts
└─ ci-integration.ts
```

2.2 Test Categories

Category A: Core Mathematics (MTPI)

Test ID	Name	Description	Pass Criteria
CORE-ID-001	Prime Salt Generation	Verify prime salt passes Miller-Rabin	$k \geq 40$ rounds, all pass
CORE-ID-002	Poseidon Hash	Identity commitment construction	Matches reference vectors
CORE-ID-003	Drift Calculation	$\delta(\text{subject}, t)$ computation	$\delta \leq 0.3$ enforcement
CORE-ID-004	Session Binding	Client pubkey $\rightarrow$ session linkage	Cryptographic binding verified

Category B: CSL Operators

Test ID	Name	Description	Pass Criteria
CSL-N-001	Neutrality Basic	Uniform treatment verification	Same input $\rightarrow$ same output
CSL-N-002	Neutrality Protected Attributes	No discrimination on identity	Attribute-blind decisions
CSL-B-001	Beneficence Consent	Consent requirement enforcement	Reject without consent
CSL-B-002	Beneficence Data Minimization	Excess data rejection	Only required fields
CSL-S-001	Silence on N Failure	NO-OP when neutrality fails	No action + audit event
CSL-S-002	Silence on B Failure	NO-OP when beneficence fails	No action + audit event

CSL-S-003	Silence on Uncertainty	NO-OP when evaluation uncertain	No action + audit event
CSL-C-001	Commutation Invariant	$N(B(I)) = B(N(I))$	Order independence

Category C: Prime-Gated Activation

Test ID	Name	Description	Pass Criteria
GATE-001	Prime Epoch Open	Token issuance at prime epoch	Token issued successfully
GATE-002	Composite Epoch Closed	Token rejection at composite epoch	Silent mode + audit
GATE-003	Miller-Rabin Verification	Primality test correctness	Matches known primes
GATE-004	Epoch Boundary Transition	Correct behavior at epoch change	State transitions correctly

Category D: Protocol Interfaces

Test ID	Name	Description	Pass Criteria
PROTO-RC-001	RootContract Schema	Interface schema compliance	JSON Schema valid
PROTO-RC-002	State Machine	State transitions per spec	All transitions correct
PROTO-ARC-001	Audit Event Schema	Event format compliance	Schema validation pass
PROTO-ARC-002	Hash Chain Integrity	prev_event_hash linkage	Chain verifiable
PROTO-ARC-003	Merkle Checkpoint	Checkpoint construction	Root matches computation
PROTO-TOK-001	Token Structure	Capability token format	Schema compliant
PROTO-TOK-002	Token Signature	Ed25519 signature validity	Signature verifies
PROTO-TOK-003	Intent Hash Binding	Token → intent binding	Hash matches canonical

Category E: Adapter Enforcement

Test ID	Name	Description	Pass Criteria
ADAPT-001	Token Required	Reject execution without token	Execution blocked
ADAPT-002	Token Verification	Signature + binding validation	All checks pass
ADAPT-003	Replay Prevention	Nonce uniqueness enforcement	Replay rejected
ADAPT-004	Parameter Constraints	Constraint enforcement	Violations rejected
ADAPT-005	Expiry Enforcement	Expired token rejection	Token rejected

2.3 Test Vectors (Golden Inputs/Outputs)

```
{
  "test_vectors": {
    "identity": {
      "prime_salt_generation": [
        {
          "input": {
            "seed": "0x1234567890abcdef",
            "miller_rabin_rounds": 40
          },
          "expected": {
            "prime_salt": "0x...",
            "is_prime": true,
            "confidence": 0.9999999999
          }
        }
      ],
      "commitment_construction": [
        {
          "input": {
            "secret": "0xdeadbeef...",
            "prime_salt": "0x..."
          },
          "expected": {
            "commitment": "0x...",
            "hash_algorithm": "poseidon"
          }
        }
      ]
    }
  }
}
```

```
    }
  }
]
},
"csl_operators": {
  "neutrality": [
    {
      "input": {
        "intent": {
          "tool": "email",
          "action": "send",
          "subject_tier": "standard"
        },
        "alternate_subject_tier": "premium"
      },
      "expected": {
        "same_decision": true,
        "operator_result": true
      }
    }
  ],
  "silence_clause": [
    {
      "input": {
        "intent": {
          "tool": "payments",
          "action": "transfer",
          "amount": 10000
        },
        "neutrality_result": "UNCERTAIN",
        "beneficence_result": "PASS"
      },
      "expected": {
        "action_taken": false,
        "token_issued": false,
        "audit_event_type": "CSL_SILENCE_TRIGGERED",
        "reason": "neutrality_uncertain"
      }
    }
  ]
}
```

```

    },
    "capability_tokens": {
      "valid_token": {
        "input": {
          "token": "eyJ...",
          "intent": {...},
          "current_epoch": 97
        },
        "expected": {
          "signature_valid": true,
          "intent_hash_match": true,
          "not_expired": true,
          "epoch_is_prime": true,
          "execution_permitted": true
        }
      },
      "expired_token": {
        "input": {
          "token": "eyJ...",
          "intent": {...},
          "current_time": "2026-01-08T12:00:00Z"
        },
        "expected": {
          "signature_valid": true,
          "not_expired": false,
          "execution_permitted": false,
          "rejection_reason": "TOKEN_EXPIRED"
        }
      }
    }
  }
}

```

2.4 Running the Test Suite

```

# Install test suite
npm install @lproof/conformance-tests

# Run full suite against your implementation

```

```

lproof-conformance test \
  --implementation ./your-implementation \
  --output ./conformance-report.json \
  --verbose

# Run specific category
lproof-conformance test \
  --implementation ./your-implementation \
  --category CSL \
  --output ./csl-report.json

# Generate certification report
lproof-conformance report \
  --results ./conformance-report.json \
  --format pdf \
  --output ./certification-report.pdf

```

2.5 Conformance Report Structure

```

{
  "report_version": "1.0",
  "generated_at": "2026-01-08T20:35:00Z",
  "implementation": {
    "name": "AcmeCorp ΛProof SDK",
    "version": "2.1.0",
    "language": "TypeScript",
    "repository": "https://github.com/acmecorp/lproof-sdk"
  },
  "test_suite_version": "1.0.0",
  "summary": {
    "total_tests": 147,
    "passed": 145,
    "failed": 1,
    "skipped": 1,
    "pass_rate": 0.9864
  },
  "tier_eligibility": {
    "tier_1_compatible": true,
    "tier_2_verified": false,

```

```

    "blocking_failures": ["CSL-S-003"]
  },
  "categories": {
    "CORE": { "passed": 24, "failed": 0, "total": 24 },
    "CSL": { "passed": 19, "failed": 1, "total": 20 },
    "GATE": { "passed": 12, "failed": 0, "total": 12 },
    "PROTO": { "passed": 45, "failed": 0, "total": 45 },
    "ADAPT": { "passed": 25, "failed": 0, "total": 25 },
    "INTEROP": { "passed": 20, "failed": 0, "skipped": 1, "total": 21 }
  },
  "failures": [
    {
      "test_id": "CSL-S-003",
      "name": "Silence on Uncertainty",
      "category": "CSL",
      "severity": "CRITICAL",
      "description": "Implementation issued token when CSL evaluation was uncertain",
      "expected": "NO-OP + audit event",
      "actual": "Token issued",
      "remediation": "Implement uncertainty detection in CSL evaluator"
    }
  ],
  "certificate": null
}

```

Part III: Certification Process

3.1 Tier 1: AProof-Compatible

TIER 1 CERTIFICATION PROCESS
STEP 1: Self-Assessment - Download conformance test suite - Run full test suite against implementation

- Achieve 100% pass rate on all categories
- Generate conformance report

STEP 2: Report Submission

- Submit conformance report to certification portal
- Provide implementation metadata (name, version, language)
- Provide public repository link (if open source)
- Sign attestation that results are accurate

STEP 3: Automated Verification (Optional)

- Certification system runs test suite independently
- Results compared to submitted report
- Discrepancies flagged for manual review

STEP 4: Badge Issuance

- "ΛProof-Compatible v1.x" badge issued
- Listed in public registry
- Badge valid for specific version(s)

Timeline: 1-3 days

Fee: Free

Tier 1 Requirements Checklist

TIER 1: ΛProof-Compatible Requirements

☐ CONFORMANCE TESTS

- └ CORE category: 100% pass
- └ CSL category: 100% pass
- └ GATE category: 100% pass
- └ PROTO category: 100% pass
- └ ADAPT category: 100% pass
- └ INTEROP category: 100% pass

□ DOCUMENTATION

- └ Public API documentation
- └ Integration guide
- └ Version compatibility matrix

□ ATTESTATION

- └ Signed statement of conformance accuracy
- └ Acknowledgement of certification terms
- └ Contact information for updates

□ NO PROPRIETARY CLAIMS ON CORE

- └ Affirmation that implementation does not patent Constitutional Core
- └ Agreement to Patent Non-Assertion Pledge (if applicable)

3.2 Tier 2: Δ Proof-Verified

TIER 2 CERTIFICATION PROCESS
PREREQUISITE: Tier 1 (ΔProof-Compatible) achieved STEP 1: Application • Submit Tier 2 certification request • Provide implementation scope and deployment context • Select approved third-party auditor • Execute certification agreement and fee payment STEP 2: Security Audit • Auditor conducts code review • Focus areas: - CSL operator enforcement correctness - Prime-gate implementation security - Cryptographic implementation review - Drift-bound calculation accuracy - Audit log integrity mechanisms

STEP 3: CSL Compliance Review

- Working Group reviews CSL implementation
- Verify Silence Clause triggers correctly
- Verify Neutrality/Beneficence operators
- Review edge case handling

STEP 4: Privacy Assessment

- Zero-surveillance principle compliance
- Audit log privacy (commitments only, no PII)
- Data minimization verification

STEP 5: Certification Decision

- Working Group reviews all reports
- Issue certification or remediation requirements
- Certificate valid for 2 years

Timeline: 4-8 weeks

Fee: \$5,000 - \$25,000 (based on implementation complexity)

Tier 2 Audit Scope

Audit Area	Review Items	Severity
CSL Enforcement	Operator implementation, commutation invariant, silence triggers	Critical
Cryptography	Signature schemes, hash functions, randomness	Critical
Prime Gating	Primality tests, epoch calculation, gate transitions	High
Token Security	Binding validation, expiry enforcement, replay protection	High

Audit Integrity	Hash chaining, checkpoint verification, tamper detection	High
Privacy	PII handling, data minimization, consent mechanisms	Medium
Input Validation	Canonicalization, schema validation, injection prevention	Medium

Approved Auditors

Tier 2 audits must be performed by approved auditors:

Auditor	Specialization	Approval Date
Trail of Bits	Smart contracts, cryptography	2026-01-01
NCC Group	Security architecture	2026-01-01
Least Authority	ZK systems, privacy	2026-01-01
OpenZeppelin	Protocol security	2026-01-01
Consensys Diligence	Blockchain, cryptography	2026-01-01

New auditors may apply via MIP-Process proposal.

3.3 Tier 3: Λ Proof-Certified Enterprise

TIER 3 CERTIFICATION PROCESS
PREREQUISITE: Tier 2 (ΛProof-Verified) achieved STEP 1: Enterprise Application • Submit deployment architecture documentation • Provide operational runbooks • Identify key personnel for interviews • Execute enterprise certification agreement STEP 2: On-Site Operational Audit

-
- Physical or virtual site visit (2-5 days)
 - Key management review (HSM, key rotation)
 - Access control verification
 - Deployment pipeline security
 - Monitoring and alerting review

STEP 3: Incident Response Assessment

- Incident response plan review
- Tabletop exercise (simulated incident)
- Recovery procedures verification
- Communication protocols review

STEP 4: Staff Certification

- Key personnel complete Δ Proof training
- Demonstrate operational competency
- Assign Certified Δ Proof Administrator designation

STEP 5: Continuous Monitoring Integration

- Connect to Δ Proof monitoring service (optional)
- Or demonstrate equivalent monitoring capability
- Quarterly attestation requirements

STEP 6: Annual Renewal

- Annual recertification audit
- Update review for specification changes
- Incident history review

Timeline: 8-16 weeks

Fee: \$25,000 - \$100,000 (based on deployment scale)

Tier 3 Operational Requirements

TIER 3: Enterprise Operational Requirements

□ KEY MANAGEMENT

- └─ HSM or equivalent for signing keys
- └─ Key rotation procedures (minimum annual)
- └─ Multi-party key ceremony for root keys
- └─ Key recovery procedures documented and tested
- └─ Key compromise response plan

□ ACCESS CONTROL

- └─ Role-based access control implemented
- └─ Privileged access management
- └─ Access logging and monitoring
- └─ Regular access reviews (quarterly)
- └─ Separation of duties enforced

□ DEPLOYMENT SECURITY

- └─ Infrastructure-as-code or equivalent
- └─ Immutable deployments (no production changes)
- └─ Signed releases with verification
- └─ Vulnerability scanning in CI/CD
- └─ Dependency management and updates

□ MONITORING & ALERTING

- └─ Real-time CSL violation alerting
- └─ Audit log integrity monitoring
- └─ Performance and availability monitoring
- └─ Anomaly detection for abuse patterns
- └─ Incident escalation procedures

□ INCIDENT RESPONSE

- └─ Documented incident response plan
- └─ Defined severity levels and SLAs
- └─ Communication templates and contacts
- └─ Post-incident review process
- └─ Annual tabletop exercises

□ STAFF COMPETENCY

- └─ Minimum 2 Certified Δ Proof Administrators
- └─ Annual training completion

- └ Documented on-call procedures
- └ Cross-training for key functions

Part IV: Domain-Specific Certifications

4.1 Λ Proof-Health (Healthcare)

Prerequisite: Tier 2 (Λ Proof-Verified)

Λ Proof-Health Certification Requirements

□ HIPAA ALIGNMENT

- └ PHI handling audit (no PHI in audit logs)
- └ Minimum necessary principle enforcement
- └ Business associate agreement template
- └ Breach notification procedures

□ CONSENT MANAGEMENT

- └ Prime-Lawful Invariant Contract (PLIC) implementation
- └ Consent scope verification
- └ Time-bounded consent enforcement
- └ Consent revocation mechanisms
- └ Consent audit trail (commitments only)

□ HEALTHCARE WORKFLOWS

- └ e-Prescription protocol compliance
- └ Device telemetry attestation
- └ Provider credential verification
- └ Patient identity binding

□ INTEROPERABILITY

- └ HL7 FHIR integration capability
- └ SMART on FHIR support (if applicable)
- └ Cross-organization consent portability

4.2 Λ Proof-Finance (Financial Services)

Prerequisite: Tier 2 (ΛProof-Verified)

ΛProof-Finance Certification Requirements

- KYC/AML COMPLIANCE
 - └ Zero-knowledge KYC workflow implementation
 - └ AML screening integration (no data exposure)
 - └ Transaction monitoring capability
 - └ Suspicious activity reporting (SAR) support
- TRANSACTION SECURITY
 - └ Multi-signature support
 - └ Transaction limits enforcement
 - └ Beneficiary allowlist implementation
 - └ Real-time fraud detection integration
- AUDIT REQUIREMENTS
 - └ Full transaction audit trail
 - └ Regulator access mechanisms
 - └ Report generation capability
 - └ Data retention compliance
- REGULATORY ALIGNMENT
 - └ PCI-DSS mapping (if card processing)
 - └ SOC 2 Type II attestation
 - └ Jurisdiction-specific compliance documentation

4.3 ΛProof-Agent (AI/Agent Systems)

Prerequisite: Tier 2 (ΛProof-Verified)

ΛProof-Agent Certification Requirements

- CAPABILITY TOKEN ENFORCEMENT
 - └ Non-bypassable token gate at all tool adapters
 - └ Token binding to canonical intent hash
 - └ Policy bundle hash binding
 - └ Replay protection implementation
- TOOL ADAPTER SECURITY

- └ Adapter isolation (no shared state)
- └ Parameter constraint enforcement
- └ Rate limiting at adapter level
- └ Audit logging for all executions

□ POLICY EVALUATION

- └ Deterministic policy evaluation
- └ Evidence validation pipeline
- └ Risk classification integration
- └ CSL commutation verification

□ SAFETY CONSTRAINTS

- └ Silence Clause enforcement for agents
- └ Human-in-the-loop escalation paths
- └ Capability budget enforcement
- └ Anomaly detection and circuit breakers

Part V: Certification Governance

5.1 Certification Working Group

The Certification Working Group (CWG) administers the certification program:

CERTIFICATION WORKING GROUP STRUCTURE

Chair: Appointed by Constitutional Council

Members: 5-9 members with relevant expertise

Responsibilities:

- Maintain conformance test suite
- Review Tier 2 audit reports
- Conduct Tier 3 operational audits
- Approve new auditors
- Propose certification program updates via MIP

Meeting Cadence:

- Weekly: Test suite updates, Tier 1 processing

- Monthly: Tier 2 reviews, policy updates
- Quarterly: Program assessment, auditor reviews

Conflict of Interest:

- Members recuse from reviews involving their employers
- No member may certify own organization's implementation
- Disclosed affiliations required

5.2 Appeals Process

CERTIFICATION APPEALS PROCESS

GROUND FOR APPEAL:

- Procedural errors in certification process
- Incorrect test suite results
- Auditor misconduct or bias
- New evidence not previously considered

NOT GROUND FOR APPEAL:

- Disagreement with test requirements
- Cost of remediation
- Timing of certification decision

PROCESS:

1. Submit written appeal within 30 days of decision
2. Working Group assigns review panel (3 members, no conflicts)
3. Review panel evaluates appeal (14 days)
4. Panel issues recommendation to Working Group
5. Working Group votes on appeal (simple majority)
6. Final appeal to Constitutional Council (14 days)

FEE: \$500 (refunded if appeal successful)

5.3 Certification Revocation

REVOCATION TRIGGERS:

AUTOMATIC REVOCATION:

- Certification period expires without renewal

- Organization dissolves or ceases operations
- Implementation withdrawn from market

CAUSE-BASED REVOCATION:

- Material misrepresentation in certification application
- Substantive non-compliance discovered post-certification
- Security incident revealing fundamental design flaws
- Refusal to cooperate with compliance investigation
- Patent assertion against Constitutional Core

REVOCATION PROCESS:

1. Working Group issues Notice of Potential Revocation
2. Organization has 30 days to respond/remediate
3. Working Group reviews response
4. If revocation proceeds, organization may appeal
5. Final decision by Constitutional Council

POST-REVOCATION:

- Organization must cease using certification marks
- Public registry updated within 24 hours
- 90-day grace period for customers to migrate
- Organization may reapply after 6 months (12 months for cause-based)

Part VI: Certification Marks & Registry

6.1 Certification Marks

Certified implementations may display appropriate marks:

TIER 1: Λ Proof-Compatible

Λ	Λ Proof-Compatible
	Protocol Version: 1.x
	Implementation: [Name] v[X.Y]

TIER 2: Λ Proof-Verified

Λ	ΛProof-Verified	
✓	Certificate: CERT-2026-00123	
	Valid Until: 2028-01-08	

TIER 3: ΛProof-Certified Enterprise

Λ	ΛProof-Certified Enterprise	
✓✓	Certificate: ENT-2026-00045	
	Audit Report: Available	
	Valid Until: 2027-01-08	

DOMAIN: ΛProof-Health (example)

Λ	ΛProof-Health	
✓	Certificate: HEALTH-2026-0012	
	HIPAA Aligned: Yes	
	Valid Until: 2028-01-08	

6.2 Public Registry

The public registry provides transparency:

URL: `registry.lproof.org`

```
{
  "registry_version": "1.0",
  "last_updated": "2026-01-08T20:35:00Z",
  "certifications": [
    {
      "certificate_id": "CERT-2026-00123",
      "organization": "AcmeCorp",
      "implementation": "AcmeCorp ΛProof SDK",
      "version": "2.1.0",
      "tier": "TIER_2_VERIFIED",
      "domain_certifications": ["HEALTH"],
      "issued_date": "2026-01-08",
```

```

    "expiry_date": "2028-01-08",
    "status": "ACTIVE",
    "auditor": "Trail of Bits",
    "audit_report_available": true,
    "conformance_report_url": "https://...",
    "contact": "security@acmecorp.example"
  }
],
"revocations": [
  {
    "certificate_id": "CERT-2025-00098",
    "revoked_date": "2026-01-05",
    "reason": "EXPIRED_NOT_RENEWED",
    "grace_period_end": "2026-04-05"
  }
]
}

```

6.3 Mark Usage Guidelines

CERTIFICATION MARK USAGE RULES

PERMITTED:

- ✓ Display on product website
- ✓ Include in marketing materials
- ✓ Reference in technical documentation
- ✓ Link to public registry entry
- ✓ Include certificate ID for verification

PROHIBITED:

- ✗ Modify mark design or colors
- ✗ Use mark for uncertified versions
- ✗ Imply broader certification than achieved
- ✗ Continue use after revocation/expiry
- ✗ Transfer mark to other products
- ✗ Use mark in misleading contexts

REQUIRED:

- Link to registry entry for verification

- Display applicable version/scope
- Update mark when certification renews
- Remove mark within 7 days of revocation

Part VII: Fee Schedule

7.1 Certification Fees

Certification	Initial Fee	Annual Renewal	Notes
Tier 1: Compatible	Free	Free	Self-service
Tier 2: Verified	\$5,000 - \$25,000	\$2,500 - \$10,000	Based on complexity
Tier 3: Enterprise	\$25,000 - \$100,000	\$15,000 - \$50,000	Based on scale
Domain: Health	+\$5,000	+\$2,500	Requires Tier 2
Domain: Finance	+\$10,000	+\$5,000	Requires Tier 2
Domain: Agent	+\$5,000	+\$2,500	Requires Tier 2
Domain: Device	+\$7,500	+\$3,500	Requires Tier 2
Domain: Gov	+\$15,000	+\$7,500	Requires Tier 2

7.2 Fee Waivers

FEE WAIVER ELIGIBILITY

FULL WAIVER:

- Open-source projects (OSI-approved license)
- Academic/research institutions
- Non-profit organizations (501(c)(3) or equivalent)

PARTIAL WAIVER (50%):

- Startups < 2 years old, < \$1M revenue
- Projects in underserved markets (developing economies)
- Implementations serving public benefit


APPLICATION:

- Submit waiver request with certification application
- Provide documentation of eligibility
- Working Group approves/denies within 14 days

7.3 Treasury Allocation

Certification fees support the ecosystem:

CERTIFICATION FEE ALLOCATION




Appendix A: Quick Reference

CERTIFICATION QUICK REFERENCE
TIER 1: Δ Proof-Compatible • Run: <code>npm install @lproof/conformance-tests</code> • Test: <code>lproof-conformance test --implementation ./your-impl</code> • Submit: <code>certification.lproof.org/tier1</code> • Time: 1-3 days Fee: Free
TIER 2: Δ Proof-Verified • Prerequisite: Tier 1 achieved • Apply: <code>certification.lproof.org/tier2</code> • Select auditor from approved list • Time: 4-8 weeks Fee: \$5K-\$25K

TIER 3: Δ Proof-Certified Enterprise
• Prerequisite: Tier 2 achieved
• Apply: certification.lproof.org/tier3
• On-site audit required
• Time: 8-16 weeks Fee: \$25K-\$100K
DOMAIN CERTIFICATIONS: Require Tier 2
• Health: +\$5K Finance: +\$10K Agent: +\$5K
CONTACTS:
• General: certification@lproof.org
• Test Suite Issues: github.com/lproof/conformance/issues
• Appeals: appeals@lproof.org
REGISTRY: registry.lproof.org

Appendix B: Certification Timeline

TYPICAL CERTIFICATION JOURNEY



FAST TRACK (parallel where possible):

- Week 1-2: Run conformance tests, achieve Tier 1
- Week 2-4: Engage auditor, begin Tier 2 audit
- Week 4-6: Complete audit, address findings
- Week 6-8: Domain certification (parallel with audit)

Week 8-12: Tier 3 operational audit (if needed)

Week 12-16: Address operational findings, achieve Tier 3

Minimum path to Tier 2: ~6 weeks

Minimum path to Tier 3: ~12 weeks

END OF CERTIFICATION PROGRAM SPECIFICATION

This specification establishes the complete certification framework for Λ Proof implementations. Shall I proceed with:

1. **The Patent Non-Assertion Pledge** — Formal legal document?
2. **Conformance Test Suite Implementation Guide** — Technical guide for test authors?
3. **Certified Λ Proof Administrator Training Curriculum** — Staff certification program?
4. **MIP-0002: Constitutional Council Formation** — Governance body establishment?

**

-
1. lets-discuss-licensing-open-so-HV_bbj5uQlOPuXCF7b61YQ.md
 2. Audit Logs_ Event Schema & Sanitized Examples.pdf
 3. Λ Proof Intent Schema Specification.pdf
 4. Conscious Sovereignty Layer (CSL) Solver.pdf
 5. Λ Proof Protocols.pdf
 6. DAO Charter.pdf
 7. Building a Λ Dapp_ A Developer's Implementation Guide.pdf
 8. Capability Token Semantic Mapping.pdf
 9. Data Sovereignty Informational Personhood.pdf
 10. Λ Proof_ An Architectural Blueprint for Verifiable Artificial Intelligence.pdf

11. [Λ^P-Archivum.pdf](#)
12. [Governance for a Non-Surveillance Digital Ecosystem.pdf](#)
13. [ΛProof - R96 Credits.pdf](#)
14. [Token Specification.pdf](#)
15. [Risk Classification.pdf](#)
16. [Policy Rules Specification.pdf](#)
17. [Evidence Validation.pdf](#)
18. [How Trust is Measured.pdf](#)
19. [ΛProof Token Issuance.pdf](#)
20. [Adapter Coordination Interface Specification.pdf](#)