


HQ000583
LUCKY 6
BLOCK

Style
Overview



Comments
Flat Front

Size Range	
Size Range	Body Type
MBTMUBGR	SLIM
MBTMUXXBGR	SLIM
MBTMURGR	SLIM


Product Attributes	
Placeholder No	HQ000583
Design Ref Number	DRESS PANTS 72
Style Description	LUCKY 6
Chief Value Fiber	
Purchase Type	BLOCK
Buy Type	
Model Code	
JAMCO Model Code	
Block(1)	
Block(2)	
Block(3)	
Drop Size	
Packaging Instructions	

Owners & Status	
Product Developer	
Tech Designer	
Designer	
Style Status	WIP
Costing Status	NEW
Created	
Last Modified	01/26/2021

GARMENT TREATMENT	Treatment Type
No Treatments available	

Hierarchy Information	
Product Assortment	
Season	BLOCK
Brand	
Buyer by Div/Cats	
Label	
Category	2-BOTTOMS
Subcategory	20-DRESS PANT
Gender	
Start In DC Date	
End In DC Date	

Colorway Table				
Color	Color Name	UCC	Care Label	Color Status
	TBD			



Description

THIS SKETCH IS GENERIC. REEFER PO'S OR STYLE DETAILS FOR EXACT DETAILS, OF POCKETS, FRONT CLOSURE ETC..

Model Name																		
Page Name		LUCKY 6 FLAT FRONT REGULAR																
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
POM Code	POM Description	TOL (-)	TOL (+)															
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
RIS-06	FRONT RISE - REGULAR	-1/8	1/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2
RIS-06	FRONT RISE - SHORT	-1/8	1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11
RIS-06	FRONT RISE - LONG	-1/8	1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12
RIS-06	FRONT RISE - X LONG	-1/8	1/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2
RIS-01	BACK RISE - REGULAR	-1/8	1/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4
RIS-01	BACK RISE - SHORT	-1/8	1/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4
RIS-01	BACK RISE - LONG	-1/8	1/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4
RIS-01	BACK RISE - X LONG	-1/8	1/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH BOTTOM - REGULAR	-1/8	1/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2
ZPR-06	ZIPPER LENGTH BOTTOM - SHORT	-1/8	1/8	5 1/4	5 3/8	5 1/2	5 5/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7
ZPR-06	ZIPPER LENGTH BOTTOM - LONG	-1/8	1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8
ZPR-06	ZIPPER LENGTH BOTTOM - X LONG	-1/8	1/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	23	23 1/2	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	15 1/4	15 3/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17
BDL-34	OUTSEAM - REGULAR	-1/4	1/4	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48
BDL-34	OUTSEAM - SHORT	-1/4	1/4	44 3/4	44 7/8	45	45 1/8	45 1/4	45 3/8	45 1/2	45 5/8	45 3/4	45 7/8	46	46 1/8	46 1/4	46 3/8	46 1/2
BDL-34	OUTSEAM - LONG	-1/4	1/4	48 3/4	48 7/8	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2
BDL-34	OUTSEAM - X LONG	-1/4	1/4	51 1/4	51 3/8	51 1/2	51 5/8	51 3/4	51 7/8	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4	52 7/8	53

Model Name																		
Page Name		LUCKY 6 FLAT FRONT REGULAR																
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
POM Code	POM Description	TOL (-)	TOL (+)															
BDL-13	INSEAM LENGTH BOTTOM - REGUALR	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM - SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM - LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM - X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2

Model Name																				
Page Name		LUCKY -6- FLAT-FRONT-B&T																		
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
POM Code	POM Description	TOL (-)	TOL (+)																	
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/2	1/2	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
SEA-06	SEAT	-1/4	1/4	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
RIS-06	FRONT RISE INCLUDING WB-REG	-1/8	1/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4
RIS-06	FRONT RISE INCLUDING WB-SHORT			9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4
RIS-06	FRONT RISE INCLUDING WB-LONG			10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4
RIS-06	FRONT RISE INCLUDING WB-XLONG			10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4
RIS-01	BACK RISE-SHORT	-1/8	1/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2
RIS-01	BACK RISE-REG	-1/8	1/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18
RIS-01	BACK RISE-LONG	-1/8	1/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2
RIS-01	BACK RISE-X-LONG	-1/8	1/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8																	3/8
WST-39	WB HEIGHT	0	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	0	0	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	0	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH -SHORT	-1/8	1/8	5 1/4	5 3/8	5 1/2	5 5/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4
ZPR-06	ZIPPER LENGTH -REG	-1/8	1/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4
ZPR-06	ZIPPER LENGTH -LOMG	-1/8	1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4
ZPR-06	ZIPPER LENGTH -X-LOMG	-1/8	1/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4
LEG-01	THIGH	-1/4	1/4	23	23 1/2	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31
LEG-06	KNEE CIRCUMFERENCE ML	-1/4	1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21	21 1/4	21 1/2
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	15 1/4	15 3/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4
BDL-34	OUTSEAM-SHORT	-1/4	1/4	44 3/4	44 7/8	45	45 1/8	45 1/4	45 3/8	45 1/2	45 5/8	45 3/4	45 7/8	46	46 1/8	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4
BDL-34	OUTSEAM-REG	-1/4	1/4	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4
BDL-34	OUTSEAM-LONG	-1/4	1/4	48 3/4	48 7/8	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2	50 5/8	50 3/4

Model Name																				
Page Name		LUCKY -6- FLAT-FRONT-B&T																		
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
POM Code	POM Description	TOL (-)	TOL (+)																	
BDL-34	OUTSEAM-X-LONG	-1/4	1/4	51 1/4	51 3/8	51 1/2	51 5/8	51 3/4	51 7/8	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4	52 7/8	53	53 1/8	53 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2
BDL-13	INSEAM LENGTH BOTTOM-SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM-LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM-X-LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
BDL-13	INSEAM LENGTH BOTTOM-REG	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
RIS-06	FRONT RISE INCLUDING WB																			

Model Name												
Page Name		LUCKY -6- FLAT-FRONT-B&T										
Grading Method/UM		Incremental /		45	46	47	48	49	50	51	52	53
POM Code	POM Description	TOL (-)	TOL (+)									
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/2	1/2	46	47	48	49	50	51	52	53	54
SEA-06	SEAT	-1/4	1/4	53	54	55	56	57	58	59	60	61
RIS-06	FRONT RISE INCLUDING WB-REG	-1/8	1/8	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8
RIS-06	FRONT RISE INCLUDING WB-SHORT			11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8
RIS-06	FRONT RISE INCLUDING WB-LONG			12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4	13 3/8
RIS-06	FRONT RISE INCLUDING WB-XLONG			12 7/8	13	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4	13 7/8
RIS-01	BACK RISE-SHORT	-1/8	1/8	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8
RIS-01	BACK RISE-REG	-1/8	1/8	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8
RIS-01	BACK RISE-LONG	-1/8	1/8	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8
RIS-01	BACK RISE-X-LONG	-1/8	1/8	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20	20 1/8
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8									
WST-39	WB HEIGHT	0	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	0	0	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	0	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH -SHORT	-1/8	1/8	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8
ZPR-06	ZIPPER LENGTH -REG	-1/8	1/8	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8
ZPR-06	ZIPPER LENGTH -LOMG	-1/8	1/8	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8
ZPR-06	ZIPPER LENGTH -X-LOMG	-1/8	1/8	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8
LEG-01	THIGH	-1/4	1/4	31 1/2	32	32 1/2	33	33 1/2	34	34 1/2	35	35 1/2
LEG-06	KNEE CIRCUMFERENCE ML	-1/4	1/4	21 3/4	22	22 1/4	22 1/2	22 3/4	23	23 1/4	23 1/2	23 3/4
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8
BDL-34	OUTSEAM-SHORT	-1/4	1/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8
BDL-34	OUTSEAM-REG	-1/4	1/4	48 3/8	48 1/2	48 5/8	48 3/4	48 7/8	49	49 1/8	49 1/4	49 3/8
BDL-34	OUTSEAM-LONG	-1/4	1/4	50 7/8	51	51 1/8	51 1/4	51 3/8	51 1/2	51 5/8	51 3/4	51 7/8

Model Name													
Page Name		LUCKY -6- FLAT-FRONT-B&T											
Grading Method/UM		Incremental /		45	46	47	48	49	50	51	52	53	
POM Code	POM Description	TOL (-)	TOL (+)										
BDL-34	OUTSEAM-X-LONG	-1/4	1/4	53 3/8	53 1/2	53 5/8	53 3/4	53 7/8	54	54 1/8	54 1/4	54 3/8	
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	
BDL-13	INSEAM LENGTH BOTTOM-SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	
BDL-13	INSEAM LENGTH BOTTOM-LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	
BDL-13	INSEAM LENGTH BOTTOM-X-LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	
BDL-13	INSEAM LENGTH BOTTOM-REG	-1/4	1/4	37	37	37	37	37	37	37	37	37	
RIS-06	FRONT RISE INCLUDING WB												

Model Name										
Page Name		LUCKY FLAT FRONT EXTRA B&T								
Grading Method/UM		Incremental /		54	55	56	57	58	59	60
POM Code	POM Description	TOL (-)	TOL (+)							
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/2	1/2	55	56	57	58	59	60	61
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	62	63	64	65	66	67	68
RIS-06	FRONT RISE-SHORT	-1/8	1/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4
RIS-06	FRONT RISE-REG	-1/8	1/8	13	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4
RIS-06	FRONT RISE-LONG	-1/8	1/8	13 1/2	13 5/8	13 3/4	13 7/8	14	14 1/8	14 1/4
RIS-06	FRONT RISE-X-LONG	-1/8	1/8	14	14 1/8	14 1/4	14 3/8	14 1/2	14 5/8	14 3/4
RIS-01	BACK RISE-SHORT	-1/8	1/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2
RIS-01	BACK RISE-REG	-1/8	1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20
RIS-01	BACK RISE-LONG	-1/8	1/8	19 3/4	19 7/8	20	20 1/8	20 1/4	20 3/8	20 1/2
RIS-01	BACK RISE-X-LONG	-1/8	1/8	20 1/4	20 3/8	20 1/2	20 5/8	20 3/4	20 7/8	21
WST-39	WB HEIGHT	0	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	0	0	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	0	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH -SHORT	-1/8	1/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4
ZPR-06	ZIPPER LENGTH -REG	-1/8	1/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4
ZPR-06	ZIPPER LENGTH -LONG	-1/8	1/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4
ZPR-06	ZIPPER LENGTH -X-LONG	-1/8	1/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	36	36 1/2	37	37 1/2	38	38 1/2	39
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	24	24 1/4	24 1/2	24 3/4	25	25 1/4	25 1/2
BTM-02	BOTTOM OPENING AT FINISHED HEM	-1/8	1/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4
BDL-39	OUTSEAM LENGTH - SHORT	-1/4	1/4	48	48 1/8	48 1/4	48 3/8	48 1/2	48 5/8	48 3/4
BDL-39	OUTSEAM LENGTH - REG	-1/4	1/4	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4
BDL-39	OUTSEAM LENGTH - LONG	-1/4	1/4	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4
BDL-39	OUTSEAM LENGTH -X-LONG	-1/4	1/4	54 1/2	54 5/8	54 3/4	54 7/8	55	55 1/8	55 1/4

Model Name										
Page Name		LUCKY FLAT FRONT EXTRA B&T								
Grading Method/UM		Incremental /		54	55	56	57	58	59	60
POM Code	POM Description	TOL (-)	TOL (+)							
BDL-29	INSEAM LENGTH - SHORT	-1/4	1/4	36	36	36	36	36	36	36
BDL-29	INSEAM LENGTH - REG	-1/4	1/4	37	37	37	37	37	37	37
BDL-29	INSEAM LENGTH - LONG	-1/4	1/4	39	39	39	39	39	39	39
BDL-29	INSEAM LENGTH - X-LONG	-1/4	1/4	41	41	41	41	41	41	41
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2