

HQ000604
SVEN 6
BLOCK

Style
Overview

Comments
Flat Front JA Model #4060 for American Soft FIT


Size Range	
Size Range	Body Type
MBTMUBGR	MODERN
MBTMUBGR	TAILORED
MBTMUXBGR	MODERN
MBTMUXBGR	TAILORED
MBTMURGR	MODERN
MBTMURGR	TAILORED

Product Attributes	
Placeholder No	HQ000604
Design Ref Number	DRESS PANTS 94
Style Description	SVEN 6
Chief Value Fiber	
Purchase Type	BLOCK
Buy Type	
Model Code	
JAMCO Model Code	
Block(1)	
Block(2)	
Block(3)	
Drop Size	
Packaging Instructions	

Owners & Status	
Product Developer	
Tech Designer	
Designer	
Style Status	WIP
Costing Status	NEW
Created	
Last Modified	07/14/2021

GARMENT TREATMENT	Treatment Type
No Treatments available	

Hierarchy Information	
Product Assortment	
Season	BLOCK
Brand	
Buyer by Div/Cats	
Label	
Category	2-BOTTOMS
Subcategory	20-DRESS PANT
Gender	
Start In DC Date	
End In DC Date	

Colorway Table				
Color	Color Name	UCC	Care Label	Color Status
	TBD			

Model Name												
Page Name		SVEN 6 FLAT FRONT EXTRA BIG AND TAL										
Grading Method/UM		Incremental /		58	59	60	61	62	63	64	65	66
POM Code	POM Description	TOL (-)	TOL (+)									
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	59	60	61	62	63	64	65	66	67
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	66	67	68	69	70	71	72	73	74
RIS-06	FRONT RISE - SHORT	-1/8	1/8	13 1/2	13 5/8	13 3/4	13 7/8	14	14 1/8	14 1/4	14 3/8	14 1/2
RIS-06	FRONT RISE - REG	-1/8	1/8	14	14 1/8	14 1/4	14 3/8	14 1/2	14 5/8	14 3/4	14 7/8	15
RIS-06	FRONT RISE - LONG	-1/8	1/8	14 1/2	14 5/8	14 3/4	14 7/8	15	15 1/8	15 1/4	15 3/8	15 1/2
RIS-06	FRONT RISE - X LONG	-1/8	1/8	15	15 1/8	15 1/4	15 3/8	15 1/2	15 5/8	15 3/4	15 7/8	16
RIS-01	BACK RISE - SHORT	-1/8	1/8	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8
RIS-01	BACK RISE - REG	-1/8	1/8	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20	20 1/8	20 1/4	20 3/8
RIS-01	BACK RISE - LONG	-1/8	1/8	19 7/8	20	20 1/8	20 1/4	20 3/8	20 1/2	20 5/8	20 3/4	20 7/8
RIS-01	BACK RISE - X LONG	-1/8	1/8	20 3/8	20 1/2	20 5/8	20 3/4	20 7/8	21	21 1/8	21 1/4	21 3/8
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH BOTTOM - REG	-1/8	1/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11
ZPR-06	ZIPPER LENGTH BOTTOM - LONG	-1/8	1/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2
ZPR-06	ZIPPER LENGTH BOTTOM - X LONG	-1/8	1/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	38	38 1/2	39	39 1/2	40	40 1/2	41	41 1/2	42
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	25	25 1/4	25 1/2	25 3/4	26	26 1/4	26 1/2	26 3/4	27
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING- SHORT	-1/4	1/4	48 3/4	48 7/8	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - REG	-1/4	1/4	50 1/4	50 3/8	50 1/2	50 5/8	50 3/4	50 7/8	51	51 1/8	51 1/4
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - LONG	-1/4	1/4	52 3/4	52 7/8	53	53 1/8	53 1/4	53 3/8	53 1/2	53 5/8	53 3/4

Model Name												
Page Name		SVEN 6 FLAT FRONT EXTRA BIG AND TAL										
Grading Method/UM		Incremental /		58	59	60	61	62	63	64	65	66
POM Code	POM Description	TOL (-)	TOL (+)									
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - X LONG	-1/4	1/4	55 1/4	55 3/8	55 1/2	55 5/8	55 3/4	55 7/8	56	56 1/8	56 1/4
BDL-13	INSEAM LENGTH BOTTOM - SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM - REG	-1/4	1/4	37	37	37	37	37	37	37	37	37
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BDL-13	INSEAM LENGTH BOTTOM - LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39
ZPR-06	ZIPPER LENGTH BOTTOM - SHORT	-1/8	1/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2
BDL-13	INSEAM LENGTH BOTTOM - X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2

Model Name																		
Page Name		SVEN 6 FLAT FRONT REGULAR																
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
POM Code	POM Description	TOL (-)	TOL (+)															
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
RIS-06	FRONT RISE - SHORT	-1/8	1/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2
RIS-06	FRONT RISE - REG	-1/8	1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12
RIS-06	FRONT RISE - LONG	-1/8	1/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2
RIS-06	FRONT RISE - X LONG	-1/8	1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13
RIS-01	BACK RISE - SHORT	-1/4	1/4	15 1/8	15 1/4	15 3/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8
RIS-01	BACK RISE - REG	-1/4	1/4	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8
RIS-01	BACK RISE - LONG	-1/4	1/4	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
RIS-01	BACK RISE - X LONG	-1/4	1/4	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8
ZPR-06	ZIPPER LENGTH BOTTOM - REG	-1/8	1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8
ZPR-06	ZIPPER LENGTH BOTTOM- LONG	-1/8	1/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - SHORT	-1/4	1/4	45	45 1/8	45 1/4	45 3/8	45 1/2	45 5/8	45 3/4	45 7/8	46	46 1/8	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	15 1/4	15 3/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17
BDL-13	INSEAM LENGTH BOTTOM - SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
ZPR-06	ZIPPER LENGTH BOTTOM - X LONG	-1/8	1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - REG	-1/4	1/4	46 1/2	46 5/8	46 3/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - LONG	-1/4	1/4	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2	50 5/8	50 3/4

Model Name																		
Page Name		SVEN 6 FLAT FRONT REGULAR																
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
POM Code	POM Description	TOL (-)	TOL (+)															
ZPR-06	ZIPPER LENGTH BOTTOM - SHORT	-1/8	1/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING -X LONG	-1/4	1/4	51 1/2	51 5/8	51 3/4	51 7/8	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4	52 7/8	53	53 1/8	53 1/4
BDL-13	INSEAM LENGTH BOTTOM- REG	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM - LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM - X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	23	23 1/2	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2

Model Name																				
Page Name		SVEN 6 FLAT FRONT BIG AND TALL																		
Grading Method/UM		Incremental /		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
POM Code	POM Description	TOL (-)	TOL (+)																	
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56
RIS-06	FRONT RISE - SHORT	-1/8	1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4
RIS-06	FRONT RISE - REG	-1/8	1/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4
RIS-06	FRONT RISE - LONG	-1/8	1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4
RIS-06	FRONT RISE - X LONG	-1/8	1/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4
RIS-01	BACK RISE - SHORT	-1/8	1/8	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8
RIS-01	BACK RISE -REG	-1/8	1/8	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8
RIS-01	BACK RISE - LONG	-1/8	1/8	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8
RIS-01	BACK RISE - X LONG	-1/8	1/8	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
ZPR-06	ZIPPER LENGTH BOTTOM - SHORT	-1/8	1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4
ZPR-06	ZIPPER LENGTH BOTTOM -REG	-1/8	1/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4
ZPR-06	ZIPPER LENGTH BOTTOM - LONG	-1/8	1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4
ZPR-06	ZIPPER LENGTH BOTTOM - X LONG	-1/8	1/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31	31 1/2	32	32 1/2	33
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21	21 1/4	21 1/2	21 3/4	22	22 1/4	22 1/2
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING- SHORT	-1/4	1/4	45 1/2	45 5/8	45 3/4	45 7/8	46	46 1/8	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2

Model Name																				
Page Name		SVEN 6 FLAT FRONT BIG AND TALL																		
Grading Method/UM		Incremental /		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
POM Code	POM Description	TOL (-)	TOL (+)																	
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING- REG	-1/4	1/4	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4	48 3/8	48 1/2	48 5/8	48 3/4	48 7/8	49
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - LONG	-1/4	1/4	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2	50 5/8	50 3/4	50 7/8	51	51 1/8	51 1/4	51 3/8	51 1/2
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING -X LONG	-1/4	1/4	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4	52 7/8	53	53 1/8	53 1/4	53 3/8	53 1/2	53 5/8	53 3/4	53 7/8	54
BDL-13	INSEAM LENGTH BOTTOM - SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM - REG	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM - LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM - X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2

Model Name															
Page Name		SVEN 6 FLAT FRONT BIG AND TALL													
Grading Method/UM		Incremental /		49	50	51	52	53	54	55	56	57	58	59	60
POM Code	POM Description	TOL (-)	TOL (+)												
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	50	51	52	53	54	55	56	57	58	59	60	61
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	57	58	59	60	61	62	63	64	65	66	67	68
RIS-06	FRONT RISE - SHORT	-1/8	1/8	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4
RIS-06	FRONT RISE - REG	-1/8	1/8	12 7/8	13	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4	13 7/8	14	14 1/8	14 1/4
RIS-06	FRONT RISE - LONG	-1/8	1/8	13 3/8	13 1/2	13 5/8	13 3/4	13 7/8	14	14 1/8	14 1/4	14 3/8	14 1/2	14 5/8	14 3/4
RIS-06	FRONT RISE - X LONG	-1/8	1/8	13 7/8	14	14 1/8	14 1/4	14 3/8	14 1/2	14 5/8	14 3/4	14 7/8	15	15 1/8	15 1/4
RIS-01	BACK RISE - SHORT	-1/8	1/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8
RIS-01	BACK RISE -REG	-1/8	1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8
RIS-01	BACK RISE - LONG	-1/8	1/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20	20 1/8
RIS-01	BACK RISE - X LONG	-1/8	1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20	20 1/8	20 1/4	20 3/8	20 1/2	20 5/8
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8				
ZPR-06	ZIPPER LENGTH BOTTOM - SHORT	-1/8	1/8	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4
ZPR-06	ZIPPER LENGTH BOTTOM -REG	-1/8	1/8	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4
ZPR-06	ZIPPER LENGTH BOTTOM - LONG	-1/8	1/8	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4
ZPR-06	ZIPPER LENGTH BOTTOM - X LONG	-1/8	1/8	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	33 1/2	34	34 1/2	35	35 1/2	36	36 1/2	37	37 1/2	38	38 1/2	39
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	22 3/4	23	23 1/4	23 1/2	23 3/4	24	24 1/4	24 1/2	24 3/4	25	25 1/4	25 1/2
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING- SHORT	-1/4	1/4	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4	48 3/8	48 1/2	48 5/8	48 3/4	48 7/8	49

Model Name															
Page Name		SVEN 6 FLAT FRONT BIG AND TALL													
Grading Method/UM		Incremental /		49	50	51	52	53	54	55	56	57	58	59	60
POM Code	POM Description	TOL (-)	TOL (+)												
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING- REG	-1/4	1/4	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING - LONG	-1/4	1/4	51 5/8	51 3/4	51 7/8	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4	52 7/8	53
BDL-34	OUTSEAM FROM TOP OF WB TO LEG OPENING -X LONG	-1/4	1/4	54 1/8	54 1/4	54 3/8	54 1/2	54 5/8	54 3/4	54 7/8	55	55 1/8	55 1/4	55 3/8	55 1/2
BDL-13	INSEAM LENGTH BOTTOM - SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM - REG	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM - LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM - X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2