

HQ000550
KENT 6
BLOCK

Style
Overview

Comments
Flat Front


Size Range	
Size Range	Body Type
MBTMUBGR	MODERN
MBTMURGR	TAILORED
MBTMURGR	MODERN
MBTMUBGR	TAILORED

Product Attributes	
Placeholder No	HQ000550
Design Ref Number	DRESS PANTS 28
Style Description	KENT 6
Chief Value Fiber	
Purchase Type	BLOCK
Buy Type	
Model Code	
JAMCO Model Code	
Block(1)	
Block(2)	
Block(3)	
Drop Size	
Packaging Instructions	

Owners & Status	
Product Developer	
Tech Designer	
Designer	
Style Status	WIP
Costing Status	NEW
Created	
Last Modified	09/13/2019

GARMENT TREATMENT	Treatment Type
No Treatments available	

Hierarchy Information	
Product Assortment	
Season	BLOCK
Brand	
Buyer by Div/Cats	
Label	
Category	2-BOTTOMS
Subcategory	20-DRESS PANT
Gender	
Start In DC Date	
End In DC Date	

Colorway Table				
Color	Color Name	UCC	Care Label	Color Status
	TBD			

Model Name																				
Page Name		KENT 6 FLAT FRONT BIG AND TALL																		
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
POM Code	POM Description	TOL (-)	TOL (+)																	
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	29 1/2	30 1/2	31 1/2	32 1/2	33 1/2	34 1/2	35 1/2	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	42 1/2	43 1/2	44 1/2	45 1/2
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	36 3/4	37 3/4	38 3/4	39 3/4	40 3/4	41 3/4	42 3/4	43 3/4	44 3/4	45 3/4	46 3/4	47 3/4	48 3/4	49 3/4	50 3/4	51 3/4	52 3/4
RIS-06	FRONT RISE-REGULAR	-1/8	1/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12
RIS-06	FRONT RISE-SHORT	-1/8	1/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2
RIS-06	FRONT RISE- LONG	-1/8	1/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2
RIS-06	FRONT RISE- X LONG	-1/8	1/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13
RIS-01	BACK RISE-REGULAR	-1/4	1/4	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18
RIS-01	BACK RISE-SHORT	-1/4	1/4	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2
RIS-01	BACK RISE-LONG	-1/4	1/4	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2
RIS-01	BACK RISE- X LONG	-1/4	1/4	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH BOTTOM-REGULAR	-1/8	1/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8
ZPR-06	ZIPPER LENGTH BOTTOM- SHORT	-1/8	1/8	5 1/2	5 5/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2
ZPR-06	ZIPPER LENGTH BOTTOM-LONG	-1/8	1/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2
ZPR-06	ZIPPER LENGTH BOTTOM-X LONG	-1/8	1/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31	31 1/2	32
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21	21 1/4	21 1/2	21 3/4	22	22 1/4	22 1/2
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4
BDL-34	OUTSEAM -REGULAR	-1/4	1/4	46 1/2	46 5/8	46 3/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4	48 3/8	48 1/2
BDL-34	OUTSEAM-SHORT	-1/4	1/4	45	45 1/8	45 1/4	45 3/8	45 1/2	45 5/8	45 3/4	45 7/8	46	46 1/8	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4	46 7/8	47
BDL-34	OUTSEAM-LONG	-1/4	1/4	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2	50 5/8	50 3/4	50 7/8	51
BDL-34	OUTSEAM-X LONG	-1/4	1/4	51 1/2	51 5/8	51 3/4	51 7/8	52	52 1/8	52 1/4	52 3/8	52 1/2	52 5/8	52 3/4	52 7/8	53	53 1/8	53 1/4	53 3/8	53 1/2

Model Name																				
Page Name		KENT 6 FLAT FRONT BIG AND TALL																		
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
POM Code	POM Description	TOL (-)	TOL (+)																	
BDL-13	INSEAM LENGTH BOTTOM-REGULAR	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM-SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM-LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM-X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2

Model Name															
Page Name		KENT 6 FLAT FRONT BIG AND TALL													
Grading Method/UM		Incremental /		45	46	47	48	49	50	51	52	53	54	55	56
POM Code	POM Description	TOL (-)	TOL (+)												
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	53 3/4	54 3/4	55 3/4	56 3/4	57 3/4	58 3/4	59 3/4	60 3/4	61 3/4	62 3/4	63 3/4	64 3/4
RIS-06	FRONT RISE-REGULAR	-1/8	1/8	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4	13 3/8	13 1/2
RIS-06	FRONT RISE-SHORT	-1/8	1/8	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13
RIS-06	FRONT RISE- LONG	-1/8	1/8	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4	13 7/8	14
RIS-06	FRONT RISE- X LONG	-1/8	1/8	13 1/8	13 1/4	13 3/8	13 1/2	13 5/8	13 3/4	13 7/8	14	14 1/8	14 1/4	14 3/8	14 1/2
RIS-01	BACK RISE-REGULAR	-1/4	1/4	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2
RIS-01	BACK RISE-SHORT	-1/4	1/4	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19
RIS-01	BACK RISE-LONG	-1/4	1/4	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20
RIS-01	BACK RISE- X LONG	-1/4	1/4	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20	20 1/8	20 1/4	20 3/8	20 1/2
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH BOTTOM-REGULAR	-1/8	1/8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2
ZPR-06	ZIPPER LENGTH BOTTOM- SHORT	-1/8	1/8	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9
ZPR-06	ZIPPER LENGTH BOTTOM-LONG	-1/8	1/8	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10
ZPR-06	ZIPPER LENGTH BOTTOM-X LONG	-1/8	1/8	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	32 1/2	33	33 1/2	34	34 1/2	35	35 1/2	36	36 1/2	37	37 1/2	38
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	22 3/4	23	23 1/4	23 1/2	23 3/4	24	24 1/4	24 1/2	24 3/4	25	25 1/4	25 1/2
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4
BDL-34	OUTSEAM -REGULAR	-1/4	1/4	48 5/8	48 3/4	48 7/8	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50
BDL-34	OUTSEAM-SHORT	-1/4	1/4	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4	48 3/8	48 1/2
BDL-34	OUTSEAM-LONG	-1/4	1/4	51 1/8	51 1/4	51 3/8	51 1/2	51 5/8	51 3/4	51 7/8	52	52 1/8	52 1/4	52 3/8	52 1/2
BDL-34	OUTSEAM-X LONG	-1/4	1/4	53 5/8	53 3/4	53 7/8	54	54 1/8	54 1/4	54 3/8	54 1/2	54 5/8	54 3/4	54 7/8	55

Model Name															
Page Name		KENT 6 FLAT FRONT BIG AND TALL													
Grading Method/UM		Incremental /		45	46	47	48	49	50	51	52	53	54	55	56
POM Code	POM Description	TOL (-)	TOL (+)												
BDL-13	INSEAM LENGTH BOTTOM-REGULAR	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM-SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM-LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39
BDL-13	INSEAM LENGTH BOTTOM-X LONG	-1/4	1/4	41	41	41	41	41	41	41	41	41	41	41	41
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2

Model Name																		
Page Name		KENT 6 FLAT FRONT REGULAR																
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
POM Code	POM Description	TOL (-)	TOL (+)															
WST-45	WAIST CIRCUMFERENCE BOTTOM	-1/4	1/4	29 1/2	30 1/2	31 1/2	32 1/2	33 1/2	34 1/2	35 1/2	36 1/2	37 1/2	38 1/2	39 1/2	40 1/2	41 1/2	42 1/2	43 1/2
SEA-06	SEAT 4" UP FROM CROTCH SEAM	-1/4	1/4	36 3/4	37 3/4	38 3/4	39 3/4	40 3/4	41 3/4	42 3/4	43 3/4	44 3/4	45 3/4	46 3/4	47 3/4	48 3/4	49 3/4	50 3/4
RIS-06	FRONT RISE-REGULAR	-1/8	1/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4
RIS-06	FRONT RISE-SHORT	-1/8	1/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4
RIS-06	FRONT RISE-LONG	-1/8	1/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4
RIS-01	BACK RISE-REGULAR	-1/4	1/4	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4
RIS-01	BACK RISE-SHORT	-1/4	1/4	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4
RIS-01	BACK RISE-LONG	-1/4	1/4	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4
WST-39	WB HEIGHT	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
WST-43	EXTENSION TAB LENGTH	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
WST-31	FLY WIDTH	-1/8	1/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
ZPR-06	ZIPPER LENGTH BOTTOM-REGULAR	-1/8	1/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4
ZPR-06	ZIPPER LENGTH SHORT	-1/8	1/8	5 1/2	5 5/8	5 3/4	5 7/8	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4
ZPR-06	ZIPPER LENGTH LONG	-1/8	1/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/8	7 1/4	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4
LEG-01	THIGH 1" DOWN FROM CROTCH SEAM	-1/4	1/4	24	24 1/2	25	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31
LEG-06	KNEE CIRCUMFERENCE BELOW CROTCH SEAM REG=13"/ SHORT=12"/ LONG=14"/ XL=15"	-1/4	1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21	21 1/4	21 1/2	21 3/4	22
BTM-06	BOTTOM OPENING 5"	-1/8	1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18
BDL-34	OUTSEAM-REGULAR	-1/4	1/4	46 1/2	46 5/8	46 3/4	46 7/8	47	47 1/8	47 1/4	47 3/8	47 1/2	47 5/8	47 3/4	47 7/8	48	48 1/8	48 1/4
BDL-34	OUTSEAM-SHORT	-1/4	1/4	45	45 1/8	45 1/4	45 3/8	45 1/2	45 5/8	45 3/4	45 7/8	46	46 1/8	46 1/4	46 3/8	46 1/2	46 5/8	46 3/4
BDL-34	OUTSEAM-LONG	-1/4	1/4	49	49 1/8	49 1/4	49 3/8	49 1/2	49 5/8	49 3/4	49 7/8	50	50 1/8	50 1/4	50 3/8	50 1/2	50 5/8	50 3/4
BDL-13	INSEAM LENGTH BOTTOM-REGULAR	-1/4	1/4	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
BDL-13	INSEAM LENGTH BOTTOM-SHORT	-1/4	1/4	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
BDL-13	INSEAM LENGTH BOTTOM-LONG	-1/4	1/4	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
PKT-58	BESOM POCKET HEIGHT	-1/8	1/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Model Name																		
Page Name		KENT 6 FLAT FRONT REGULAR																
Grading Method/UM		Incremental /		28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
POM Code	POM Description	TOL (-)	TOL (+)															
PKT-31	BACK POCKET OPENING	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
PKT-47	FRONT POCKET OPENING TACK	-1/8	1/8	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2