

Supplementary Table 3. CDED Dietary Instructions

Stage 1 (first 6 weeks) Mandatory or allowed foods coupled with Modulen The diet should be administered by a trained dietitian or physician	Stage 2 (second 6 weeks) Mandatory or allowed foods coupled with Modulen The diet should be administered by a trained dietitian or physician
Mandatory Daily Foods and Quantities	Mandatory Daily Foods and Quantities
Fresh Chicken breast 150-200 g/d	Fresh Chicken breast 150-200 g/d
2 Eggs/d	2 Eggs/d
2 Bananas/d	2 Bananas/d
1 Fresh Apple/ d	1 Fresh Apple/d
2 Potatoes/d	2 Potatoes/d (or ½ sweet potato and 1 potato)
Potatoes must be cooked and refrigerated before use	Potatoes must be cooked and refrigerated before use
Allowed Foods Daily	Allowed Foods Daily
Fresh Strawberries	Fresh Strawberries
Fresh Melon (1 slice)	Fresh Melon (1 slice)
Rice flour	Rice flour
White rice and rice noodles (unlimited)	White rice and rice noodles(unlimited)
2 Tomatoes (additional allowed for cooking)	2 Tomatoes(additional allowed for cooking)
2 Cucumbers (medium size)	2 Cucumbers (2 medium size)
2 Avocado halves	2 Avocado halves
1 Carrot	1 Carrot
Spinach 1 cup uncooked leaves	Spinach 1 cup uncooked leaves
Lettuce (3 leaves)	Lettuce (3 leaves)
Onion	Onion
Fresh green herbs (eg, basil, parsley, coriander, rosemary, thyme, mint , dill)	Fresh green herbs (eg, basil, parsley, coriander, rosemary, thyme, mint, dill)
1 glass freshly squeezed orange juice from fresh oranges (not from cartons or bottles)	1 glass freshly squeezed orange juice from fresh oranges (not from cartons or bottles)
Water, sparkling water	Water, sparkling water
Salt, pepper, paprika, cinnamon, cumin, turmeric	Salt, pepper, paprika, cinnamon, cumin, turmeric
3 tablespoons honey	3 tablespoons honey
4 teaspoons sugar	4 teaspoons sugar
Fresh ginger and garlic cloves, lemons and limes	Fresh ginger and garlic cloves
*****	One slice whole grain bread daily
*****	Quinoa
*****	3 Tablespoons cooked lentils or peas
*****	6 almonds or walnut halves (unprocessed)
*****	Baking soda

Foods allowed only once a week	Foods allowed only once a week
Fresh lean fish (not deep fried, dietitian guidance required)	Fresh lean fish (not deep fried, dietitian guidance required)
*****	200 gr Sirloin or fillet steak (Maximum)
*****	1 slice whole grain bread (Maximum)
*****	1 can tuna (in olive or canola oil) drained
*****	½ cup oatmeal or cut oats
*****	Additional daily foods from week 7
*****	Broccoli, Cauliflower 2 florets daily
*****	4 fresh mushrooms (not canned)
*****	½ red bell pepper
*****	1 zucchini or slice squash
*****	1 pear or kiwi or ripe nectarine
*****	Additional daily foods from week 10
*****	Most vegetables (restricted amounts with dietitian guidance)
*****	Most fruits (restricted amounts with dietitian guidance)
*****	Quinoa
*****	3-4 Tablespoons cooked lentils or peas
Stage 1 Disallowed Foods Partial List	Stage 2 Disallowed Foods Partial List (unless allowed above)
Dairy	Dairy
Animal fat	Animal fat
Wheat	Wheat
Emulsifiers	Emulsifiers
Artificial Sweeteners	Artificial Sweeteners
Other cuts or parts of chicken	Other cuts or parts of chicken
Other sources animal or soy protein	Other sources animal or soy protein
Carrageenans	Carrageenans
Maltodextrins(and sucralose)	Maltodextrins (and sucralose)
Sulfite containing foods	Sulfite containing foods
Xanthan gum	Xanthan gum
Packaged, canned or frozen precooked foods, doughs, baked goods	Packaged, canned or frozen precooked foods, doughs, baked goods
Frozen , canned fruits and vegetables	Frozen , canned fruits and vegetables
Oral Iron supplements	Oral Iron supplements
Soy or Gluten-free products	Soy or Gluten-free products
Ready to use sauces, syrups, spreads, dressings, margarine, butter	Ready to use sauces, syrups, spreads dressings, margarine, butter
Vinegar, soy sauce, ketchup, mayonnaise	Vinegar, soy sauce, ketchup, mayonnaise
Alcoholic beverages, soft drinks, juices	Alcoholic beverages, soft drinks, juices
Deep-fried or oily foods	Deep-fried or oily foods

Explanations: The induction phase of the CDED is comprised of two 6-week phases. Stage 1 is critical for remission. It contains 5 mandatory foods to be consumed every day: chicken breast, 2 eggs, 2 bananas, 1 apple, and 2 medium-sized potatoes (that have been cooked [eg, baked, boiled, broiled] and refrigerated before use, as this changes the composition of the starch). The diet should not be altered. The most important aspect of the diet is EXCLUSION of products that are not in the allowed or mandatory list, therefore the excluded products are more important than the added products, substitutes are not allowed. Many of the ingredients that are excluded may not appear in the labels. It is important at the present time to avoid all dairy, wheat, or products containing animal fats and additives. Products that are substitutes for gluten and labeled as gluten-free may actually contain additives that need to be excluded. If foods were not on the allowed list, study participants were asked to consider them as disallowed. Coffee and alcohol were disallowed. Herbal tea such as Chamomile tea was allowed. When quantities appear as uncooked portion, the food may be cooked, the amount specified is of the precooked ingredient. Deep-fried foods are not allowed in stage 1.

Patients should consult a dietitian before using the diet, as patients with strictures or dietary restrictions will need guidance. Patients who refuse to consume meat may consume more formula. Patients who refuse formula should receive a calcium supplement. The first stage of the diet is coupled with 50% of caloric needs with a polymeric formula. Health professionals may obtain the recipe books and recommended explanations as to why each food is added or excluded via the mymodulife.com site.

In the second phase, deep-fried foods such as French fries are allowed only once a week. The second stage is divided in to two 3-week periods(week 7–9, and week 10–12), such that by week 10 of the diet almost all fruits and vegetables are allowed if strictures and abdominal pain are not present. Fruits and vegetables should not be consumed in a large quantity all at once. Daily allowances of fruits and vegetables should be divided throughout the day (some at breakfast, some at lunch some at dinner or for snacks) to prevent obstruction if luminal narrowing is still present.