

**A PRACTICAL REPORT**

**ON**

**SERVER VIRTUALIZATION ON VMWARE**

**SUBMITTED BY**

**Mr. HANNAN SHAIKH**

**UNDER THE GUIDANCE OF**

**PROF. MEHDI REZAEI**

**Submitted in fulfilment of the requirements for qualifying  
MSc. IT Part II Semester - III Examination 2024-2025**

**University of Mumbai Department of Information  
Technology**

**R.D. & S.H National College of Arts, Commerce &  
S.W.A. Science College Bandra (West), Mumbai – 400050**

**SERVER**

**VIRTUALIZATION**

**ON VMWARE**



## R. D. & S. H. National & S. W. A. Science College

Bandra (W), Mumbai - 40050

Department of Information Technology

M.Sc. (IT – SEMESTER III)

### Certificate

This is to certify that Machine Learning Practical's performed at R.D & S.H National & S.W.A. Science College by Mr. Hannan Shaikh holding Seat No. \_\_\_\_\_ studying Master of Science in Information

Technology Semester – III has been satisfactorily completed as prescribed by the University of Mumbai, during the year 2024 – 2025

Subject In-Charge

Coordinator In-Charge

External Examiner

College Stamp

# INDEX

Sr No	Date	Practical	Page No.	Sign
1		<p><b>Deploying and Configuring Virtual Machines</b></p> <ol style="list-style-type: none"> <li>1. Access Your Student Desktop</li> <li>2. Create a Virtual Machine</li> <li>3. Install VMware Tools</li> <li>4. Copy Files to the Desktop</li> </ol>		
2		<p><b>Working with vCenter Server Appliance</b></p> <ol style="list-style-type: none"> <li>1. Access your vCenter Server Appliance and Configure Licenses</li> <li>2. Configure Single Sign-On and Create a Data Center Object</li> <li>3. Add Your ESXi Hosts to the vCenter Server Inventory</li> <li>4. Configure the ESXi Hosts as NTP Clients</li> <li>5. Create a Host and Cluster Folder.</li> <li>6. Create Virtual Machine and Template Folders.</li> <li>7. Navigate vSphere Client</li> </ol>		
3		<p><b>Users, Groups, and Permissions</b></p> <ol style="list-style-type: none"> <li>1. Join the vCenter Server Appliance to vclass.local Domain</li> <li>2. Add vclass.local as an Identity Source.</li> <li>3. View Active Directory Users.</li> <li>4. Assign Object Permissions to an Active Directory User</li> <li>5. Assign Root-Level Global Permission</li> <li>6. Log In with Windows Session Authentication</li> <li>7. Use an Active Directory User to Manage a Virtual Machine</li> </ol>		
4		<p><b>Using Standard Switches</b></p> <ol style="list-style-type: none"> <li>1. View the Standard Switch Configuration</li> <li>2. Create a Standard Switch with a Virtual Machine Port Group</li> <li>3. Attach Your Virtual Machines to the New Virtual Machine Port Group</li> </ol>		
5		<p><b>Accessing iSCSI Storage</b></p> <ol style="list-style-type: none"> <li>1. Validate an Existing ESXi Host iSCSI Configuration</li> <li>2. Add a VMkernel Port Group to a Standard Switch</li> <li>3. Configure the iSCSI Software Adapter</li> <li>4. Connect the iSCSI Software Adapters to Storage</li> </ol>		

6		<p><b>Managing VMFS Datastores</b></p> <ol style="list-style-type: none"> <li>1. Create VMFS Datastores for the ESXi Host</li> <li>2. Expand a VMFS Datastore to Consume Unused Space on a LUN.</li> <li>3. Remove a VMFS Datastore.</li> <li>4. Extend a VMFS Datastore</li> <li>5. Create a Second Shared VMFS Datastore Using iSCSI</li> </ol>		
7		<p><b>Using Templates and Clones</b></p> <ol style="list-style-type: none"> <li>1. Create a Virtual Machine Template</li> <li>2. Create Customization Specifications</li> <li>3. Deploy a Virtual Machine from a Template</li> </ol>		
8		<p><b>Modifying Virtual Machines</b></p> <ol style="list-style-type: none"> <li>1. Clone a Powered-On Virtual Machine</li> <li>2. Increase the Size of a VMDK File</li> <li>3. Adjust Memory Allocation on a Virtual Machine.</li> <li>4. Rename a Virtual Machine in the vCenter Server Appliance Inventory</li> <li>5. Add and Remove a Raw LUN on a Virtual Machine</li> </ol>		
9		<p><b>Managing Virtual Machines</b></p> <ol style="list-style-type: none"> <li>1. Unregister a Virtual Machine from the vCenter Server Appliance Inventory</li> <li>2. Register a Virtual Machine in the vCenter Server Appliance Inventory.</li> <li>3. Unregister and Delete Virtual Machines from the Datastore</li> <li>4. Take Snapshots of a Virtual Machine</li> <li>5. Add Files and Take Another Snapshot of a Virtual Machine.</li> <li>6. Revert the Virtual Machine to a Snapshot</li> <li>7. Delete an Individual Snapshot</li> <li>8. Delete All Snapshots.</li> </ol>		

# PRACTICAL 1

**AIM:-** Deploying and Configuring Virtual Machines

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

---


1. Access Your Student Desktop
2. Create a Virtual Machine
3. Install VMware Tools
4. Copy Files to the Desktop

- **Step 1:** Create new virtual machine in VMware Workstation


### Click on **Create new virtual machine**




- Select **Typical** and Click **Next**




- Select **Installer Disc Image file** and Click on **Browse** ( Find the VMvisor iso file and select it) then Click **Next**




- Give the virtual machine a name and Click **Next**




- Select Number of Processors.




Set ram 16 gb.




- Select Network Address Translation.




- Select Scsi .




- Click Next.




- Select **Split virtual disk into multiple files** and Click **Next**




- Click on **Finish**




- Your Virtual Machine is created and Click on **Power ON this virtual machine**




- After powering on ESXi will start installing




- Now the installation will begin




- Now it will enter the ESXi Setup, Press **Enter**




- Press **F11** to Accept and Continue




Press **Enter**




- Press **Enter**




- Type in a root password and Press **Enter**



- Press **F11** to Install ESXi




- ESXi will now install onto the Virtual Machine which will prompt a restart



- Press **Enter** to Reboot

VMware ESXi has been successfully installed onto your Virtual Machine


Note: we will use the same Virtual Machine




- In VMware Workstation Click on Power on this Virtual Machine




- The virtual machine is starting




- VMware ESXi is **ON**




- To configure SSH press **F2** and enter your password then Press **Enter**




- You will enter System Customization, within it Select **Troubleshooting Options** and Press **Enter**




- Within Troubleshooting Options Select **Enable SSH** and Press **Enter**



- After pressing Enter you will see under SSH Support it will say “ **SSH is enabled**”




- After this press **Esc** twice to save and exit from settings




### Step 1: Configuring ESXi Host Client


- We will be using the same ESXi server • Power On the virtual machine



- Copy the IP Address of the server and Paste it into your Web Browser





It will show you the login page for the ESXi Host Client, enter your ESXi server credentials to access the Host Client




- Now before Creating a Virtual Machine we have to upload an Operating System iso file (Here we will use Windows 7)
- Within the ESXi Host Client Click on **Storage** and within Storage Click on **Datastore Browser**

Within Datastore Browser Click on **Create Directory**







- Enter a Directory Name (Here it is Windows 7) and Click on **Create Directory**




- After the new directory is created Click on **Windows 7** and Select the **Upload** option




- Here browse your Host Directory for the Windows iso file and Click **Open**




- The file will now upload to your Windows 7 Directory in the Datastore




- After the upload is complete Click on **Close**
- On the Host Client Dashboard Select **Virtual Machines** and Click on **Create / Register a new VM**




## Select Create a new virtual machine and Click Next



- Enter a **Name** for the virtual machine
- Keep the Compatibility as its **default** value
- Select Guest OS Family as **Windows**
- Select Guest OS Version as **Microsoft Windows 7 (64-bit)** and Click **Next**




- Select the Standard datastore and Click **Next**




- Keep CPU at **1 core**
- Memory at **2048 MB**
- Hard Disk at **8 GB**
- Disk Provisioning as **Thin provisioned**
- The remaining can have their default value, only exception being: **CD/DVD Drive 1** where you have to Select **Datastore iso file** and Select the **Windows 7 iso** file from the directory and ensure on Status the


**Connect on Power on option** is selected and Click **Next**

View the summary of your virtual machine and Click on **Finish**







- Your Virtual Machine has now been created and will reflect on the ESXi Host Client




- Click on your virtual machine and before powering on Click on **Edit**



- Within Edit find the **CD/DVD Drive 1** option and Select **Connect** and Click **Save**





Now Power On your Virtual Machine, it has been successfully configured and deployed on an ESXi server using ESXi Host Client



## Install VMware Tools


Select Actions > Guest OS > Install VMware Tools





### Copy Files to Desktop


Drag drop a desired file to the VM's Desktop after installing VMWare Tool




# PRACTICAL 2

## **AIM:-** Working with vCenter Server Appliance


- Installing vcenter.




- Click on run.




- Navigate to this file location after clicking on vcsa installer and click on installer.




- Click on install.




- Select Deploy vCenter and Click on next.




- Click on I accept..... and Click on next




- Type your esxi's ip address and username as root and password as Name!098.




- Click on yes.




- Name it and give password.




- Selecting minimum 14 gb ram version.




- Click on enable thin disk and Click on next.




- Select DHCP and Click on next.




- Click on finish.




- Installation will begin.




- When Installation is at 80% go to Browser and login to vmware esxi access page.




- Type your user name and password.




- After logging in go to vm and Run the Vcenter's VM.




- Once the Stage 1 Installation completed click on Continue.




- Give your domain name and credentials.




- Click on Next.




- Click on OK.




- Installation wil take around 10 minutes.




- Once installation Completed ,Click on Close.




- Open a new tab in browser and type the ip which occurred on completion wizard.




- Here! We Successfully Installed Vcenter.




- Navigate to vcenter appliance via ip in browser




- Right click on ip address->New Datacenter




- Give your region name here it is BOMBAY\_REGION




- A Region will be created right click on it select cluster




- Put ip address of your esxi server .




- Type root as username and give it a password




- Click on next




- Select Evaluation License Click on next.




- Select Disabled and Click on next.




- Select Region which you created previously here it is BOMBAY\_REGION.




- Click on next.




- Navigating vcenter.




- Go to home page by clicking on vSphere Client and Select Licensing.




- Assign to evaluation.




- Type Your License key.




- click on next.




- Click on finish.




- Now we have created cluster and connected to a host and license key activated




- Navigate to host configure->Time Configuration Click on ADD SERVICE




- Type esxi ip address.




- In Vcenter management in new tab at port 5480 go to time and put ip address



- Select time zone.




- Network Time Protocol is showing




# PRACTICAL 3

## **AIM:-** Users, Groups, and Permissions.


- Create new virtual machine for Domain Controller (Windows server 2016)




- Click on next




- Browse to the iso image of windows server 2016




- Give name to Virtual Machine.




- Select BIOS.




Select number of processors




- Allocate 4GB of RAM




- Use Network adapter Translation.




- Select LSI logic.




- Select NVme for disk type.




- Select **create a new virtual disk**.




- Set Disk space of **60 GB**.




- Click on next.




- Click on **Finish**.




- Here we have Successfully.




- Now Navigate to settings of your Windows server 2016.




- Under hardware -> floppy -> uncheck connect at power on and use floppy image file.




- Under processors check box of **virtualize intel VT – x and virtualize IOMU**




- power on virtual machine of Windows server 2016




- select English US and click on next.




- Click on install now.




- Select Windows server 2016 Datacenter Evaluation(last one)




- Click on next.




- Type your for example **Name!098**.




- Windows will start Type your Password.




- Open server manager Click on add roles and feature.




- Click on next.




- Select role based or feature based installation.




- Select server from server pool.




- Select active directory domain service.




- Click on next .




- Click on next.




- Click on install.




- After installation completes minimize the page.




- There will be yellow flag in right corner of server manager click on it and then promote to domain controller




- Select add a new forest and give your domain name here it is Hannan.lab.




- Give a password for your domain controller here it is Name!log8.




- Click on next.




- Click on next.




- Click on next.




- Click on next.




- Click on install




- As you can see domain controller is created.




- Go to esxi in vmware workstation and set static ip addresses to connect the domain (Windows server 2016)




- Go to dns configuration .




- Write your domain in suffix.



- First we have join domain in vmware esxi web access



- As you can see the active directory is activated. with domain name



## PRACTICAL 4

**AIM :-** Using Standard Switches.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

---


---

---


- Login to vsphere in browser.




- Navigate to virtual switches.




- Select Virtual Machine Port Group for a Standard Switch.




- Select New standard switch and set bytes 1500 and click on next.



- Click on OK.



- Click on Finish.



- Switch will be created but first go to vmware workstation and add network adapter .


The screenshot shows the vSphere Client interface for host 192.168.113.128. The left sidebar shows the host structure: 192.168.113.130 > lab host > 192.168.113.128. The 'Networking' section is expanded, and 'Virtual switches' is selected. The main pane displays the 'Virtual switches' configuration for 'Standard Switch: vSwitch1'. It shows one entry: 'VM Network 2' with 'VLAN ID: --' and 'Virtual Machines (0)'. Below it, there is a section for 'Physical Adapters' which is currently empty, stating 'No physical network adapters'.

- Navigate to physical.


The screenshot shows the vSphere Client interface for host 192.168.113.128. The left sidebar shows the host structure: 192.168.113.130 > lab host > 192.168.113.128. The 'Networking' section is expanded, and 'Physical adapters' is selected. The main pane displays the 'Physical adapters' configuration. It lists one adapter: 'vmnic0'. The table provides the following details:

	Device	Actual Speed	Configured Speed	Switch	MAC Address	DPU Backed	Observed IP Ranges
vmnic0	10 Gbit/s	10 Gbit/s	vSwitch0	00:0c:29:bc:cc:99	--	No networks	

- Set cpu, memory , and click on ok



- VM Network .



# PRACTICAL 5

## **AIM :-** Accessing iSCSI Storage.


- Validating an existing esxi host icsi configuration.

The screenshot shows the VMware ESXi web interface. The left sidebar navigation includes Host, Manage, Monitor, Virtual Machines (with VM 2 selected), Storage (with 1 item), and Networking. The main content area is titled "vclass.local - Storage" and shows the "Adapters" tab. It lists four adapters: vmhba0 (PVSCSI SCSI Controller), vmhba1 (PIIX4 for 430TX/440BX/MX IDE Controller), vmhba64 (PIIX4 for 430TX/440BX/MX IDE Controller), and vmhba65 (iSCSI Software Adapter). The "Recent tasks" section shows two completed tasks: "Refresh Network System" and "Refresh Network System". The bottom status bar shows system information like battery level (88%), date (10/10/2024), and time (1:36 PM).


- Navigate to Storage Adapters .

The screenshot shows the vSphere Client interface. The left sidebar navigation includes Summary, Monitor, Configure (selected), Permissions, VMs, Resource Pools, Datastores, Networks, and Updates. Under the Storage category, "Storage Adapters" is selected. The main content area is titled "192.168.113.128 | ACTIONS" and shows the "Storage Adapters" section. It includes buttons for ADD SOFTWARE ADAPTER, REFRESH, RESCAN STORAGE, RESCAN ADAPTER, and REMOVE. A table lists one adapter: vmhba1 (PIIX4 for 430TX/440BX/MX IDE Controller). Below the table is a "No items selected" message. The bottom status bar shows system information like date (10/10/2024) and time (1:13 PM).


- Click OK




- As you can see Storage Adapters is created.




- Select iSCSI.




- Click on OK.




- Name icsi and Click on OK




- Go on network port binding and click on add




- Click on ok.




- Write ip address of host.




- Go to Dynamic Discovery.




- Click on OK.




- Select VMkernel Network Adapter.




- Click on next.




- Configuring port properties for VM kernel




- Click on next.



- Click on Finish.




- As of now virtual network is added.




# PRACTICAL 6

## **AIM :-** Managing VMFS Datastores.


- Login to your esxi host web panel navigate to storage and click on new datastore.




- Select Create new VMFS datastore.




- Give a Name to datastore and Click on next.




- Select use full disk and Click on next.




- Here we got an error click on yes.




- Expand The Storage of esxi to 800 GB.




- Select the olive green division at left to set the storage for VMFS by moving the above bar.




- Click on Finish.




- To expand the storage select expand and click on next.




- Select the newly created datastore.




- Set the storage by scrolling bar allocate both the vmfs and free space a similar storage.




- Our VMFS expanded Click on Finish.




- Login vcenter and go to storage and new data store.




- Select VMFS and Click on next.




- Our datastore is created




- Navigate to vcenter ->storage.



- Delete datastore.




- Click on yes.




# PRACTICAL 7

## **AIM:- Using Templates and Clones**


- Go to vcenter




- Create a new virtual machine on your host.




- Click on next.




- Click on next.




- Click on next.




- Select datastore and Click on next.




- Select esxi 7 and Click on next.




- Guest OS Select Cent os because it is open source.




- Upload iso file of OS.




- Select data store.




- Connect at power on . and click on next.




- Click on Finish .




- Right Click on The Virtual Machine You Just Created.




- Give name it a name and select host and then Click next.




- Click on next .




- Select VMFS.




- Select customize the os and power on the virtual machine and Click on next.




- Click on next.




- Click on Finish.




- Here we created clone of our virtual machine.




- Navigate to policies and profiles ->VM Customization Specifications.




- Name it and Select Linux and Click on next.




- Fill the Required credentials.




- Select use the virtual machine .




- Give it a password here it is Name!098.




- Select According to your time zone.



- Select use Standard network Settings.



- Click on Finish.



- VM customization and specification Done.

Policies and Profiles

- VM Storage Policies
- VM Customization Specifications**
- Host Profiles
- Compute Policies
- Storage Policy Components

VM Customization Specifications

Name	Guest OS	Last Modified	VC
winserver	Windows	10/18/2024, 2:53:40 PM	192.168.113.130

Recent Tasks

Task Name	Target	Status	Details	Initiator	Queued For	Start Time	Completed
Power On virtual machine	customer	1 Insufficient resources. Out of	Powering on the new Virtual...	DATA.COM\Administrator	17 ms	10/18/2024, 2:44:33 PM	10/18/2024, 2:44:33 PM
Sync updates	192.168.113.130	2 In Progress	Syncing updates for host 192.168.113.130	com.vmware.vcenter	42 ms	10/18/2024, 11:59:12 AM	10/18/2024, 11:59:12 AM

More Tasks

Finance headline: US 30-Year Mort...

3:39 PM 10/18/2024

- Right Click on Virtual Machine and Click on Deploy from template and name it and Click on next.

Temp/W2019 - Deploy From Template

Select a name and folder

Specify a unique name and target location

Virtual machine name: \_\_\_\_\_

Select a location for the virtual machine.


192.168.56.174  
Data1

NEXT CANCEL


No items found

Breaking news: ED Raids Prop... 14:26 IN 29-11-2024


- Select Your Host.




- Select Your Storage and Click on Next.




- Select Customize the os and Select Power on the virtual machine after creation.




- Click On Next.



- Click on Finish.




- Here we created rom template.




# PRACTICAL 8

## **AIM:-** Modifying Virtual Machines.


- Navigate to Vsphere home page.




- Click on VM & Template.




- Select a VM and Right Click Go to Rename.




- Rename your VM and Click on Ok.




- As you can see Virtual Machine is Successfully Renamed.




- Now go back to home page of Vsphere.




- Go to VM & Template and Select and Scroll down and Click on Edit Settings.




- Modify Your Hard Disk According to requirement and Click on Ok.




- As you can see here we Successfully Increased Storage Space.



- Again Click on Edit Settings to Edit Memory.




- Now Modify Your Memory According to Requirement.




# PRACTICAL 9

**AIM:-**Managing virtual machines.


- Navigate to vcenter.




- Select VM and Template.




- Select VM.




- Right Click on VM and then Select Remove Inventory.




- Click on Yes.




- Select Storage.




- Right Click on Sufficient Datastore and Click on Register VM.




- Select os File.




- Give it a name.




- Select your host and Click on next.




- Click on Finish.




- Here Successfully registered a VM.




- Right Click on VM and Select Delete from disk.




- Click on yes.




- Navigate to home page and Select VM and Template.




- Select a VM and Right Click And Click on Snapshots.




- Click on Create.




- Now go to VM again and Snapshots->Manage Snapshots.



- Click on Revert.



- Click on Delete.



- Here we Successfully Deleted Snapshots.

