

MySQL – CLEANING – AUTOMATION (TRIGGER)

Data Cleaning

#- (Staging Table)

```
CREATE TABLE staging_Starbucks_Dataset (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  Store_number VARCHAR(255),  
  store_name VARCHAR(255),  
  brand VARCHAR(255),  
  number VARCHAR(255), -- Kept as text because scrapers often pull '$100.5B' or '$5,000'  
  postcode VARCHAR(255),  
  scraped_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
);
```

-- 2. THE CLEAN (Production Table)

```
CREATE TABLE Starbucks_Dataset (  
  Store_number INT AUTO_INCREMENT PRIMARY KEY,  
  store_name VARCHAR(255) UNIQUE, -- Unique constraint prevents duplicates  
  brand VARCHAR(100),  
  number DECIMAL(15,2), -- Strict decimal format for Tableau  
  postcode DECIMAL(15,2),  
  last_updated TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE  
  CURRENT_TIMESTAMP  
);
```

Trigger

```
DELIMITER $$
```

```
CREATE TRIGGER clean_and_transform_Dataset  
AFTER INSERT ON staging_Starbucks_Dataset  
FOR EACH ROW  
BEGIN  
  -- Declare variables to hold cleaned numbers  
  DECLARE v_number DECIMAL(15,2);  
  DECLARE v_clean_postcode DECIMAL(15,2);
```

```
-- CLEANING LOGIC: Strip out '$', 'B', and commas, then convert to a clean decimal number
SET v_number = CAST(REPLACE(REPLACE(REPLACE(NEW.number, '$', ''), 'B', ''), ',', ''))
AS DECIMAL(15,2));
SET v_postcode = CAST(REPLACE(REPLACE(REPLACE(NEW.postcode, '$', ''), 'B', ''), ',', ''))
AS DECIMAL(15,2));
```

```
-- UPSERT LOGIC: Insert clean data. If company name exists, update the numbers instead.
INSERT INTO starbucks_dataset (Brand, store_name, city, timezone,...)
VALUES (
    TRIM(store_name),
    COALESCE(TRIM(brand), 'Unclassified'),
    COALESCE(number, 0.00),
    COALESCE(postcode, 0.00)
)
ON DUPLICATE KEY UPDATE
    brand = VALUES(brand),
    number = VALUES(number),
    timezone = VALUES(timezone);
END$$
```

```
DELIMITER ;
```

This will be used as an inference for other projects since it is the procedure I used