Chapter 4 Practice Set by Munawar

Questions

1. (Create the	fol	lowing v	website lay	out.
••••		•••••			
		•••••			
				•	
	Left		Right		

.....

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title> Chapter 4 practice set</title>
    <style>
            margin: 0;
            padding: 0;
        .navbar {
            height: 72px;
            background-color: black;
            color: white;
        .right {
            height: 60vh;
            background-color: aqua;
```

```
width: 50%;
            display: inline-block;
        .left {
            height: 60vh;
            display: inline-block;
            background-color: green;
            width: 50%;
        .container {
            display: flex;
    </style>
</head>
<body>
   <div class="navbar">
   </div>
   <div class="container">
       <div class="right">
       </div>
       <div class="left">
       </div>
   </div>
</body>
</html>
```

2. Add a footer with google font "Ballu Bhai "to question no 1.

```
<title> Chapter 4 practice set</title>
    <link rel="preconnect" href="https://fonts.gstatic.com">
href="https://fonts.googleapis.com/css2?family=Baloo+Bhai+2&display=swap"
rel="stylesheet">
    <style>
            margin: 0;
            padding: 0;
        .navbar {
            height: 72px;
            background-color: black;
            color: white;
        .right {
            height: 80vh;
            background-color: aqua;
            width: 50%;
            display: inline-block;
        .left {
            height: 80vh;
            display: inline-block;
            background-color: green;
            width: 50%;
        .container {
            display: flex;
        footer {
            font-family: 'Baloo Bhai 2', cursive;
            background-color: black;
            color: white;
            padding: 34px;
    </style>
</head>
<body>
```

3. Remove the underlines from links in header.

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title> Chapter 4 practice set</title>
    <link rel="preconnect" href="https://fonts.gstatic.com">
href="https://fonts.googleapis.com/css2?family=Baloo+Bhai+2&display=swap"
rel="stylesheet">
    <style>
            margin: 0;
            padding: 0;
        .navbar {
            height: 72px;
            background-color: black;
            color: white;
```

```
.right {
           height: 80vh;
           background-color: aqua;
           width: 50%;
           display: inline-block;
       .left {
           height: 80vh;
           display: inline-block;
           background-color: green;
           width: 50%;
       .container {
           display: flex;
       footer {
           font-family: 'Baloo Bhai 2', cursive;
           background-color: black;
           color: white;
           padding: 34px;
           text-transform: uppercase;
       .navbar ul li a {
           color: white;
           text-decoration: none;
       .navbar ul li {
           display: inline-block;
           margin: 20px 20px;
   </style>
</head>
<body>
   <div class="navbar">
       <l
           <a href="#">Home</a>
           <a href="#">About</a>
```

```
<a href="#">Services</a>
          <a href="#">Contact us</a>
      </div>
   <div class="container">
      <div class="right">
      </div>
      <div class="left">
      </div>
   </div>
   <footer>
      Copyright © Practice Set 4 - All rights reserved
by Munawar Johar
   </footer>
</body>
</html>
```

4. Demonstrate the difference between display none and visibility hidden using div.

```
height: 72px;
            background-color: black;
            color: white;
        .right {
            height: 80vh;
            background-color: aqua;
           width: 50%;
            display: inline-block;
           visibility: hidden;
        .left {
           height: 80vh;
            display: inline-block;
            background-color: green;
           width: 50%;
        .container {
            display: flex;
        footer {
            font-family: 'Baloo Bhai 2', cursive;
            background-color: black;
            color: white;
           padding: 34px;
           text-transform: uppercase;
        .navbar ul li a {
            color: white;
           text-decoration: none;
        .navbar ul li {
            display: inline-block;
           margin: 20px 20px;
   </style>
</head>
```

```
<body>
   <div class="navbar">
      <l
          <a href="#">Home</a>
          <a href="#">About</a>
          <a href="#">Services</a>
          <a href="#">Contact us</a>
      </div>
   <div class="container">
      <div class="right">
      </div>
      <div class="left">
      </div>
   </div>
   <footer>
      Copyright © Practice Set 4 - All rights reserved
by Munawar Johar
   </footer>
</body>
</html>
```

5. Change the footer to all uppercase in question 1.

```
.navbar {
            height: 72px;
            background-color: black;
            color: white;
        .right {
            height: 80vh;
            background-color: aqua;
           width: 50%;
           display: inline-block;
        .left {
            height: 80vh;
           display: inline-block;
           background-color: green;
           width: 50%;
        .container {
            display: flex;
       footer {
            font-family: 'Baloo Bhai 2', cursive;
            background-color: black;
            color: white;
            padding: 34px;
           text-transform: uppercase;
   </style>
</head>
<body>
   <div class="navbar">
   </div>
   <div class="container">
       <div class="right">
       </div>
       <div class="left">
       </div>
   </div>
```

Thank You