

Event Data Property in jQuery

Event Data Property

The event.data property contains the optional data passed to an event method when the current executing handler is bound.

Example

Return the data passed with the on() method for each <p> element:

```
$("#p").each(function(i){
    $(this).on("click", {x:i}, function(event){
        alert("The " + $(this).index() + ". paragraph has data: " + event.data.x);
    });
});
```

Source Code:

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Event data Property in jQuery</title>
    <style>
        .box {
            width: 300px;
            height: 300px;
        }

        #test1 {
            background-color: aqua;
            border: 2px solid black;
            overflow: auto;
            padding: 10px 10px;
```

```

        position: relative;
    }

</style>
<script src="jquery-3.7.1.min.js"></script>
</head>

<body>

    <h1> Event data Property in jQuery</h1>
    <div class="box" id="test1">
        <h1>Box Dev</h1>
        <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Quasi impedit
excepturi nemo, ex quo placeat.</p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Alias, expedita.
    </p>
    <p>Lorem ipsum dolor sit amet.</p>
    <p>Lorem ipsum dolor sit.</p>
    </div>
<h2></h2>

    <script>
        $(document).ready(function(event) {
            $('p').each(function(i){
                $(this).on("click",{value:i},function(event){
                    alert("This is a paragraph :"+event.data.value)
                })
            })
        });
    </script>
</body>

</html>

```

Thank You