

Empty and Remove Method in jQuery

Empty Method

The `empty()` method removes all child nodes and content from the selected elements.

Example

Remove the content of all `<div>` elements:

```
$("#button").click(function(){  
    $("#div").empty();  
});
```

Note: This method does not remove the element itself, or its attributes.

Remove Method

The `remove()` method removes the selected elements, including all text and child nodes.

Example

Remove all `<p>` elements:

```
$("#button").click(function(){  
    $("p").remove();  
});
```

Note: This method also removes data and events of the selected elements.

Source Code:

```
<!DOCTYPE html>  
<html lang="en">
```

```
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title> Empty and Remove Method </title>
  <style>
    .box {
      width: 300px;
      height: 300px;
    }

    #test1 {
      background-color: aqua;
      border: 2px solid black;
      overflow: auto;
      padding: 10px 10px;
    }

    .bg_red {
      background-color: red;
    }
  </style>
  <script src="jquery-3.7.1.min.js"></script>
</head>

<body>

  <h1>Empty and Remove Method in jQuery</h1>
  <div class="box Box" id="test1">
    <h1>Box Dev</h1>
    <p>Lorem ipsum dolor sit, amet consectetur adipisicing elit. Esse quia
quasi expedita fssimus eum dolor. Iure adipisci voluptates esse cupiditate sunt
nostrum! .
    </p>

  </div>

  <button id="btnEmpty">Empty</button>
  <button id="btnRemove">Remove</button>

  <script>
    $(document).ready(function() {
      $('#btnEmpty').click(function() {
        // $('#test1 h2').empty();
        $('#test1').empty();
      });
    });
  </script>
</body>
```

```
        })  
  
        $('#btnRemove').click(function() {  
            $('#test1').remove();  
        })  
  
    });  
</script>  
</body>  
  
</html>
```

Thank You