

## has() and is () Method in jQuery

### jQuery has() Method

The has() method returns all elements that have one or more elements inside of them, that matches the specified selector.

Example

Return all <p> elements that have a <span> element inside of them:

```
$("p").has("span")
```

### jQuery is() Method

The is() method checks if one of the selected elements matches the *selectorElement*.

Example

If the parent of <p> is a <div> element, alert some text:

```
if ($("p").parent().is("div")) {  
    alert("Parent of p is div");  
}
```

## Source Code:

```
<!DOCTYPE html>  
<html lang="en">  
  
<head>  
    <meta charset="UTF-8">  
    <meta http-equiv="X-UA-Compatible" content="IE=edge">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
    <title>Has and Is Method in jQuery</title>
```

```

<style>
    .box {
        width: 300px;
        height: 300px;

    }

    #test1 {
        background-color: aqua;
        border: 2px solid black;
        overflow: auto;
        padding: 10px 10px;
        position: relative;
    }
</style>
<script src="jquery-3.7.1.min.js"></script>
</head>

<body>

    <h1> Has and Is Method in jQuery</h1>
    <div class="box" id="test1">
        <h1>Box 1</h1>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Numquam
accusamus impedit voluptates molestias?
        Aperia eligendi rerum laborum necessitatibus tempore perferendis
error, accusantium autem tenetur
        recusandae repellendus quidem hic nobis aut ex? Eaque,
consectetur.</p>
        <p>para 2</p>
    </div>

    <ul>
        <li>Home</li>
        <li>About</li>
        <li class="service">Service</li>
        <li>Blog</li>
        <li>Contact</li>
        <li>Feedbacks</li>
    </ul>

    <div class="box" id="second">

        <p>Lorem ipsum dolor <span> I am span </span>nsectetur.</p>

```

```
        <p>para <b> i am bold</b> last</p>
    </div>
<script>
    $(document).ready(function () {
        $('p').has('span').css('background','red');
        $('p').has('b').css('background','gold');

        if($('p').parent().is('#test1')){
            console.log("True");
        }
        else{
            console.log("False");
        }
        $('p').click(function(){
            if($('p').parent().is('div')){
                $('p').css('background','green');
            }
        })
    });
</script>
</body>

</html>
```

Thank You