Folder and file structure

A readable guide to where each part of the project lives and what it is for. Entries follow the nested repository structure; each row includes a one-line purpose.

COLOR KEY

Folders **Files** Purpose descriptions

The tree below reflects the current workspace. It omits generated caches and dependency/build output. Current entries: 60 folders and 165 files.

Folder and file structure / continued

```
/   #  package and related implementation files.
|-- .github/   # Repository automation and CI configuration.
|   `-- workflows/   # workflows package and related implementation files.
|       `-- ci.yml   # Automation or continuous-integration workflow.
|-- Coding-Agent-Guide/   # Contributor instructions, architecture, status, and history.
|   |-- architecture.md   # System components, data flow, and interfaces.
|   |-- design.md   # Project design decisions and implementation rationale.
|   |-- folder-structure.md   # Annotated comparison of planned and current repository structure.
|   |-- logs.md   # Append-only project change history by approved contributor.
|   |-- README.md   # Project purpose, setup notes, or directory usage guide.
|   |-- rules.md   # Required implementation and contribution practices.
|   `-- Status.md   # Current project progress and gate evidence.
|-- desktop/   # Electron and React desktop application.
|   |-- electron/   # electron package and related implementation files.
|   |   |-- engine-manager.ts   # TypeScript source or shared contract.
|   |   |-- main.ts   # TypeScript source or shared contract.
|   |   `-- preload.ts   # TypeScript source or shared contract.
|   |-- src/   # Desktop application source code.
|   |   |-- api/   # Versioned HTTP and WebSocket endpoints.
|   |   |   `-- client.ts   # TypeScript source or shared contract.
|   |   |-- components/   # Reusable UI components.
|   |   |   |-- EvidencePair.tsx   # React TypeScript component or screen.
|   |   |   |-- LogStream.tsx   # React TypeScript component or screen.
|   |   |   `-- SeverityBadge.tsx   # React TypeScript component or screen.
|   |   |-- hooks/   # hooks package and related implementation files.
|   |   |   |-- useScanSocket.ts   # TypeScript source or shared contract.
|   |   |   `-- useScanStatus.ts   # TypeScript source or shared contract.
|   |   |-- store/   # store package and related implementation files.
|   |   |   `-- scanStore.ts   # TypeScript source or shared contract.
|   |   |-- types/   # types package and related implementation files.
|   |   |   `-- index.ts   # TypeScript source or shared contract.
|   |   |-- views/   # Application screens and workflows.
|   |   |   |-- Dashboard.tsx   # React TypeScript component or screen.
|   |   |   |-- FindingsInspector.tsx   # React TypeScript component or screen.
|   |   |   |-- LiveTelemetry.tsx   # React TypeScript component or screen.
|   |   |   |-- ReportViewer.tsx   # React TypeScript component or screen.
|   |   |   `-- TargetConfig.tsx   # React TypeScript component or screen.
|   |   |-- App.tsx   # React TypeScript component or screen.
|   |   |-- index.css   # Application styling rules.
|   |   `-- main.tsx   # React TypeScript component or screen.
|   |-- electron-builder.yml   # Automation or continuous-integration workflow.
|   |-- index.html   # HTML interface or report template.
|   |-- package.json   # Structured configuration, case, or knowledge record.
|   |-- tailwind.config.ts   # TypeScript source or shared contract.
|   |-- tsconfig.json   # Structured configuration, case, or knowledge record.
|   `-- vite.config.ts   # TypeScript source or shared contract.
|-- docs/   # User, API, architecture, and demo documentation.
|   |-- architecture/   # architecture package and related implementation files.
|   |   `-- README.md   # Project purpose, setup notes, or directory usage guide.
|   |-- demo/   # demo package and related implementation files.
|   |   `-- README.md   # Project purpose, setup notes, or directory usage guide.
|   |-- api.md   # Project documentation or usage instructions.
|   `-- user-guide.md   # Project documentation or usage instructions.
|-- engine/   # Python FastAPI scanning engine.
|   |-- app/   # app package and related implementation files.
|   |   |-- adapters/   # adapters package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- base.py   # Python implementation or package module.
|   |   |   |-- cert_manager.py   # Python implementation or package module.
|   |   |   |-- playwright_web.py   # Python implementation or package module.
|   |   |   |-- proxy_app.py   # Python implementation or package module.
|   |   |   |-- registry.py   # Python implementation or package module.
|   |   |   |-- uia_app.py   # Python implementation or package module.
|   |   |   `-- web_calibration.py   # Python implementation or package module.
|   |   |-- agents/   # Attack, evaluation, orchestration, risk, and reporting agents.
|   |   |   |-- evaluation/   # Deterministic, triage, and rubric evaluation logic.
|   |   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |   |-- deterministic.py   # Detects the harmless injection marker in target responses.
|   |   |   |   |-- evaluator.py   # Combines deterministic marker checks and rubric judging.
|   |   |   |   |-- judge.py   # Structured LLM01 response evaluation.
```

Folder and file structure / continued

```
|   |   |   |   `-- triage.py   # Python implementation or package module.
|   |   |   |-- prompts/   # Version-controlled prompts for assessment agents.
|   |   |   |   |-- attack_system.md   # Instructions for generating harmless indirect-injection checks.
|   |   |   |   |-- judge_rubric_llm01.md   # Judge criteria for indirect Prompt Injection outcomes.
|   |   |   |   `-- report_summary.md   # Project documentation or usage instructions.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- attack_agent.py   # Builds trusted tasks with untrusted-note injection content.
|   |   |   |-- orchestrator.py   # Python implementation or package module.
|   |   |   |-- reporting_agent.py   # Python implementation or package module.
|   |   |   |-- risk_scorer.py   # Python implementation or package module.
|   |   |   `-- state.py   # Python implementation or package module.
|   |   |-- api/   # Versioned HTTP and WebSocket endpoints.
|   |   |   |-- v1/   # v1 package and related implementation files.
|   |   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |   |-- findings.py   # Python implementation or package module.
|   |   |   |   |-- health.py   # Python implementation or package module.
|   |   |   |   |-- proxy.py   # Python implementation or package module.
|   |   |   |   |-- reports.py   # Python implementation or package module.
|   |   |   |   |-- router.py   # Python implementation or package module.
|   |   |   |   |-- scans.py   # Python implementation or package module.
|   |   |   |   |-- targets.py   # Python implementation or package module.
|   |   |   |   `-- websocket.py   # Python implementation or package module.
|   |   |   `-- __init__.py   # Python implementation or package module.
|   |   |-- core/   # core package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- config.py   # Python implementation or package module.
|   |   |   |-- database.py   # Python implementation or package module.
|   |   |   |-- errors.py   # Python implementation or package module.
|   |   |   |-- events.py   # Python implementation or package module.
|   |   |   |-- logging.py   # Python implementation or package module.
|   |   |   `-- paths.py   # Python implementation or package module.
|   |   |-- kb/   # OWASP records, safe test prompts, cases, and evaluation rules.
|   |   |   |-- 01_OWASP/   # Versioned OWASP vulnerability records.
|   |   |   |   `-- 2025/   # 2025 package and related implementation files.
|   |   |   |       |-- LLM01.json   # Active OWASP Prompt Injection record for the initial indirect-test scope.
|   |   |   |       |-- LLM02.json   # Structured configuration, case, or knowledge record.
|   |   |   |       |-- LLM03.json   # Structured configuration, case, or knowledge record.
|   |   |   |       |-- LLM04.json   # Structured configuration, case, or knowledge record.
|   |   |   |       |-- LLM05.json   # Structured configuration, case, or knowledge record.
|   |   |   |       |-- LLM06.json   # Structured configuration, case, or knowledge record.
|   |   |   |       |-- LLM07.json   # OWASP System Prompt Leakage taxonomy reference; not an active initial scan category.
|   |   |   |       |-- LLM08.json   # Structured configuration, case, or knowledge record.
|   |   |   |       |-- LLM09.json   # Structured configuration, case, or knowledge record.
|   |   |   |       `-- LLM10.json   # Structured configuration, case, or knowledge record.
|   |   |   |-- 02_ATTACK_TECHNIQUES/   # Approved descriptions of LLM01 indirect-injection checks.
|   |   |   |   `-- prompt_injection.json   # Method notes for safe indirect prompt-injection checks.
|   |   |   |-- 03_PROMPT_LIBRARY/   # Fixed, template, and safe variation prompt cases.
|   |   |   |   |-- fixed/   # Stable prompt-injection regression cases.
|   |   |   |   |   `-- llm01_indirect_injection.json   # Fixed harmless untrusted-note baseline case.
|   |   |   |   |-- templates/   # Variable-based harmless untrusted-note cases.
|   |   |   |   |   `-- llm01_untrusted_note.json   # Template for a trusted summary task and untrusted note.
|   |   |   |   `-- variations/   # Safe wordings for indirect-injection cases.
|   |   |   |       `-- prompt_variations.json   # Approved wording variations for safe indirect-injection cases.
|   |   |   |-- 04_TEST_CASES/   # 04_TEST_CASES package and related implementation files.
|   |   |   |   `-- test_cases.json   # Structured configuration, case, or knowledge record.
|   |   |   |-- 05_EVALUATION_RULES/   # Category-specific response evaluation criteria.
|   |   |   |   `-- llm01_rules.json   # Criteria for detecting when untrusted note content controls the response.
|   |   |   |-- 06_RISK_RULES/   # 06_RISK_RULES package and related implementation files.
|   |   |   |   `-- risk_rules.json   # Structured configuration, case, or knowledge record.
|   |   |   |-- 07_REFERENCES/   # 07_REFERENCES package and related implementation files.
|   |   |   |   `-- owasp_llm_top10.json   # Structured configuration, case, or knowledge record.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   `-- loader.py   # Python implementation or package module.
|   |   |-- llm/   # llm package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- json_guard.py   # Python implementation or package module.
|   |   |   `-- ollama_client.py   # Python implementation or package module.
|   |   |-- mcp/   # MCP client, schemas, and thin server wrappers.
|   |   |   |-- servers/   # MCP tool server modules.
|   |   |   |   |-- __init__.py   # Python implementation or package module.
```

Folder and file structure / continued

```
|   |   |   |   |-- eval_server.py   # Python implementation or package module.
|   |   |   |   |-- kb_server.py   # Python implementation or package module.
|   |   |   |   |-- risk_server.py   # Python implementation or package module.
|   |   |   |   `-- target_server.py   # Python implementation or package module.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- client.py   # Python implementation or package module.
|   |   |   `-- tool_schemas.py   # Python implementation or package module.
|   |   |-- models/   # models package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   `-- entities.py   # Python implementation or package module.
|   |   |-- rag/   # rag package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- embedder.py   # Python implementation or package module.
|   |   |   |-- indexer.py   # Python implementation or package module.
|   |   |   |-- retriever.py   # Python implementation or package module.
|   |   |   `-- vector_store.py   # Python implementation or package module.
|   |   |-- schemas/   # Pydantic request, response, and persisted data contracts.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- finding.py   # Python implementation or package module.
|   |   |   |-- scan.py   # Python implementation or package module.
|   |   |   |-- target.py   # Python implementation or package module.
|   |   |   |-- turn_record.py   # Python implementation or package module.
|   |   |   `-- verdict.py   # Python implementation or package module.
|   |   |-- services/   # Engine workflows for scans, targets, and reports.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- report_service.py   # Python implementation or package module.
|   |   |   |-- scan_service.py   # Python implementation or package module.
|   |   |   `-- target_service.py   # Python implementation or package module.
|   |   |-- templates/   # Variable-based harmless untrusted-note cases.
|   |   |   |-- assets/   # assets package and related implementation files.
|   |   |   |   `-- style.css   # Application styling rules.
|   |   |   `-- report.html   # HTML interface or report template.
|   |   `-- __init__.py   # Python implementation or package module.
|   |-- migrations/   # migrations package and related implementation files.
|   |   |-- versions/   # versions package and related implementation files.
|   |   |   `-- .gitkeep   # Project source, configuration, or reference file.
|   |   |-- env.py   # Python implementation or package module.
|   |   `-- script.py.mako   # Alembic migration template.
|   |-- tests/   # Unit, integration, benchmark, and fixture files.
|   |   |-- benchmarks/   # benchmarks package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- benchmark_pairs.json   # Expected injected and resisted response examples.
|   |   |   `-- test_judge_benchmarks.py   # Python implementation or package module.
|   |   |-- fixtures/   # fixtures package and related implementation files.
|   |   |   `-- sample_turns.json   # Structured configuration, case, or knowledge record.
|   |   |-- integration/   # integration package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- test_connectors.py   # Python implementation or package module.
|   |   |   `-- test_scan_flow.py   # Python implementation or package module.
|   |   |-- unit/   # unit package and related implementation files.
|   |   |   |-- __init__.py   # Python implementation or package module.
|   |   |   |-- test_deterministic.py   # Python implementation or package module.
|   |   |   |-- test_json_guard.py   # Python implementation or package module.
|   |   |   `-- test_risk_scorer.py   # Python implementation or package module.
|   |   |-- __init__.py   # Python implementation or package module.
|   |   `-- conftest.py   # Python implementation or package module.
|   |-- alembic.ini   # Tool or migration configuration.
|   |-- main.py   # Python implementation or package module.
|   |-- pytest.ini   # Tool or migration configuration.
|   |-- requirements-dev.txt   # Dependency or plain-text project input.
|   `-- requirements.txt   # Dependency or plain-text project input.
|-- installer/   # Packaging and Windows installer assets.
|   |-- assets/   # assets package and related implementation files.
|   |   `-- README.md   # Project purpose, setup notes, or directory usage guide.
|   `-- build.ps1   # PowerShell setup or packaging script.
|-- scripts/   # Development and knowledge-base utility scripts.
|   |-- build_kb_index.py   # Python implementation or package module.
|   |-- run_benchmark.py   # Python implementation or package module.
|   `-- setup_models.ps1   # PowerShell setup or packaging script.
|-- test-targets/   # Intentionally vulnerable and hardened assessment targets.
```

Folder and file structure / continued

```
|   |-- hardened-bot/   # Hardened target treats note instructions as data.
|   |   |-- app.py   # FastAPI mock target for the selected resistance behavior.
|   |   `-- index.html   # HTML interface or report template.
|   |-- weak-bot/   # Weak target follows an untrusted-note marker instruction.
|   |   |-- app.py   # FastAPI mock target for the selected resistance behavior.
|   |   `-- index.html   # HTML interface or report template.
|   `-- README.md   # Project purpose, setup notes, or directory usage guide.
|-- website/   # Future product website placeholder.
|   `-- README.md   # Project purpose, setup notes, or directory usage guide.
|-- .env.example   # Example environment configuration.
|-- .gitignore   # Project source, configuration, or reference file.
|-- Aegis-Architecture.pdf   # Team architecture and development reference.
|-- Aegis-Folder-Structure-Guide.pdf   # Color-coded annotated repository tree for contributors.
|-- Aegis_8-Week_Plan_with_MCP.md   # Eight-week delivery plan with MCP integration and LLM01 scope.
`-- README.md   # Project purpose, setup notes, or directory usage guide.
```

Current active assessment files

- Current category: LLM07 System Prompt Leakage. The attack agent and local test targets now use direct disclosure requests and a planted fake canary.

-

- Evaluation uses engine/app/agents/evaluation/deterministic.py for canary and known-prompt overlap checks, and engine/app/agents/prompts/judge_rubric_llm07.md for rubric guidance. Jailbreak testing is excluded.