AWS Academy Cloud Foundations

# Module 8: Databases



### Module overview



### **Topics**

- Amazon Relational Database Service (Amazon RDS)
- Amazon DynamoDB
- Amazon Redshift
- Amazon Aurora

#### **Demos**

- Amazon RDS console
- Amazon DynamoDB console

### Lab

 Lab 5: Build Your DB Server and Interact with Your DB Using an App

### **Activity**

Database case studies



## Module objectives



After completing this module, you should be able to:

- Explain Amazon Relational Database Service (Amazon RDS)
- Identify the functionality in Amazon RDS
- Explain Amazon DynamoDB
- Identify the functionality in Amazon DynamoDB
- Explain Amazon Redshift
- Explain Amazon Aurora
- Perform tasks in an RDS database, such as launching, configuring, and

Module 8: Databases

# Section 1: Amazon Relational Database Service



### Amazon Relational Database Service





Amazon Relational Database Service (Amazon RDS)

# Unmanaged versus managed services



### **Unmanaged**

Scaling, fault tolerance, and availability are managed by you.



### **Managed:**


Scaling, fault tolerance, and availability are typically built in to the service.



### Challenges of relational databases



- Server maintenance and energy footprint
- Software installation and patches
- Database backups and high availability
- Limits on scalability
- Data security
- Operating system (OS) installation and patches



### Amazon RDS



Managed service that sets up and operates a relational database in the cloud.



# From on-premises databases to Amazon RDS



On-premises database

Application optimization Scaling High Availability Database backups Database software patches Database software installs Operation system patches Operating system install Server maintenance Rack and stack servers Power, HVAC, network

Database in Amazon Elastic Compute Cloud (Amazon

EC2)

Application
optimization
Scaling
High Availability
Database backups
Database software
patches
Database software
installs

AWS provides Operation system
patches
Operating system
install
Server maintenance
Rack and stack servers
Power, HVAC, network

Database in Amazon RDS or Amazon Aurora

AWS provides

**Application** optimization Scaling High Availability Database backups Database software patches Database software installs Operation system patches Operating system install Server maintenance Rack and stack servers

Power, HVAC, network

© 2019 Amazon Web Services, Inc. or its Affiliates. All rights reserved.

## Managed services responsibilities



#### You manage:

Application optimization



#### **AWS** manages:

- OS installation and patches
- Database software installation and patches
- Database backups
- High availability
- Scaling
- Power and racking and stacking servers
- Server maintenance



**Amazon RDS** 

### Amazon RDS DB instances



#### **Amazon RDS**





Amazon RDS DB main instance

#### **DB** Instance Class

- CPU
- Memory
- Network performance

### **DB** Instance Storage

- Magnetic
- General Purpose (solid state drive, or SSD)
- Provisioned IOPS

MySQL

**Amazon Aurora** 

Microsoft SQL Server

**PostgreSQL** 


MariaDB

Oracle

DB engines


# Amazon RDS in a virtual private cloud (VPC)






# High availability with Multi-AZ deployment





# High availability with Multi-AZ deployment 2





### Amazon RDS read replicas




### **Features**

- Offers asynchronous replication
- Can be promoted to primary if needed

### **Functionality**

- Use for read-heavy database workloads
- Offload read queries



### Use cases



Web and mobile applications	<ul><li>✓ High throughput</li><li>✓ Massive storage scalability</li><li>✓ High availability</li></ul>	
<b>Ecommerce applications</b>	<ul><li>✓ Low-cost database</li><li>✓ Data security</li><li>✓ Fully managed solution</li></ul>	
Mobile and online games	<ul><li>✓ Rapidly grow capacity</li><li>✓ Automatic scaling</li><li>✓ Database monitoring</li></ul>	

### When to Use Amazon RDS



# Use Amazon RDS when your application requires:

- Complex transactions or complex queries
- A medium to high query or write rate – Up to 30,000 IOPS (15,000 reads + 15,000 writes)
- No more than a single worker node or shard
- High durability

# **Do not use** Amazon RDS when your application requires:

- Massive read/write rates (for example, 150,000 write/second)
- Sharding due to high data size or throughput demands
- Simple GET or PUT requests and queries that a NoSQL database can handle
- Relational database management system (RDBMS) customization

# Amazon RDS: Clock-hour billing and database characteristics



### Clock-hour billing –

Resources incur charges when running

### **Database characteristics –**

- Physical capacity of database:
  - Engine
  - Size
  - Memory class

# Amazon RDS: DB purchase type and multiple DB instances



### **DB** purchase type –

- On-Demand Instances
  - Compute capacity by the hour
- Reserved Instances
  - Low, one-time, upfront payment for database instances that are reserved with a 1-year or 3-year term

### Number of DB instances –

Provision multiple DB instances to handle peak loads

## Amazon RDS: Storage



### Provisioned storage –

- No charge
  - Backup storage of up to 100 percent of database storage for an active database
- Charge (GB/month)
  - Backup storage for terminated DB instances

### Additional storage -

- Charge (GB/month)
  - Backup storage in addition to provisioned storage

# Amazon RDS: Deployment type and data transfer



### Requests -

The number of input and output requests that are made to the database

# Deployment type—Storage and I/O charges vary, depending on whether you deploy to –

- Single Availability Zone
- Multiple Availability Zones

#### Data transfer -

- No charge for inbound data transfer
- Tiered charges for outbound data transfer

## Build Your DB Server and Interact with Your DB Using an App






### Lab 5: Scenario



This lab is designed to show you how to use an AWS managed database instance to solve a need for a relational database.




### Lab 5: Tasks



Security group

Create a VPC security group.




Create a DB subnet group.



Create an Amazon RDS DB instance and interact with your database.


## Lab 5: Final product














# Lab debrief: key takeaways





## Recorded demo: Amazon RDS





# Section 1 key takeaways



- With Amazon RDS, you can set up, operate, and scale relational databases in the cloud.
- Features
  - Managed service
  - Accessible via the console, AWS
     Command Line Interface (AWS CLI), or
     application programming interface (API)
     calls
  - Scalable (compute and storage)
  - Automated redundancy and backup are available
  - Supported database engines:
    - Amazon Aurora, PostgreSQL, MySQL, MariaDB, Oracle,2Microsoft SQLesServerAffiliates. All rights

Module 8: Databases

## Section 2: Amazon DynamoDB



# Relational versus non-relational databases



	Relational (SQL)	Non-Relational	
Data Storage	Rows and columns	Key-value, document, graph	
Schemas	Fixed	Dynamic	
Querying	Uses SQL	Focuses on collection of documents	
Scalability	Vertical	Horizontal	

Example

ISBN	Title	Author	Format
3111111223439	Witherin g Depths	Jackson , Mateo	Paperback
312222223439	Wily Willy	Wang, Xiulan	Ebook

ISBN: 3111111223439, Title: "Withering Depths", Author: "Jackson, Mateo", Format: "Paperback"

## What is Amazon DynamoDB?



Fast and flexible NoSQL database service for any scale



**Amazon DynamoDB** 

- NoSQL database tables
- Virtually unlimited storage
- Items can have differing attributes
- Low-latency queries
- Scalable read/write

# Amazon DynamoDB core components




Tables, items, and attributes are the core DynamoDB components

DynamoDB supports two different kinds of primary keys:
 Partition key and partition and sort key

## **Partitioning**






As data grows, table partitioned by key

QUERY by Key to find items efficiently SCAN to find items by any attribute

## Items in a table must have a key







# Section 2 key takeaways



### Amazon DynamoDB:

- Runs exclusively on SSDs.
- Supports document and key-value store models.
- Replicates your tables automatically across your choice of AWS Regions.
- Works well for mobile, web, gaming, adtech, and Internet of Things (IoT) applications.
- Is accessible via the console, the AWS CLI, and API calls.
- Provides consistent, single-digit millisecond latency at any scale.
- Has no limits on table size or throughput.







### Amazon DynamoDB demonstration





### **Amazon DynamoDB**

Amazon DynamoDB is a fast and flexible NoSQL database service for all applications that need consistent, single-digit millisecond latency at any scale. Its flexible data model and reliable performance make it a great fit for mobile, web, gaming, ad-tech, IoT, and many other applications.

Create table

Getting started guide



Create tables



Add and query items



Monitor and manage tables

Module 8: Databases

### Section 3: Amazon Redshift



### Amazon Redshift






Amazon Redshift


### Introduction to Amazon Redshift






## Parallel processing architecture






## Automation and scaling





## Compatibility






### Amazon Redshift use cases



- Enterprise data warehouse (EDW)
  - Migrate at a pace that customers are comfortable with
  - Experiment without large upfront cost or commitment
  - Respond faster to business needs
- Big data
  - Low price point for small customers
  - Managed service for ease of deployment and maintenance
  - Focus more on data and less on database management



### Amazon Redshift use cases 2



- Software as a service (SaaS)
  - Scale the data warehouse capacity as demand grows
  - Add analytic functionality to applications
  - Reduce hardware and software costs





# Section 3 key takeaways



### Amazon Redshift features:

- Fast, fully managed data warehouse service
- Easily scale with no downtime
- Columnar storage and parallel processing architectures
- Automatically and continuously monitors cluster
- Encryption is built in

Module 8: Databases

### Section 4: Amazon Aurora



### Amazon Aurora





**Amazon Aurora** 

- Enterprise-class relational database
- Compatible with MySQL or PostgreSQL
- Automate time-consuming tasks
   (such as provisioning, patching,
   backup, recovery, failure detection,
   and repair).


### Amazon Aurora service benefits






## High availability





## Resilient design







# Section 4 key takeaways



#### Amazon Aurora features:

- High performance and scalability
- High availability and durability
- Multiple levels of security
- Compatible with MySQL and PostgreSQL
- Fully managed

## The right tool for the right job



### What are my requirements?

Enterprise-class relational database

**Amazon RDS** 

Fast and flexible NoSQL database service for any scale

Amazon DynamoDB

Operating system access or application features that are not supported by AWS database services

Databases on Amazon EC2


Specific case-driven requirements (machine learning, data warehouse, graphs)

AWS purpose-built database services

## Database case study activity 1




Case 1: A data protection and management company that provides services to enterprises. They must provide database services for over 55 petabytes of data. They have two types of data that require a database solution. First, they need a relational database store for configuration data. Second, they need a store for unstructured metadata to support a de-duplication service. After the data is de-duplicated, it is stored in Amazon S3 for quick retrieval, and eventually moved to Amazon S3 Glacier for long-term storage. The following diagram illustrates their architecture.



### Database case study activity 2




Case 2: A commercial shipping company that uses an on-premises legacy data management system. They must migrate to a serverless ecosystem while they continue to use their existing database system, which is based on Oracle. They are also in the process of decomposing their highly structured relational data into semistructured data. The following diagram illustrates their architecture.



### Database case study activity 3



Case 3: An online payment processing company that processes over1 million transactions per day. They must provide services to ecommerce customers who offer flash sales (sales that offer greatly reduced prices for a limited time), where demand can increase by 30 times in a short time period. They use IAM and AWS KMS to authenticate transactions with financial institutions. They need high throughput for these peak loads. The following diagram illustrates their architecture.



Module 8: Databases

## Module wrap-up



### Module summary



### In summary, in this module, you learned how to:

- Explain Amazon Relational Database Service (Amazon RDS)
- Identify the functionality in Amazon RDS
- Explain Amazon DynamoDB
- Identify the functionality in Amazon DynamoDB
- Explain Amazon Redshift
- Explain Amazon Aurora
- Perform tasks in an RDS database, such as launching, configuring, and interacting

## Complete the knowledge check





## Sample exam question



Which of the following is a fully-managed NoSQL database service?

- A. Amazon Relational Database Service (Amazon RDS)
- B. Amazon DynamoDB
- C. Amazon Aurora
- D. Amazon Redshift

### Additional resources



- AWS Database page
- Amazon RDS page
- Overview of Amazon database services
- Getting started with AWS databases

## Thank you

© 2019 Amazon Web Services, Inc. or its affiliates. All rights reserved. This work may not be reproduced or redistributed, in whole or in part, without prior written permission from Amazon Web Services, Inc. Commercial copying, lending, or selling is prohibited. Corrections or feedback on the course, please email us at: <a href="mailto:aws-course-feedback@amazon.com">aws-course-feedback@amazon.com</a>. For all other questions, contact us at: <a href="https://aws.amazon.com/contact-us/aws-training/">https://aws.amazon.com/contact-us/aws-training/</a>. All trademarks are the property of their owners.

