HLS ASSIGNMENT

NAME : MUNEES SANID ROLL NO : KVLSI2501076 OUESTION NO:A

Github

VERILOG CODE

```
/ Name : Munees Sanid
 / Roll No: KVLSI2501076
// Question No:A
module comparator(
        input [3:0]a,
        input [3:0]b,
        output a_gt_b,
        output a eq b,
        output a ls b);
vire w0,w1,w2,w3,w4,w5,w6,w7,w8,w9,w10,w11;
vire l1, l2, l3, l4, l5, l6, l7, l8;
// xnor operation
knor x1(w4,a[3],b[3]);
xnor x2(w5,a[2],b[2]);
xnor x3(w6,a[1],b[1]);
xnor x4(w7,a[0],b[0]);
// not operation of b
not n1 (w0,b[3]);
not n2 (w1,b[2]);
not n3 (w2,b[1]);
not n4 (w3,b[0]);
// not operation of a
not n5 (l5,a[3]);
not n6 (l6,a[2]);
not n7 (17,a[1]);
not n8 (l8,a[0]);
// a greater tha b
and a1(w8,a[3],w0);
and a2(w9,a[2],w1,w4);
and a3(w10,a[1],w2,w4,w5);
and a4(w11,a[0],w3,w4,w5,w6);
or o1(a gt b,w8,w9,w10,w11);
// a == b operation
and a5(a eq b,w4,w5,w6,w7);
// a lesser than b operation
and a6(l1,b[3],l5);
and a7(l2,b[2],l6,w4);
and a8(l3,b[1],l7,w4,w5);
and a9(l4,b[0],l8,w4,w5,w6);
or o2(a_ls_b,l1,l2,l3,l4);
endmodule
```

TESTBENCH CODE

```
'include "comparator.v'
module comparator.tb;
reg [3:0] a, b;
wire a_gt_b, a_eq_b, a_ls_b;
comparator dut (.*); // It automatically port the connection

// To display the value
intital begin
Smonitor("Time = %0t a = %b b = %b :: a_gt_b = %b a_eq_b = %b a_ls_b = %b",$time, a, b, a_gt_b, a_eq_b, a_ls_b);
end
// few combination of 4 bit a and b
intital begin
a = 4'b0000; b = 4'b0000;
#10 a = 4'b000; b = 4'b0000;
#10 a = 4'b010; b = 4'b011;
#10 a = 4'b011; b = 4'b011;
#10 a = 4'b011; b = 4'b011;
#10 a = 4'b111; b = 4'b1100;
#10 a = 4'b1111; b = 4'b1100;
#10 a = 4'b1111; b = 4'b0001;
#10 a = 4'b1111; b = 4'b0001;
#10 a = 4'b1111; b = 4'b0001;
#10 a = 4'b0000; b = 4'b1101;
#10 a = 4'b0000; b = 4'b1101;
#10 a = 4'b0000; b = 4'b1000;
#110 a = 4'b0000; b = 4'b1000;
#120 a = 4'b0000; b = 4'b1000;
#131 a = 4'b0000; b = 4'b1000;
#140 a = 4'b0000; b = 4'b1000;
#150 a = 4'b0000;
#160 a = 4'b0000; b = 4'b0000;
#170 a = 4'b0000;
#180 a = 4'b0000; b = 4'b1100;
#190 a = 4'b0000;
#19
```

OUTPUT

```
VCD info: dumpfile dump.vcd opened for output.
Time = 0 a = 0000 b = 0000
                                     a_gt_b = 0 \ a_eq_b = 1 \ a_ls_b = 0
Time = 10 a = 0001 b = 0000
                                      a gt b = 1 a eq b = 0 a ls b = 0
Fime = 20 a = 0010 b = 0011
                                      a_gt_b = 0 \ a_eq_b = 0 \ a_ls_b = 1
Fime = 30 a = 0101 b = 0101
                                      a gt b = 0 a eq b = 1 a ls b = 0
Fime = 40 \text{ a} = 0111
                     b = 0110
                                      a_gt_b = 1 \ a_{eq_b} = 0 \ a_{ls_b} = 0
Time = 50 a = 1000 b = 1000
                                      a gt b = 0 a eq b = 1 a ls b = 0
Time = 60 a = 1100 b = 1101
                                      a_gt_b = 0 \ a_eq_b = 0 \ a_ls_b = 1
Fime = 70 a = 1111 b = 0001
                                      a_gt_b = 1 a_eq_b = 0 a_ls_b = 0
Time = 80 a = 0000 b = 1111
                                      a 	ext{ qt } b = 0 	ext{ a eq } b = 0 	ext{ a ls } b = 1
```

WAVEFORM

Time	10 :	sec 20	sec 30	sec 40	sec	50 s	ec 60 s	sec 70 s	ec
a[3:0]=7	0	1	2	5	7		8	12	15
b[3:0]=6	0		3	5	6		8	13	1
a_gt_b=1									
a_eq_b =0									
a_ls_b=0									

QUESTION NO:B

VERILOG CODE

```
module not_mux(input a, output y);
    assign y = a ? 1'b0 : 1'b1;
endmodule

module and2(input a, b, output y);
    assign y = a & b;
endmodule

module or2(input a, b, output y);
    assign y = a | b;
endmodule

module f_realization(input w1, w2, w3, output f);
    wire w1n, w3n;
    wire t1, t2, t3, t4;
    wire o1, o2;

    not_mux n1(w1, w1n);
    not_mux n3(w3, w3n);

    and2 a1(w1n, w3n, t1);
    and2 a2(w1, w3, t2);
    and2 a3(w2, w3, t3);
    and2 a4(w1, w2, t4);

    or2 o_1(t1, t2, o1);
    or2 o_2(t3, t4, o2);
    or2 o_3(o1, o2, f);
endmodule
```

TESTBENCH CODE

```
module testbench;
   reg w1, w2, w3;
   wire f;
f_realization uut(w1, w2, w3, f);
initial begin
$dumpfile("dump.vcd");
$dumpvars(0, testbench);
end
initial begin
$monitor("Time=%0t w1=%b w2=%b w3=%b :: f=%b", $time, w1, w2, w3, f);
end
initial begin
w1 = 0; w2 = 0; w3 = 0; #5;
w1 = 0; w2 = 0; w3 = 1; #5;
w1 = 0; w2 = 1; w3 = 0; #5;
w1 = 0; w2 = 1; w3 = 1; #5;
w1 = 1; w2 = 0; w3 = 0; #5;
w1 = 1; w2 = 0; w3 = 1; #5;
w1 = 1; w2 = 1; w3 = 0; #5;
w1 = 1; w2 = 1; w3 = 1; #5;
$finish;
end
 ndmodule
```

OUTPUT

```
VCD info: dumpfile dump.vcd opened for output.

Time=0 w1=0 w2=0 w3=0 :: f=1

Time=5 w1=0 w2=0 w3=1 :: f=0

Time=10 w1=0 w2=1 w3=0 :: f=1

Time=15 w1=0 w2=1 w3=1 :: f=1

Time=20 w1=1 w2=0 w3=0 :: f=0

Time=25 w1=1 w2=0 w3=1 :: f=1

Time=30 w1=1 w2=1 w3=0 :: f=1

Time=35 w1=1 w2=1 w3=1 :: f=1

boolean.v:56: $finish called at 40 (1s)
```

WAVEFORM

