# Practical MySQL

Session 2

Essentials of MySQL

### **Session Overview**

- List MySQL data types
- List and explain different commands in MySQL
- Explain the basics of creating a database
- Identify ways to create and drop a database in MySQL
- Identify ways to select a database in MySQL
- Outline how to create, alter and drop a table


### SQL Commands

SQL commands are instructions used to communicate with the database.

Data Definition
Language
(DDL)


Data
Manipulation
Language
(DML)

### Types of DDL Commands



© Aptech Limited Practical MySQL / Session 2 / 4 of 15

### Types of DML Commands



### Types of the Merge Command

#### Matched

The user must define matched rows that pass the MERGE condition. If the values are matched, one must use UPDATE query to update the values of one table's column to another table's columns.

#### **Not Matched**

If rows of source table do not match with any equivalent rows present in target table, the user must use the INSERT query.

## Not Matched by Source

It defines the table rows in the given target table which do not have any equivalent rows in the particular source table. Apply the condition to remove or delete rows from the given target table to coordinate the target table with the records from the source one. The DELETE query can be used here.

### Operations on a Database

A database is a collection of data and information in a standardized format.

### Create

By using DDL command

By using mysqladmin

### Select

From the Command Prompt

By using Raw SQL

## Drop

By using mysqladmin

By using Raw SQL

### MySQL Data Types

Some basic characteristics to determine the data type are:

Type of value (fixed or variable) it represents

Storage space of fixed or variable length

Indexed or non-indexed values

### Different Types of Data Types in MySQL 1-2

Numeric Data Type: Stores numerals and integers

Floating-Point Data Type: Stores approximate data values

**Temporal Data Type:** Stores temporal information such as time, date, and so on

Large Object Data Type: Stores large amounts of unstructured or semi-structured data

### Different Types of Data Types in MySQL 2-2

String Data Type: Stores data as long text or strings

**Binary Data Type:** Stores binary large objects that hold a variable amount of data

Spatial Data Type: Stores geometrical and geographical values

JSON Type: Provides automatic validation of JSON documents

© Aptech Limited Practical MySQL / Session 2 / 10 of 15

### **Creating Tables 1-2**

A table is created by entering the CREATE TABLE command in the MySQL command prompt.

With Primary Key

With Foreign Key

### **Creating Tables 2-2**

#### Tables can also be created

With Check Constraints

With Select Command

### Working with Tables 1-2

Some of the common operations performed on the tables in a database

Altering a Table

Renaming a table

### Working with Tables 2-2

# Other operations performed on the tables in a database

Adding Index to a Table

Truncating a Table

Dropping a Table

### Summary

- A database is a collection of data and information in a standardized format and can be accessed by multiple users at the same time.
- Mysqladmin is a tool used to perform administrative operations.
- DDL commands are used with database and database objects such as tables, whereas, DML commands are used to manipulate data in database objects.
- Adding primary key/s while creating a table maintains consistency, uniqueness, and avoids data duplication.
- A table can be linked with another table by dropping the primary or foreign key.
- The ALTER COLUMN command is used to change the data type of a column in a table.
- The TRUNCATE TABLE statement is used to remove all records from the existing table in MySQL.